

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not handle this product with bare hands. Use gloves or thoroughly clean dry utensils.

START UP

Before using tablets for the first time, pool water should be stabilized. Follow directions on Conditioner & Stabilizer label. Adjust and maintain the pH in the range of 7.2-7.8 using pH increaser or pH Decreaser as indicated by a reliable test kit. Adjust and maintain total alkalinity at 80-100 ppm based on first results and label directions on Total Alkalinity Control. With a shock dose of 2 oz. per 1,000 gallons, using concentrated chlorinating chemical such as Shock Treatment Granular, establish a free chlorine residual of 1.0-1.5 ppm. Repeat this step, if necessary, until residual is maintained.

DAILY

Each tablet weighs 1.2 ounce. Suggested dosage is 4 tablets per 10,000 gallons.

These tablets may be used in various types of feeding devices such as a floating dispenser or automatic chlorinator. Adjust feeding device according to manufacturer's directions to assure a consistent treatment level of 1.0-1.5 ppm of free chlorine residual determined by a reliable test kit. Dosage rate of feeding device may vary due to unusual conditions such as high temperature, heavy bather load, flow rate, pH, debris, wind and rain. Therefore frequent use of test kit is recommended. Do not add tablets directly to pool or mix with other chemicals. Avoid metal objects.


SHOCK TREATMENT

It may be necessary to repeat shock dosage on a weekly basis if algae appears, eye burn or chlorine odors are noted. Heavy rains, high bather load or high temperature occurs, or if a reliable test kit indicates presence of combined chlorine in excess of 0.2 ppm. Test pool water frequently to maintain proper pH, total alkalinity and free chlorine levels. If shock dose is used, do not use product until chlorine residual has dropped below 3 ppm.

WINTERIZING

These tablets are excellent for winter use in maintaining water clarity and killing most bacteria under a winter cover. Add tablets to a dispenser according to directions. Do not permit tablets to come in direct contact with a vinyl liner.

**MANUFACTURED BY
AQUA CHEMICAL CORP.
SPRINGFIELD, MA**



**"500"
SLOW-TAB**
STABILIZED CONCENTRATED
CHLORINATING TABLETS

DANGER
KEEP OUT OF REACH OF CHILDREN

EPA EST. NO 12465-MA-1 EPA REG NO 12465-33
See First Aid and Precautions on Back Panel
NET WEIGHT: 3 1/2 LBS.

DA
be 1
We
nstr
wash

This pr
pools,
Permit

Mix only
duct to an
product &
explosion
chemicals
operation
explosion
residual conta
ventilated ar

If swallowed:
Cooking oil C
if on skin: Bru
water for at least
10 minutes.
If in Eyes: Flush
with water. Get
medical attention.

Keep product dry.
Store in a cool dry
place. In case of de
flood with large am
discarding. Place in
fire area or bury in a

AquaMaid



"500"
SLOW-TAB
STABILIZED CONCENTRATED
CHLORINATING TABLETS

DANGER
KEEP OUT OF REACH OF CHILDREN

EPA EST NO 12465-MA-1

EPA REG NO 12465-33

See First Aid and Precautions on Back Panel

NET WEIGHT: 3 1/2 LBS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles, wash face and rubber gloves when handling. If in contact with nose and throat, avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS
This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters, unless in accordance with an NPDES Permit. For further information contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT

Mix only with water. Use heat-dry utensils. Do not add this product to any existing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other items, may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reuse. Containers of possible ignitable contents should be stored in well-ventilated areas and not with large volumes of water. If necessary,

FIRST AID

If swallowed, feed bread soaked in milk followed by olive oil. Do not induce vomiting. If in eyes, flush immediately with water for at least 15 minutes. If on skin, flush with cold water for at least 15 minutes. If on clothing, remove it. If inhaled, get fresh air and rest.

STORAGE AND DISPOSAL

Keep product in original container. Do not use if container is damaged. Store in a cool, dry, well-ventilated area. Do not store in areas where there is a fire hazard. Do not use in areas where there is a fire hazard. Do not use in areas where there is a fire hazard. Do not use in areas where there is a fire hazard.

ACCEPTED

12465-33

NOV 20 1978

FEDERAL BUREAU OF INVESTIGATION
U.S. DEPARTMENT OF JUSTICE

ROBERT B. ROBERTSON

33