



H-O-H CHEMICALS, INC.

641 SOUTH VERMONT STREET

PALATINE, ILLINOIS 60067

Phone: (312) 358-7400

ACCEPTED

5 MAY 1975

UNDER THE FEDERAL INSPCTICIDE,
FUNGICIDE AND RODENTICIDE AC.
FOR ECONOMIC POISON REGISTER
ED UNDER NO. 12479-3

A-400 M

FOR THE CONTROL OF ALGAE,
BACTERIA AND FUNGI IN OPEN
RECIRCULATING COOLING SYSTEMS

Active Ingredients 11.66%
Disodium cyanodithioimidocarbonate . . . 4.90%
Potassium N-methyldithiocarbamate . . . 6.76%
Inert Ingredient 88.34%

Weight per gallon 8.88 lb.
Weight of active ingredients per gallon 1.03 lb.

DIRECTIONS FOR USE: Initial Dosage: Slug feed A-400M on the basis of 5 to 10 fluid ounces per 1000 gallons of water in the system. Repeat initial dosage every 24 hours until control is evident. For maximum effectiveness, heavy growths of algae should be removed prior to the use of A-400 M. Slug additions of A-400M should be added to the sump of water cooling towers or at a point in the system where the product will be uniformly mixed.

Subsequent Dosage: Add A-400M once per week on the basis of 2 to 10 fluid ounces per 1000 gallons of system water capacity. The frequency of addition may be increased or decreased depending upon water losses from the system and the severity of the micro-biological problem.

WARNING: KEEP OUT OF THE REACH OF CHILDREN.

Causes eye irritation and skin irritation. Do not get in eyes, on skin or on cloth. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

Do not reuse empty drum. Destroy by perforating or crushing and burying in a safe place. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water.

Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, give patient doses of powdered charcoal immediately or all he can swallow of raw egg white, milk, gruel, or flour and water. Then induce vomiting with salt, soap or mustard in warm water. Call a physician immediately.

EPA Est. No. 12479-IL-1

EPA Reg. No. 12479-3