

Net Weight Shown on Bag

GOLDEN SUN FEEDS

HI PHOS "12" LARVI-BAN

To prevent the development of Horn Flies, Face Flies, House Flies and Stable Flies in the manure of treated cattle.

ACTIVE INGREDIENT	BY WEIGHT
2-chloro-1-(2, 4, 5-Trichlorophenyl) vinyl dimethyl phosphate	1.79%*
INERT INGREDIENTS	98.21%**

TOTAL 100.00%

*Each pound contains 8.1 g Rabon.

**Refers only to ingredients which are not larvicidal.

GUARANTEED ANALYSIS

Calcium (Ca)	Maximum 13.0%	Minimum 11.0	%
Phosphorus (P) not less than		12.0	%
Salt (NaCl)	Maximum 9.0%	Minimum 7.5	%
Iodine (I) not less than		0.007	%
Zinc (Zn) not less than		0.065	%
Cobalt (Co) not less than		0.0034%	
Vitamin A	10,000 USP units per lb.		
Vitamin D	10,000 USP units per lb.		

INGREDIENTS: Di-calcium phosphate, sodium tripolyphosphate, calcium carbonate, salt, corn distillers dried grains, ferrous sulphate, copper sulphate, manganous oxide, zinc oxide, cobalt carbonate, magnesium sulphate, potassium sulphate, cane molasses, anise molasses flavor, iron oxide, ethylene diamine dihydriodide, Vitamin A palmitate, and Vitamin D Supplement.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS


This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Manufactured by
GOLDEN SUN FEEDS, INC.
General Office
1676 Estherville, Iowa 51334



EPA Reg. No. 12714-3
EPA Est. No. 12714

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IA-1	IA-2	IA-3	NB-1	SD-1



HI PHOS "12" LARVI-BAN

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with this labeling.

Feed Golden Sun Hi Phos "12" Larvi-Ban at the rate of one ounce per 750 pounds of body weight per head per day by mixing it into the ground grain or complete daily ration.

Start feeding Golden Sun Hi Phos "12" Larvi-Ban early in the spring before flies begin to appear and continue feeding throughout the summer into the fall until cold weather restricts fly activity.

Golden Sun Hi Phos "12" Larvi-Ban may be fed up to slaughter and to lactating dairy cows.

Golden Sun Hi Phos "12" Larvi-Ban prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it is desirable to use other control measures to reduce the population of existing adult flies.

In some cases, supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, Golden Sun Hi Phos "12" Larvi-Ban should be used in conjunction with other good management and sanitation practices.

STORAGE AND DISPOSAL

Do not contaminate water or food by storage or disposal. Open dumping is prohibited. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

ACCEPTED

JUL 8 1976

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 12714-3