CLEAN CROP®

CHLORATE DEFOLIANT

DANGER

KEEP OUT OF REACH OF CHILDREN.

Harmful if Swallowed.

Do Not Get in Eyes, On Skin, or On Clothing.

Wash hands with soap and water after handling and be fore eating or smoking.

Wear clean clothing daily.

Do not contaminate water, feed or food stuffs. Keep livestock off treated areas and do not feed treated foliage or seed to livestock.

Toxic to fish and wildlife. Do not allow spray to drift to other crops, trees or plants that might be defoliated.

DESTROY USED CONTAINERS. Do not re-use for any purpose. Rinse and drain empty containers into spray tank at least three successive times, then puncture, such and bury in an isolated area. Wash and clean spray equipment after use. Do not allow wash water to contact desirable plants.

WARNING NOTICE

GROWERS AG SERVICE warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the direction for use. This produce uct is sold subject to the understanding that the buyer assumes all risks of use or handling which may result in loss or damage which are beyond the control of the seller, such as for example incompatibility with other products, the manner of its use of application, or the presence of other products or materials in or on the soil or crop. Growers Ag Service makes no other express or implied warranty of fitness or merchantability. The exclusive remedy of the buyer or user, and the limit of the liability of Growers Ag Service or any other seller, for any and all losses, injuries or damages, resulting from the use or handling of this product shall be the purchase price paid by the liser or buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this notice, which may not be varied by any verbal or written agree-



DANGER

POISON

KEEP OUT OF REACH OF CHILDREN

See Other Precautions On Side Panels.

ACTIVE INGREDIENT	S	BY	WEIGHT
Sodium Chlorate			. 20.0%
INERT INGREDIENTS	· · · · · · · · · · · · · · · · · · ·		80.0%
	Total		100.0%

PER GALLON IN A FIRE RETARDANT

SOLUTION.

DEC 2 1 1972

NET CONTENTS - 2U. S. Gallons

EPA Reg. No. 13136 1

GENERAL INFORMATION

ANCE WITH DIRECTIONS AND APPLICABLE STATE AND FEDERAL REGULATIONS.

STORE IN COOL, DRY PLACE

Weather and plant conditions affect defoliation. Weath er conditions favoring good defoliation are high tempt igh humidity and good soil moisture. Plant co. favoring good defoliation are good plant mature, (boll load heavy with all bolls mature, no active vegetative growth, little or no secondary growth), good fertility without excessive nitrogen, and a healthy condition of the plants. For best results, leaves should be green and turgid at the time of application, not damaged by insects, wilted or toughened by poor fertilities from or other cultural practices.

DIRECTIONS FOR USE

Mix 1% to 2 gallons of CHLORATE DEFOLIANT in 4 to 6 gallons of water and apply this amount per sere. Use the lower rate of 1% gallons in 4 to 6 gallons of water when conditions are favorable for cord defoliation. Use the higher rate of 2 gallons in 4 to 6 gallons of water when all conditions may not favor good defoliation.

Thorough coverage is essential.

Apply after the youngest bolls expected to make conficurate are at least 30 days old, but no later than a days had harvest.

TRI-STATE CHEMICALS, INC.

HEREFORD, TEXAS 79045