

DANGER—POISON—PRECAUTIONS ☠

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.


POISON
See Side Panels
for Antidote &
Precautions

AVOID
Keep Out of
Reach of
Children



Apollo

**BRAND
PISTOL
6 - 3**



Emulsifiable Insecticide Concentrate

1 gallon of
SIX - THREE
contains 6 pounds
Toxaphene and 3 pounds
Methyl Parathion
per gallon.

ACTIVE INGREDIENTS	
*Toxaphene	52.00
**O,O-dimethyl O-p-nitrophenyl thiophosphate	26.00
Xylene	16.01
INERT INGREDIENTS	
	5.99
TOTAL	100.00

*Technical Chlorinated Camphene
(67% - 69% Chlorine)
**Otherwise known as
Methyl Parathion

Manufactured by

Apollo

ENTERPRISES, INC.

Box 8325, Pine Bluff, Arkansas 71601

ACCEPTED

1-15-73

UNDER THE

13166-2

DIRECTIONS

NET CONTENTS

U. S. GALLONS

Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Do not get in eyes or on skin or clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for methyl parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately!

If on skin in case of contact, remove contaminated clothing and immediately wash skin with soap and water.

Methyl Parathion is a cholinesterase inhibitor and treatment of severe poisoning should include the use of atropine.

ATROPINE TABLETS

Keep on hand an emergency supply of 20 tablets, grains 1/100. In case of poisoning take 3 tablets (grs. 1/100) and call physician at once.

Enough atropine must be given in the shortest practical time to produce dilation of pupils. Patient must be under constant supervision and additional atropine may be necessary, without delay.

PAM is a sedant and may be administered in conjunction with atropine. Do not use atropine dosage as a guide for the amount of PAM. Patient becomes comatose. Respiration may be necessary. Treat symptomatically.

Apply to the following insects: Bollworm, Cotton-leaf-worm, Fleahopper, Lygus, and other plant bugs, and leafworm. Apply to the following insects: Boll weevil, Bollworm, Thrips, Aphids, Fleahoppers, Lygus and other plant bugs, and leafworm. Apply to the following insects: Boll weevil, Bollworm, Thrips, Aphids, Fleahoppers, Lygus and other plant bugs, and leafworm. Apply to the following insects: Boll weevil, Bollworm, Thrips, Aphids, Fleahoppers, Lygus and other plant bugs, and leafworm.

Apply to the following insects: Boll weevil, Bollworm, Thrips, Aphids, Fleahoppers, Lygus and other plant bugs, and leafworm. Apply to the following insects: Boll weevil, Bollworm, Thrips, Aphids, Fleahoppers, Lygus and other plant bugs, and leafworm.

This product is an emulsifiable concentrate that mixes readily with water for use in the control of certain insects attacking cotton.

For early season control of aphids, thrips, and fleahoppers use 1 quart per acre of this material in sufficient water to give good coverage.

For mid and late season control of boll weevil, bollworm, thrips, aphids, fleahoppers, lygus and other plant bugs and leafworm use 1 1/2 to 2 quarts per acre of this material in sufficient water to give good coverage.

Care should be taken that this material is not allowed to drift onto neighboring crop or non-crop areas.

USAGE CAUTION: Cotton which has received applications of this insecticide should not be grazed by dairy animals or animals being finished for slaughter. Do not feed trash from treated cotton to such animals. Do not hand pick or harvest within 7 days of application. Workers entering fields within 24 hours after application should wear protective clothing.

This product is highly toxic to bees exposed to direct treatment or residues on crop. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Dealers Should Sell in Original Packages Only

USAGE CAUTION: Do not allow this material to drift onto neighboring crop or non-crop areas or use in a manner or at a time other than in accordance with directions because plant injury, excessive residues or other undesirable results may occur.

NOTICE

WARRANTY AND LIMITATION OF DAMAGES: Apollo Enterprises, Inc. warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale attached to the present risks referred to therein.

Apollo Enterprises, Inc. makes no express or implied warranty, including any other express or implied warranty, of FITNESS OR MERCHANTABILITY, and no agent of Apollo Enterprises is authorized to do so except in writing with respect to reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential damages such as loss of profit or value, etc.

Apply to the following insects: Boll weevil, Bollworm, Thrips, Aphids, Fleahoppers, Lygus and other plant bugs, and leafworm. Apply to the following insects: Boll weevil, Bollworm, Thrips, Aphids, Fleahoppers, Lygus and other plant bugs, and leafworm.