

ANTIDOTE AND FIRST AID TREATMENT

Atropine is the emergency antidote for Methyl Parathion Poisoning. Consult your physician about obtaining an adequate supply of 1/100-grain (0.6 mg.) atropine tablets for emergency use. Call a physician immediately in all cases of suspected poisoning.

INTERNAL If swallowed call a physician immediately. Induce vomiting by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of warm water). Repeat until vomit fluid is clear. Have victim lie down and keep quiet.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON

EXTERNAL If the material has been spilled on the skin, immediately remove patient from the vicinity of the Methyl Parathion, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR Take or administer two 1/100-grain atropine tablets immediately. Get medical attention at once. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR** (See WARNING SYMPTOMS below). Have patient lie down and keep quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

WARNING SYMPTOMS Symptoms include weakness, headache, lightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with atropine. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until the time for cholinesterase regeneration has been allowed as determined by blood test.

POISONOUS IF SWALLOWED IF INhaled OR RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING.

Do not swallow or get in eyes, on skin, or on clothing. Do not breathe dust or vapors. Wear clean natural rubber gloves, clean, waterproof protective clothing, and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Methyl Parathion protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

COMBUSTIBLE MIXTURE:

Keep away from heat and open flame



DANGER—POISON—PRECAUTIONS ☠


POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

See Side Panels Keep Out of
for Antidote & Reach of
Precautions Children



Apollo

3-3

Emulsifiable Insecticide Concentrate

1 gallon of
APOLLO BRAND 3-3
contains 6 lbs. of
Insecticide

ACTIVE INGREDIENTS

O-Ethyl O-p-Nitrophenyl Phosphorothioate	31.00
O,O-Dimethyl O-p-Nitrophenyl Phosphorothioate	31.00
Xylene	33.00

INERT INGREDIENTS

	5.00
TOTAL	100.00

This product is highly toxic. Protective information Service.

Do not apply or allow animals. Vacated areas residue, have dissipated within 24 hours. animals or animals be.

Do not contaminate decontaminated and moved to a safe place. contact with humans.

This product is toxic. be killed. Keep out. occur. Do not apply. contaminate water by only as specified on the.

Thoroughly apply recommended application.

INS
Aphids, Boll Weevils, worm, leahoppers, Spider Mites, Cotton Bollworm and Consult State Agricultural recommendations on.

DIS
Do not use the product at least 18 hours before use. AND Empty containers.

Do not use the product. Do not use the product. Do not use the product.

Do not use the product. Do not use the product. Do not use the product.

Do not use the product. Do not use the product. Do not use the product.

Do not use the product. Do not use the product. Do not use the product.

Do not use the product. Do not use the product. Do not use the product.

Do not use the product. Do not use the product. Do not use the product.

GIVES STORAGE SPACE A CEDAR SCENT

DIRECTIONS

1. Open bottom flap, remove cake from box. Take off protective cellophane wrap. Replace cake in box and close flap.
2. Hang or place box above garments or other articles to be protected.
3. Articles to be stored should be cleaned or thoroughly brushed before storing.
4. Keep storage space tightly closed during storage period.

Will protect up to 20 cubic feet of tightly enclosed storage space. Cake will evaporate. Replace as needed.

ACTIVE INGREDIENTS: Paradichlorobenzene...99.75%
Perfumes......25%

DALE CHEMICAL COMPANY

Division Irwin-Willert Co.

ST. LOUIS, MO. 63110

USDA Reg. No. 1473-90

No. 139

KILL
Moths

Protects
Clothing

49¢

ACCEPTED

May 21 1971
1970-90

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR LION TOXIC POISON REGISTER-
ED AND NO SUBJECT
TO ATTACHED COMMENTS.