



### ANTIDOTE

**INTERNAL:** If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician IMMEDIATELY!

**EXTERNAL:** If on skin. In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

### PHYSICIAN'S NOTE

This compound contains Endrin and Methyl Parathion.

Methyl Parathion exerts muscarine-like effects—i.e., stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant, such as atropine to the limit of patient's tolerance, is indicated to relieve symptoms. 2-PAM is also antidotal and may be administered in conjunction with atropine. The administration of oxygen is helpful. Never give morphine to patients suspected of Methyl Parathion poisoning.

In cases of poisoning with Endrin, barbiturates as for anti-convulsant therapy are administered. Observe patient carefully since repeated treatment may be necessary. "Treat symptomatically."

### GENERAL DIRECTIONS

Mix this formulation with water by agitation or by circulating the mixture through the spray pump and back into the tank. A proper mixture will have the appearance of a milky emulsion with no free oil on the surface. Agitate before use until a uniform emulsion is formed. For best control ground equipment, apply recommended amount of insecticide in 5 gallons of water per acre. Apollo 1.6-2.0 can be used with conventional low volume, low pressure ground equipment, with hand sprayers or by airplane.

### DIRECTIONS FOR USE

Crop	To Control	Remarks
Cotton	Fleahoppers Thrips	Early season use—Apply 1 to 1 pint per acre in sufficient water to give uniform coverage. Apply when insects first appear and repeat as necessary.
Cotton	Aphids, Bollworm, Boll Weevil, Cabbage Looper, Cotton Leafworms, Cutworms, Fall Armyworms, Fleahoppers, Grasshoppers, Rapid Plant Bug, Tarnished Plant Bug, Thrips, Mites (certain species)	Mid and late season—Use 1 to 2 pints in sufficient water to give uniform coverage. Repeat at 3 to 5 day intervals until infestation is under control. Thorough coverage is necessary for best results.

Consult the State Agricultural Extension Service or State Agricultural Experiment Station for timing of applications in your area.


NET CONTENTS

U. S. GALLONS



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED



POISONOUS BY SKIN CONTACT



POISONOUS IF BREATHED

Breathing vapors, spray mist, or dust may be fatal.

POISON—DANGER

See Side Panel Here for Antidote & Health Precautions



# Apollo BRAND

## 1.6 - 2.0

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

1 gallon of Apollo 1.6-2.0 contains 2.0 pounds Methyl Parathion and 1.6 pounds Endrin

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

EPA Reg. No. 13166-8

ACCEPTED FOR THE FEDERAL GOVERNMENT UNDER THE FEDERAL FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTRATION NUMBER NO. 13166-8

Active Ingredients (by weight)	
*Endrin	1.6
**O, O-dimethyl O-p-nitrophenyl thiophosphate	2.0
Aromatic petroleum solvent	54.4
Inert Ingredients (by weight)	6.0
TOTAL	100.0

\*Hexachlorocyclohexane, gamma isomer  
\*\*Methyl Parathion

# Apollo ENTERPRISES, INC.

13166-8

DANGER

POISON—DANGER  
See Side Panel Here for Antidote & Health Precautions

Warning: This product is highly toxic to bees exposed to direct treatment or residues on crops. Protection information may be obtained from your Co-operative Agricultural Extension Service. Do not use this product for any purpose other than that recommended on this label. Do not apply nor allow to drift to areas occupied by unprotected humans or beneficial animals or where dairy animals or animals being finished for slaughter may be grazing. Do not pasture dairy animals or animals being finished for slaughter in cotton fields, or feed gin waste from cotton that received late applications of this insecticide. To protect fish and wildlife, do not contaminate streams, lakes, or ponds with this material. This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. KEEP OUT OF REACH OF CHILDREN. Keep container closed when not in use. Do not re-use container for other purposes. CAUTION: Do not hand pick or harvest within 7 days of application. Workers entering fields within 24 hours after application should wear protective clothing. COMBUSTIBLE MIXTURE: Keep away from heat or open flame.

WARRANTY AND LIMITATION OF DAMAGES: Apollo Enterprises, Inc. warrants that the material conforms to the chemical description on the label and is suitable for the purposes referred to in the Directions for Use and Conditions of Sale. It is sold on the basis of risks referred to therein. Apollo Enterprises, Inc. makes no other express or implied warranty, including any other express or implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, and its agent, Apollo Enterprises, Inc., shall not be liable for any damages, including consequential damages, arising out of the use of this product.