

READ ENTIRE LABEL BEFORE USING

**DANGER**  **POISON**

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION POISONING. Consult your physician about obtaining an adequate supply of 1/100-grain (0.6 mg.) atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

**INTERNAL:** If swallowed, call a physician immediately. Induce vomiting by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of warm water). Repeat until vomit fluid is clear.

**NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

**EXTERNAL:** If the material has been spilled on the skin, immediately remove patient from the vicinity of the Methyl Parathion, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

**IF WARNING SYMPTOMS APPEAR:** Take or administer two 1/100-grain atropine tablets immediately. Get medical attention at once. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR** (See WARNING SYMPTOMS below). Have patient lie down and keep quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

#### NOTE TO PHYSICIAN

**WARNING SYMPTOMS:** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

**TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred.

Morphine and tranquilizers are contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until the time for cholinesterase regeneration has been allowed as determined by blood test.


2 PAM is also antidotal and may be administered in conjunction with atropine.

#### DANGER

**POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING.**

Do not swallow or get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Wear clean, natural rubber gloves, clean, waterproof protective clothing and goggles. Replace gloves frequently, and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Methyl Parathion protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water, wash clothing before re-use. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

**WARRANTY AND LIMITATION OF DAMAGES:** Apollo Enterprises, Inc. warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein. Apollo Enterprises, Inc. makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Apollo Enterprises, Inc. is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or value, etc.



**DANGER—POISON—PRECAUTIONS** 

#### POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.

#### POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)


#### POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

**POISON DANGER**  
See Side Panels Keep Out of  
for Antidote & Fear of  
Precautions Children



**Apollo**  
BRAND



# 4 LB. Methyl Parathion

## Emulsifiable Insecticide Concentrate

1 gallon of  
APOLLO BRAND 4 LB.  
METHYL PARATHION  
contains 4 pounds of  
Methyl Parathion

#### ACTIVE INGREDIENTS (by weight)

*O,O-dimethyl O-p-nitrophenyl phosphorothioate	45.0%
Xylene	50.0%
INERT INGREDIENTS (by weight)	5.0%

TOTAL 100.0%

\*Methyl Parathion

Manufactured by

**Apollo**  
ENTERPRISES, INC.

NET CONTENTS

U.S. GALLONS BY WEIGHT

EPA Reg. No. 13166-11

Box 8325, Pine Bluff, Arkansas 71601

Do not apply or allow animals. Vacated areas: residues have dissipated. Workers entering fields: Do not graze dairy animals in fields, nor feed them corn.

Highly toxic to wildlife. weather conditions favor.

Do not contaminate area. label.

Do not contaminate feed. decontaminated and removed to a safe place that contact with humans.

This product is highly. Protective information. Service.

Apollo 4 lb. Methyl P. volume ground application. mended purposes at re. Mix with water 10 gal. application. Agitate the use.

INSECT CONTROL ON. Boll Weevil, Cotton Le.

Four-Pound Methyl Para. pints per acre depending. state representative of. as local conditions warrant.

DISP

DO NOT re-use the co. chemical at least 18 in.

FIVE GALLON AND FIF. empty containers.

5-GALLON DRUMS. tablespoons detergent.

55-GALLON DRUM. (lye), 1 cup detergent.

Rotate container carefully. solution at least 18 in.

DO NOT USE container.

(CAUTION) Handle carefully. skin, in eyes, or on clothing.

Punch holes in the top. deeply in an isolated area.

IF THE ABOVE RINSE. container and burn in. off the container. Extremities are completely empty.

DO not attempt to burn.

COMBUSTIBLE. Keep away from fire.

DO NOT RE-USE.

IG  
N  
NT

POISONING Con-  
(0.6 mg.) atropine  
CASES OF SUS-

y introducing a fin-  
a glass of warm

move patient from  
nd wash skin with  
lately with running

In atropine tablets  
TROPINE UNLESS  
Have patient lie  
is not breathing.

ghtness in chest,  
a, vomiting, diar-

against parasympa-  
tion, atropine sul-  
ms, until complete

al drainage Oxy-  
for 48 hours. Re-  
cause prolonged  
o further exposure  
etermined by blood


atropine

4 SKIN RAPIDLY  
FACT MAY, WITH-  
THYL PARATHION

e vapors or spray  
ive clothing, and  
a mask or res-  
rathion protection  
ng or smoking  
least ten minutes  
ted clothing and  
of spillage, wash  
ment by washing  
ter

warrants that this  
onably fit for the  
subject to the in-  
er express or im-  
NESS or of MER-  
o do so except in  
from a breach of  
ude consequential

IS BY WEIGHT



DANGER—POISON—PRECAUTIONS



POISON DANGER

See Side Panels Keep Out of  
for Antidote & Fear of  
Precautions Children

#### POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.

#### POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)

#### POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.



**Apollo**  
BRAND

ACCEPTED

JAN 15 1973

UNDER THE FEDERAL INSECTICIDE  
FUNCTIONAL USE, DETERMINE ACT  
FOR FURTHER INFORMATION REGISTER-  
ED UNDER 13166-11

# 4 LB. Methyl Parathion

## Emulsifiable Insecticide Concentrate

1 gallon of  
APOLLO BRAND 4 LB.  
METHYL PARATHION  
contains 4 pounds of  
Methyl Parathion

#### ACTIVE INGREDIENTS (by weight)

\*O,O-dimethyl O-p-nitrophenyl  
phosphorothioate ..... 45.0%

Xylene ..... 50.0%

INERT INGREDIENTS (by weight) ..... 5.0%

TOTAL ..... 100.0%

\*Methyl Parathion

Manufactured by

**Apollo**  
ENTERPRISES, INC.

EPA Reg. No. 13166-11

Box 8325, Pine Bluff, Arkansas 71601

#### PRECAUTIONS IN USING

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not apply within 7 days of hand picking or harvesting. Workers entering fields within 24 hrs. after application should wear protective clothing. Do not graze dairy animals or animals being finished for slaughter in treated cotton fields, nor feed them cotton trash.

Highly toxic to wildlife. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated.

Do not contaminate any body of water nor apply to any areas not specified on the label.

Do not contaminate feed or food products. To prevent re-use, empty containers to be decontaminated and destroyed. Keep container closed. Leaking containers should be removed to a safe place. Do not dispose of any unused material in such a manner that contact with humans or beneficial animals may occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

#### GENERAL DIRECTIONS

Apollo 4 lb. Methyl Parathion can be used in conventional hydraulic sprayers, low-volume ground applicators, or airplane sprayers. Use this product only for recommended purposes at recommended dosages. Mix with water, 10 gal. per acre for ground application, 3-10 gal. per acre for aerial application. Agitate the mixture while spraying. If allowed to stand, re-agitate before use.

#### DIRECTIONS FOR USE

**INSECT CONTROL ON COTTON**—Apollo 4 lb. Methyl Parathion will control Aphids, Boll Weevil, Cotton Leaf Worm, Fleahopper, and some species of Spider Mites.

Four-Pound Methyl Parathion spray is recommended to be used at the rate of 1 to 3 pints per acre depending upon local conditions. For timing of applications, consult your state representative of extension service or experiment station and repeat applications as local conditions warrant.

#### DISPOSAL OF EMPTY CONTAINERS

**DO NOT** re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

**FIVE GALLON AND FIFTY-FIVE GALLON DRUMS**—Pour the following mixtures into the empty containers:

5-GALLON DRUMS—2 qts. water, 1/2 cup caustic soda (household lye) 2 tablespoons detergent

55-GALLON DRUMS—5 gallons water, 2 pounds caustic soda (household lye), 1 cup detergent

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

**DO NOT USE** container in any connection with feed, food, or drinking water.

(CAUTION: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on the package.)

Punch holes in the top and bottom of container, crush the container and bury deeply in an isolated area.

**IF THE ABOVE RINSE METHOD CANNOT BE USED**—Punch holes in the TOP of the container and burn in a hot fire until all of the paint has been completely burned off the container. Extreme caution should be exercised to insure that the containers are completely empty and that persons stay well away from the smoke and fumes.

**DO NOT** attempt to burn more than five containers at one time.

**COMBUSTIBLE** Keep away from heat and open flame.

**DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE**