

7/11 = 1 12/21/86 2 1/363

10/17/87

Binzel Products, Inc.
2431 29th Avenue North
Birmingham, AL 35207

Attention: Alvin J. Binzel, Jr.

Gentlemen:

Subject: Tri-Cide
EPA Registration No. 13275-2
Your Submission Dated September 23, 1986

The submission referred to above, submitted in connection with the Label Improvement Program Notice for Antimicrobial Products Used as Food Contact Surface Sanitizers, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
 - a. Under the heading USE DIRECTIONS add the following misuse statement "It is a violation of Federal law to use this product in a manner inconsistent with its labeling."
 - b. We have determined that this product is subject to Child-Resistant Packaging regulations (effective March 9, 1981). Refer to 40 CFR 162.16 "Pesticides Requiring Special Packaging" and the Federal Register Vol. 46, No. 41, Tuesday, March 3, 1981, pp. 15104-15109, "Clarification of Policy Issues on Special Packaging," for guidance and proper submission requirements.

You must submit a statement certifying that your packages meet the standards for special packaging for this registration.

However, you may wish to voluntarily restrict your product to use by service persons only which would not require child-resistant packaging. To do this, you must print on the

90150:Lee:L-3:KENCO:12/5/86:12/17/86:dej:VO

CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

label, or temporarily apply as a sticker on the label or on the container for all sizes in which this product will be marketed, the following statement:

Only for Sale To, Use and Storage by
Service Personnel.

This statement must be at least the same type size as the child hazard warning statement and preferably placed in the upper front panel.

- c. Remove Sodium carbonate from the Active Ingredient statement and change the Inert Ingredients statement percentage accordingly.

- 2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

USE DIRECTIONS

FOR CLEANING

BRIGHT SOILED AREAS Surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of TRICIDE per gallon of water. Rinse immediately with fresh water.

HEAVY SOILED AREAS Mop or brush soiled surface with a solution containing 2 ounces of TRICIDE per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, restrooms and other public areas, mop or brush surface to be treated with a solution containing 1 ounce of TRICIDE per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of TRICIDE per gallon of water and then disinfected. These surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.

To disinfect locker rooms, shower stalls, walkways around pools and other areas where fungus infection is feared, mop area with a solution containing 2 ounces in 3 gallons of water. This solution will destroy Trichophyton interdigitale, a causative agent of athlete's foot.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 2 ounces of TRICIDE per gallon of water. These surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a brush containing 2 ounces per gallon of water and then treated with a fresh solution containing 2 ounces per gallon of water before disinfection.

BINZEL

CLEANING COMPOUNDS SUPPLIES & EQUIPMENT

TRICIDE

DISINFECTANT - CLEANER - FUNGICIDE - DEODORANT

ACTIVE INGREDIENTS

AA-N,N-DIMETHYL-C₁₂H₂₅N₂ 40% C₁₂H₂₅N₂ 20% C₁₂H₂₅N₂ 40% Benzylammonium chloride 4.8%
Sodium carbonate 3.5%

INERT INGREDIENTS 91.7%

EPA REG. NO. 13275-2-1000 EST. NO. 13275-A1-1

DANGER

KEEP OUT OF REACH OF CHILDREN.

See First Aid and Other Precautions on right panel.
Container Disposal: When empty, rinse container thoroughly with water and destroy it to avoid injury to birds and animals.

MANUFACTURED BY:

BINZEL PRODUCTS, INC.
2433 20TH AVENUE NORTH
BIRMINGHAM, ALABAMA 35207
Phone (205) 252-1531

NET CONTENTS

DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 2 ounces of TRICIDE per gallon of water. TRICIDE is an effective antibacterial cleaner designed for use in household, institutional and industrial cleaning. When used as directed, TRICIDE will disinfect hard surfaces such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pits, food storage areas, kennel areas and other areas where stock odors may develop. This product may be used as a general purpose antibacterial and fungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and odor elimination is desired.

See left panel for use directions.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contact with food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gastric solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN

Possible mucousal damage may contraindicate the use of gastric lavage. Measures against secondary shock, respiratory depression and convulsions are needed.