



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

SEP 15 2005

Ms. Kim Davis
RegWest Company, LLC
30856 Rocky Road
Greeley, CO 80631-9375

Subject: Label Amendment to establish a Master Label, Revised Basic CSF, and New Alternate CSF

Rainbow® DM Fire Ant Killer
EPA Registration No. 13283-23

Rainbow® DM Fire Ant Killer II
EPA Registration No. 13283-27

Your submissions dated March 2, 2005

Dear Ms. Davis:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable subject to the comments listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. Stamped copies of the labels are enclosed for your records.


- 1) Under Notice of Warranty revise the statement beginning with: *"In no case shall Rainbow be liable..."* to read: *"To the extent permitted by law Rainbow shall not be liable..."* or *"It is Rainbow's intention ..."* As currently written the statement negates and/or detracts from labeling requirements as set forth by the Agency in 40 CFR Part 156, and is, therefore, considered misbranding.
- 2) Revise the second statement under Environmental Hazards to read: *"Do not apply directly to water"*. Add *"Do not contaminate water with equipment washwaters"*.
- 3) Add the following sentence *"Do not contaminate water, food, or feed by storage and disposal"* directly under the subheading "Storage and Disposal".

- 2/10
- 4) Revise "...Deer... (that carry Lyme Disease)..." to read "...Deer... (that may carry Lyme Disease)..."
 - 5) Under Directions for Use, on the homeowner use label, add the following statements: "*Food utensils such as spoons and measuring cups must not be used for food purposes after use in measuring pesticides. Do not allow children or pets on treated areas until granules have been watered in or the soil and the grass or soil is dry*".
 - 6) Delete "*golf courses*" from the use directions. The addition of golf courses will trigger restricted use labeling as is the case for other synthetic pyrethroids.
 - 7) Delete the fire ant repellency data citation from the data matrix and resubmit the data matrix. The data (MRID No. 45791901), submitted under Reg. No. 13283-27, was reviewed and found unacceptable to support the repellency claim (EPA Memo dated Jan 29 2003).

The revised basic and alternate confidential statements of formula (CSF), both dated 02 Mar 2005, are acceptable. These CSFs have been inserted in the file for the subject product and supersede all other previously approved CSFs.

If you have any questions regarding this action, please contact Olga Odiott of my team at (703) 308-9369.

Sincerely,


George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

Enclosure

3/10

{Master Label}

Rainbow® DM Fire Ant Killer

Master Label Contains:

Sublabel A: Commercial label
(Sold in 4 oz. Mylar bags; and 6 lbs. and 20 lbs. shaker containers)

and

Sublabel B: Domestic/Homeowner/General Use label
(Sold in 1, 2, 6 and 10 lbs. bags/containers)

Active Ingredient:

*Deltamethrin	0.25%
Other Ingredients	99.75%
Total	100.00%

*(S)-alpha-cyano-m-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-
2,2-dimethylcyclopropanecarboxylate.

Keep Out of Reach of Children
CAUTION
See back panel for additional precautionary statements.

NET WT. ___ oz. [lbs.] (___ kg)

Rainbow Technology Corporation
Supports
Workshops, Inc.
A UNITED WAY AGENCY

{United Way
Logo}

{Logo}
Manufactured By:
© _____ Rainbow Technology Corporation
261 Cahaba Valley Parkway
Pelham, AL 35124-1146
Suggestions or Comments?
1.800.637.6047

EPA Reg. No. 13283-23

EPA Est. 13283-AL-1

ACCEPTED
with COMMENTS
In EPA Letter Dated
SEP 15 2005
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
13283-23

4/10

Sublabel A: Commercial Label

Rainbow[®] DM Fire Ant Killer

**Kills and Controls {Select from 'Listed Insects'} In and Around
Telecommunications, Power, Utilities and Railroad Systems Equipment
Including (but not limited to):**

**Buried Cables, Cable Television Pedestals, Cables,
Pad-Mounted Air Conditioning Units,
Pad-Mounted Electric Power Transformers,
Telephone Cables and Underground Vaults**

Also Controls {Select from 'Listed Insects'}

{Listed Insects:}

**Ants, Bees (including Africanized "Killer" Bees), Crickets, Earwigs, Fire Ants, Fleas,
Hornets, Millipedes, Roaches, Scorpions, Silverfish, Sowbugs, Spiders (including Black Widow
and Brown Recluse), Ticks, Wasps, Waterbugs and Yellowjackets**

Active Ingredient:

*Deltamethrin	0.25%
Other Ingredients	99.75%
Total	100.00%

*(S)-alpha-cyano-m-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-
2,2-dimethylcyclopropanecarboxylate.

**Keep Out of Reach of Children
CAUTION
See back panel for additional precautionary statements.**

NET WT. 4 oz.

{or}

NET WT. 6 lbs. (96 oz.)

{or}

NET WT. 20 lbs.

{Back Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use In and Around Telecommunications, Power, Utilities and Railroad Systems Equipment

[Including (but not limited to)]

[For] Use in and around buried cables, cable television pedestals, cables, pad mounted air conditioning units, pad-mounted electric power transformers, telephone cables, underground vaults, telecommunications equipment (boxes, closures, interfaces, pedestals, protectors and terminals), power and utilities equipment (camera housings, control panels, emergency light systems, fire alarm systems and lights/alarms), and railroad systems equipment (breaker boxes, railroad signals, traffic control boxes and signals, and transformer pads). Do not open contents until ready for use.

{For product packaged in 4 oz. Mylar bags:}

Do not place product where it will interfere with moving parts of equipment. Due to various equipment sizes, the amount of product may change, however, 4 oz. per 1 sq. ft. is recommended. Use in interior and exterior areas at points of entry. Open Mylar plastic bag and pour entire contents (4 oz.) directly into and around equipment, buried closure or hole. Lock closure or set pole immediately to prevent access. One bag will treat up to 12" x 12" (1 sq. ft.).

5/10

{For product packaged in 6 lbs. containers:}

Open the applicator dispenser lid two (2) notches and shake (broadcast left to right) the insecticide onto the ground, covering the area of the pad location, plus a two foot perimeter around the outside of the pad location. This container will cover up to a 24 sq. ft. area (an area approximately 4' x 6'). Container holds the equivalent of 24, 4 oz. bags of Rainbow DM Fire Ant Killer. Plastic barrier required for poured-in place pads. Prior to pouring concrete, cover insecticide-treated surface with plastic barrier.

{For product packaged in 20 lbs. containers:}

Open the applicator dispenser lid two (2) notches and shake (broadcast left to right) the insecticide onto the ground, covering the area of the pad location, plus a two foot perimeter around the outside of the pad location. This container will cover up to a 80 sq. ft. area (an area approximately 10' x 8'). Container holds the equivalent of 80, 4 oz. bags of Rainbow DM Fire Ant Killer. Plastic barrier required for poured-in place pads. Prior to pouring concrete, cover insecticide-treated surface with plastic barrier.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a clean, dry place. Protect container from rupture during storage and transport. If contents are spilled, sweep or scoop up material and place in another clean, dry container for reuse or disposal in accordance with this label. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Completely empty bag [dispenser], then dispose of bag [dispenser] in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS

CAUTION

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

Notice of Warranty: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. In no case shall Rainbow be liable for consequential or special damages resulting from the use or handling of this product. All risks shall be assumed by the Buyer. Rainbow makes no warranties of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE or any other express or implied warranty except as stated above.

Product No. _____
{Code}

Rainbow Technology Corporation
Supports
Workshops, Inc.
A UNITED WAY AGENCY

{United Way
Logo}

{Logo}
Manufactured By:
© _____ Rainbow Technology Corporation
261 Cahaba Valley Parkway
Pelham, AL 35124-1146
Suggestions or Comments?
1.800.637.6047

EPA Reg. No. 13283-23

EPA Est. 13283-AL-1

[] Denotes alternate/optional language
{ } Denotes language that does not appear on the market labeling

6/10

Sublabel B: Domestic/Homeowner/General Use Label

Rainbow® DM Fire Ant Killer

{Select from 'Marketing Claims'}

{Marketing Claims:}

- Kills Insects in Lawns
- Lawn and Garden Insect Control
- Controls Home Invading Pests
- Controls 'Surface-Feeding' Pests
- 10 Pounds {or other size} Treats up to 12,500 {or corresponding conversion} Sq. Ft.
- 10 Pounds {or other size} Treats up to 375 {or corresponding conversion} Ant Mounds
- For Grass and Dichondra Lawns
- For Outdoor Use on Home Lawns
- Ready-to-Use Easy to Use Convenient
- Provides Contact and Residual Control for up to 4 Weeks
- Long-Lasting Insect Control [Residual Action]
- Complete Release of Active Ingredient
- For Outdoor Use in Ornamental Plant Beds
- Guaranteed to Work or Money Back
- Guaranteed Control of Lawn and Home Invading Insects or Your Money Back
- Quick Kill of Fire Ants Quick [Fast] [Effective] Kill of Stinging [Fire] Ants Kills Fire Ants on Contact
- Kills Fire Ant Workers Kills Fire Ant Queens
- Aids in the Control of Mole Crickets
- Kills Insects Quickly Kills on Contact Excellent Value for the Money
- Kills Ticks (including ticks that carry Lyme Disease)
- For Control of Imported Fire Ants on Lawns and Recreational Fields
- Contains Deltamethrin Contains a [Synthetic] Pyrethroid
- For a Healthier Lawn
- Easy and Quick to Apply with a Drop or Broadcast Spreader

Kills [Controls] [To Kill] [To Control] {select from 'Listed Insects'}

{Listed Insects:}

Ants, Armyworms (Fall, Yellow-Striped, etc.), Bermudagrass Mites, Billbugs (adult), Boxelder Bugs, Centipedes, Chiggers, Chinch Bugs, Clover Mites, Cockroaches, Crickets, Cutworms, Darkling Ground Beetles, Digger Wasps, Essex Skipper, Field Crickets, Fire Ants, Firebrats, Firey Skipper, Flea Beetle (in dichondra), Grasshoppers, Hyperodes (turfgrass) Weevils, Japanese Beetles (adult), Lawn Moths, Leafhoppers, Mealybugs (adult), Mole Crickets, Silverfish, Sod Webworms, Sowbugs, Spiders, Spittlebugs, Springtails, Ticks (Bear, Black-Legged, Brown Dog, Deer [*Ixodes diammini*] [(that carry Lyme Disease)], Lone Star, Western Black-Legged [*Ixodes pacificus*] and Wood) and Vegetable Weevils (in dichondra) [and other listed insects]
[on lawns and recreational fields]

Active Ingredient:

*Deltamethrin	0.25%
Other Ingredients	99.75%
Total	100.00%

*(S)-alpha-cyano-m-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate.

Keep Out of Reach of Children
CAUTION
See back panel for additional precautionary statements.

NET WT. ___ lbs. (___ kg)

7/10

{Back Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Not for commercial greenhouses, nurseries, on sod farms or grass grown for seed.

General Instructions

1. Determine size of area to be treated – measure and multiply length times width
2. If using a commercial spreader, determine appropriate spreader setting using chart
3. Treat area as directed – thorough coverage is important. ~~Thoroughly water in granules with a half-inch~~ of water. This product is extremely toxic to fish and aquatic invertebrates. Use with care when applying in areas adjacent to any body of water. Do not apply on saturated soil. Do not allow runoff to occur. Do not contaminate ornamental fish ponds.
4. Keep children and pets off treated areas until this material is washed into turf and grass is dry.

Remove granules from concrete surfaces (patios, sidewalks, driveway, pavers or similar material) to prevent potential marking or discoloration.

In New York State this product may not be applied to lawns that directly border coastal marshes. For control of turf insects other than fleas and ticks in New York State, a second application may be made after two weeks if target insect activity persists.

Overall Lawn Treatment for Grass and Dichondra Lawns to Control ants, armyworms (including fall, yellow-striped, etc.), bermudagrass mites, billbugs (adult), boxelder bugs, centipedes, chiggers, chinch bugs, clover mites, cockroaches, crickets, cutworms, darkling ground beetles, digger wasps, essex skipper, field crickets, fiery skipper, fire ants, firebrats, flea beetle (in dichondra), grasshopper, hyperodes (turfgrass) weevil, Japanese beetle (adult), lawn moths, leafhoppers, mealybugs (adult), mole crickets, silverfish, sod webworms, sowbugs, spiders, spittlebugs, springtails and vegetable weevils (in dichondra): Uniformly apply this product to golf courses, home lawns, under shrubbery and other ornamental recreational turfgrass areas. Treat when insects first appear using a fertilizer spreader to apply granules at the rate of 2 to 3 pounds per 2,500 sq. ft. or, for heavy lawns such as St. Augustinegrass, 3 pounds per 2,500 sq. ft. Refer to spreader setting chart below.

Chinch Bugs: Start treatments when temperatures reach 80°F or above. A second application may be necessary in 6 weeks if insect activity continues.

European Cranefly Larvae (Latherjackets): The best time to apply is in early April when the insects are young.

Tick Control (Outdoors): In summer months, ticks frequently become established in lawns and pet resting areas surrounding the home. Follow a regular treatment program for best control of Ticks (including but not limited to Bear, Black-legged, Brown Dog, Deer, Lone Star, Western Black-Legged and Wood). Treat once a month as directed above when pests first appear in late spring (May through June) and continue until late summer (September through October). Fall temperatures below 50°F decrease pest activity. Eliminating weeds around the home and mowing lawns frequently reduces the hiding places for these pests.

Note: If dogs, cats and their kennel/bedding areas are not simultaneously treated they could serve as a source of reinfestation of the entire premises. Treat dogs, cats and their kennel/bedding areas with tick control products registered for these specific sites. Also, if ticks are indoors on carpets or pet resting areas treat these areas with a tick control product registered for these sites. It is very important that all three sites (outdoors, indoors and individual pets) be treated with tick control products registered for these uses to achieve satisfactory tick control.

Sod Webworms (*Crambus* spp.): Sod Webworms are the light brown caterpillars 1/4- to 3/4-inch long that hide in the grass during the day and feed on grass blades at night. Adult Webworms, usually referred to as 'Lawn Moths' (about 1-inch in length with a long snout), emerge from the grass at dusk. They fly over the lawn laying eggs that later hatch into destructive caterpillars. Damage first appears as small brown spots which, if not treated, may rapidly develop into large brown areas of severely damaged or dead grass. If Lawn Moths are noticed in large numbers at dusk, or at first sign of lawn damage, treat entire lawn following the 'Overall Lawn Treatment' directions.

Band (Perimeter) Treatment Around House Foundation: To help prevent infestation of buildings by ants, boxelder bugs, brown dog ticks, centipedes, clover mites, cockroaches, crickets, field crickets, sowbugs, spiders, springtails (*Collembola*) and ticks, treat a band 5- to 10-feet wide around and adjacent to the building where pests are active and may find entrance. Treat at a rate of 1 to 1-1/2 pounds per 1,250 square feet, or 2 to 3 pounds per 2,500 square feet.

Flower, Shrub and Ornamental Plant Beds: To control ants, armyworms, brown dog ticks, cockroaches, crickets, cutworms, fire ants, grasshoppers, pillbugs, sowbugs and springtails, evenly apply granules over soil within the beds and

8/10

under shrubbery. Use the same dosage recommended for control of these pests in lawns. Thoroughly water-in granules with 1/2-inch of water.

Spot Treatment: Ants Nesting Outdoors: Use this product outdoors for control of ants including Acrobat, Argentine, Big Headed, Cornfield, Field, Harvester, Leafcutter, Little Black, Pavement and Pyramid Ants. If possible, locate the ant nest and treat it first. Nests will usually be found in the ground, but may be concealed under stones, boards, slabs or in stumps/logs. Apply this product to cover the nest using 1 to 2 teaspoons granules then gently sprinkle the granules with sufficient water to dissolve them. In addition to treating ant nests or mounds, also treat entry points of buildings (used by ants) and the soil surface along the perimeter of the building.

Digger Wasps: Apply 1 to 2 teaspoons of granules in and around each individual ground nest opening. Apply at dusk when the wasps are not active.

Imported Fire Ants: Apply 2 tablespoons over each 8"- to 10"-inch diameter mound and up to 2 feet around the mound to prevent escape of the queen. Immediately after application gently water in the granules using a sprinkling can (to avoid disturbing the colony). Use at least 1 gallon, but no more than 2 gallons, of water per mound. The use of high-pressure watering equipment may disturb the colony and cause migration of ants, thus reducing the effectiveness of the treatment. For maximum effectiveness, apply in cool weather (65 to 80°F) or early morning/late evening. Treat new mounds as they appear.

(Alternate Use Directions format:)

Pests	Application Rate	Application Directions/Procedures
Ants, armyworms (including fall, yellow-striped, etc.), bermudagrass mites, billbugs (adult), boxelder bugs, centipedes, chiggers, chinch bugs, clover mites, cockroaches, crickets, cutworms, darkling ground beetles, digger wasps, essex skipper, field crickets, fiery skipper, fire ants, firebrats, flea beetle (in dichondra), grasshopper, hyperodes (turfgrass) weevil, Japanese beetle (adult), lawn moths, leafhoppers, mealybugs (adult), mole crickets, silverfish, sod webworms, sowbugs, spiders, spittlebugs, springtails and vegetable weevils (in dichondra)	2 to 3 lbs./2,500 sq. ft. Heavy Lawns: 3 lbs./2,500 sq. ft.	For overall lawn treatment of grass and Dichondra lawns, uniformly apply product to golf courses, home lawns, under shrubbery and other ornamental recreational turfgrass areas. Treat when insects first appear using a fertilizer spreader to apply granules. Refer to spreader setting chart below.
Chinch Bugs	2 to 3 lbs./2,500 sq. ft. Heavy Lawns: 3 lbs./2,500 sq. ft.	Start treatments when temperatures reach 80°F or above. A second application may be necessary in 6 weeks if insect activity continues.
European Cranefly Larvae (Leatherjackets)	2 to 3 lbs./2,500 sq. ft. Heavy Lawns: 3 lbs./2,500 sq. ft.	The best time to apply is in early April when the insects are young.
Ticks (outdoors)	2 to 3 lbs./2,500 sq. ft. Heavy Lawns: 3 lbs./2,500 sq. ft.	In summer months, ticks frequently become established in lawns and pet resting areas surrounding the home. Follow a regular treatment program for best control of Ticks (including but not limited to Bear, Black-legged, Brown Dog, Deer, Lone Star, Western Black-Legged and Wood). Treat once a month as directed above when pests first appear in late spring (May through June) and continue until late summer (September through October). Fall temperatures below 50°F decrease pest activity. Eliminating weeds around the home and mowing lawns frequently reduces the hiding places for these pests. Note: If dogs, cats and their kennel/bedding areas are not simultaneously treated they could serve as a source of reinfestation of the entire premises. Treat dogs, cats and their kennel/bedding areas with tick control products registered for these specific sites. Also, if ticks are indoors on carpets or pest resting areas treat

9/10

		these areas with a tick control product registered for these sites. It is very important that all three sites (outdoors, indoors and individual pets) be treated with tick control products registered for these uses to achieve satisfactory tick control.
Sod Webworms (<i>Crambus</i> spp.)	2 to 3 lbs./2,500 sq. ft. Heavy Lawns: 3 lbs./2,500 sq. ft.	Sod Webworms are the light brown caterpillars 1/4- to 3/4-inch long that hide in the grass during the day and feed on grass blades at night. Adult Webworms, usually referred to as 'Lawn Moths' (about 1-inch in length with a long snout), emerge from the grass at dusk. They fly over the lawn laying eggs that later hatch into destructive caterpillars. Damage first appears as small brown spots which, if not treated, may rapidly develop into large brown areas of severely damaged or dead grass. If Lawn Moths are noticed in large numbers at dusk, or at first sign of lawn damage, treat entire lawn.
Ants, boxelder bugs, brown dog ticks, centipedes, clover mites, cockroaches, crickets, field crickets, sowbugs, spiders, springtails (<i>Collembola</i>) and ticks	1 to 1-1/2 lbs./1,250 sq. ft. (2 to 3 lbs./2,500 sq. ft.)	As a band (perimeter) treatment around house foundation, to help prevent infestation of buildings, treat a band 5- to 10-feet wide around and adjacent to the building where pests are active and may find entrance.
Ants, armyworms, brown dog ticks, cockroaches, crickets, cutworms, fire ants, grasshoppers, pillbugs, sowbugs and springtails	2 to 3 lbs./2,500 sq. ft. Heavy Lawns: 3 lbs./2,500 sq. ft.	To control these pests in flower, shrub and ornamental plant beds evenly apply granules over soil within the beds and under shrubbery. Thoroughly water-in granules with 1/2-inch of water.
Ants (nesting outdoors)	1 to 2 teaspoons	Spot treatment. Use this product outdoors for control of ants including Acrobat, Argentine, Big Headed, Cornfield, Field, Harvester, Leafcutter, Little Black, Pavement and Pyramid Ants. If possible, locate the ant nest and treat it first. Nests will usually be found in the ground, but may be concealed under stones, boards, slabs or in stumps/logs. Apply this product to cover the nest then gently sprinkle granules with sufficient water to dissolve them. In addition to treating ant nests or mounds, also treat entry points of buildings (used by ants) and the soil surface along the perimeter of the building.
Digger wasps	1 to 2 teaspoons	Apply granules in and around each individual ground nest opening. Apply at dusk when the wasps are not active.
Imported Fire Ants	2 tablespoons per 8" - 10" diameter mound	Apply granules over each mound and up to 2 feet around the mound to prevent escape of the queen. Immediately after application gently water in the granules using a sprinkling can (to avoid disturbing the colony). Use at least 1 gallon, but no more than 2 gallons, of water per mound. The use of high-pressure watering equipment may disturb the colony and cause migration of ants, thus reducing the effectiveness of the treatment. For maximum effectiveness, apply in cool weather (65 to 80°F) or early morning/late evening. Treat new mounds as they appear.

Spreader Settings

Note: Spreader settings given are approximate and variation can occur between identical models. Calibrate the spreader by accurately weighing a few pounds into your spreader and applying to a measured area; then adjust spreader setting, if necessary, to assure correct application rate. For uniform distribution, apply one-half the required amount of product in one direction, then apply the balance at a right angle. Immediately after application thoroughly water the lawn with one-half inch of water.

10/10

Spreader Make and Model	Setting to Deliver	
	2 Lbs./2,500 Sq. Ft.	3 Lbs./2,500 Sq. Ft.
Scotts Drop Spreaders	3.5	3.63
Scotts EasyGreen Rotary	25.5	26.0
Republic EZ Drop	5.25	5.5
Cyclone Model B1 Rotary	3.0	3.5
Sears Craftsman Broadcast	2.0	2.5

Storage and Disposal

Storage: Store and transport in an upright position. Store in a cool, dry (preferably locked) storage area inaccessible to children and pets. **Disposal: If empty:** Do not reuse this container [bag]; place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

CAUTION

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

[If not completely satisfied with this product or its effectiveness, return product or proof of purchase to point of purchase for full refund of purchase price.]

Notice of Warranty: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. In no case shall Rainbow be liable for consequential or special damages resulting from the use or handling of this product. All risks shall be assumed by the Buyer. Rainbow makes no warranties of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE or any other express or implied warranty except as stated above.

Product No. _____
{Code}

Rainbow Technology Corporation
Supports
Workshops, Inc.
A UNITED WAY AGENCY

{United Way
Logo}

{Logo}
Manufactured By:
© _____ Rainbow Technology Corporation
261 Cahaba Valley Parkway
Pelham, AL 35124-1146
Suggestions or Comments?
1.800.637.6047
EPA Reg. No. 13283-23 EPA Est. 13283-AL-1

[] Denotes alternate/optional language
{ } Denotes language that does not appear on the market labeling