



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

June 4, 2025

Dean Moser
Agent for Rainbow Technology Corporation
Oaks Reg, Inc.
226 Old County Rd.
Hampden, ME 04444

Subject: Label Amendment - Registration Review Mitigation for Deltamethrin
Product Name: Rainbow DM Fire Ant Killer II
EPA Registration Number: 13283-27
Application Date: March 11, 2021
Decision Number: 572048
Case Number: 00478635

Dear Dean Moser:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Deltamethrin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Tiffany Green by phone at 202-566-2224, or via email at green.tiffany@epa.gov.

Sincerely,

A handwritten signature in dark ink, appearing to read "Kevin Costello". The signature is written in a cursive, flowing style.

Kevin Costello, Branch Chief
Risk Management and Implementation Branch 2
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

{Master Label}

Rainbow® DM Fire Ant Killer II

{ABN: Rainbow Fire Ant & Insect Control}

ACCEPTED

Jun 04, 2025

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 13283-27



Master Label Contains:

Sublabel A: Commercial label

(Sold in 4 oz. Mylar bags; and 2 lbs., 6 lbs. and 20 lbs. shaker containers)

and

Sublabel B: Domestic/Homeowner/General Use label

(Sold in 1, 2, 6 and 10 lbs. bags/containers)

Active Ingredient:

*Deltamethrin 0.125%

Other Ingredients 99.875%

Total 100.000%

*(S)-alpha-cyano-m-phenoxybenzyl(1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate.

Keep Out of Reach of Children

CAUTION

See back panel for additional Precautionary Statements.

Net Wt. ____ oz. [lbs.] (____ kg.)

Made in the USA

Manufactured [Sold] By:

© ____ **Rainbow Technology Corporation**

261 Cahaba Valley Parkway

Pelham, AL 35124-1146

Suggestions or Comments?

1.800.637.6047

EPA Reg. No. 13283-27 EPA Est. _____

[Superscript matches code on the container]

Sublabel A: Commercial label

Rainbow® DM Fire Ant Killer II



Kills and Controls *{Select from 'Listed Insects'}* In and Around
Telecommunications, Power, Utilities and Railroad Systems Equipment

Including (but not limited to):

Buried Cables, Cable Television Pedestals, Cables,
Pad-Mounted Air Conditioning Units,
Pad-Mounted Electric Power Transformers,
Telephone Cables and Underground Vaults

Also Controls *{Select from 'Listed Insects'}*

{Listed Insects:}

Ants, Bees (including Africanized "Killer" Bees), Crickets, Earwigs, Fire Ants, Fleas,
Hornets, Millipedes, Roaches, Scorpions, Silverfish, Sowbugs, Spiders (including Black Widow
and Brown Recluse), Ticks, Wasps, Waterbugs and Yellowjackets

Active Ingredient:

*Deltamethrin	0.125%
Other Ingredients	99.875%
Total	100.000%
*(S)-alpha-cyano-m-phenoxybenzyl(1R,3R)-3-(2,2-dibromovinyl)-2,2- dimethylcyclopropanecarboxylate.	

Keep Out of Reach of Children

CAUTION

See back [side] panel for additional Precautionary Statements.

Net Wt. 4 oz.

{or}

Net Wt. 2 lbs. (32 oz.)

{or}

Net Wt. 6 lbs. (96 oz.)

{or}

Net Wt. 20 lbs.

{Back/Side Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use In and Around Telecommunications, Power, Utilities and Railroad Systems Equipment

[Including (but not limited to)]

[For] Use in and around buried cables, cable television pedestals, cables, pad mounted air conditioning units, pad-mounted electric power transformers, telephone cables, underground vaults, telecommunications equipment (boxes,

closures, interfaces, pedestals, protectors and terminals), power and utilities equipment (camera housings, control panels, emergency light systems, fire alarm systems and lights/alarms), and railroad systems equipment (breaker boxes, railroad signals, traffic control boxes and signals, and transformer pads). Do not open contents until ready for use. Do not allow to enter indoor or outdoor drains. *No permita la entrada a desagües internos o externos.* Follow proper disposal procedures on this label. *Siga las indicaciones del etiquetado para el desecho apropiado del producto.*



Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. For outdoor use only. For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds. Do not spray the product into fish pools, ponds, streams, or lakes. Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment. Do not make applications during rain. Avoid making applications when rainfall is expected. Rainfall within 24 hours after application may cause unintended runoff of pesticide application.

{For product packaged in 4 oz. Mylar bags:}

Do not place product where it will interfere with moving parts of equipment. Due to various equipment sizes, the amount of product may change, however, 4 oz. per 1 sq. ft. is recommended. Use in interior and exterior areas at points of entry. Open Mylar plastic bag and pour entire contents (4 oz.) directly into and around equipment, buried closure or hole. Lock closure or set pole immediately to prevent access. One bag will treat up to 12" x 12" (1 sq. ft.).

{For product packaged in 2 and 6 lbs. containers:}

Open the applicator dispenser lid 2 notches and shake (broadcast left to right) the insecticide onto the ground, covering the area of the pad location, plus a two-foot perimeter around the outside of the pad location. This container will cover up to a 24 [an 8] sq. ft. area (an area approximately [2' x 4'] 4' x 6'). Container holds the equivalent of [8] 24, 4 oz. bags of Rainbow DM Fire Ant Killer. Plastic barrier required for poured-in place pads. Prior to pouring concrete, cover insecticide-treated surface with plastic barrier.

{For product packaged in 20 lbs. containers:}

Open the applicator dispenser lid 2 notches and shake (broadcast left to right) the insecticide onto the ground, covering the area of the pad location, plus a two-foot perimeter around the outside of the pad location. This container will cover up to an 80 sq. ft. area (an area approximately 10' x 8'). Container holds the equivalent of 80, 4 oz. bags of Rainbow DM Fire Ant Killer. Plastic barrier required for poured-in place pads. Prior to pouring concrete, cover insecticide-treated surface with plastic barrier.

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a clean, dry place. Protect container from rupture during storage and transport. If contents are spilled, sweep or scoop up material and place in another clean, dry container for reuse or disposal in accordance with this label. **Pesticide Disposal:** Do not pour or dispose down any drain or sewer. Call your local solid waste agency for local disposal options. Do not allow to enter indoor or outdoor drains. **Container Disposal:** Non-refillable container; do not reuse or refill this container. Completely empty bag [dispenser], then offer for recycling, if available; or dispose of bag [dispenser] in a sanitary landfill.

PRECAUTIONARY STATEMENTS

CAUTION

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Sweeping any product that lands on a driveway, sidewalk or street, back onto the treated area of the lawn or garden will help to prevent runoff to water bodies or drainage systems.

Notice of Warranty: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. To the extent permitted by applicable law: Rainbow shall not be liable for consequential or special damages resulting from the use or handling of this product; all risks shall be assumed by the Buyer. Rainbow makes no warranties of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE or any other express or implied warranty except as stated above.

Product No. _____
{Code}

Made in the USA

Manufactured [Sold] By:
© _____ **Rainbow Technology Corporation**

261 Cahaba Valley Parkway
Pelham, AL 35124-1146

Suggestions or Comments?

1.800.637.6047

EPA Reg. No. 13283-27 EPA Est. _____

[Superscript matches code on the container]

[] Denotes alternate/optional language

{ } Denotes language that does not appear on the market labeling

Sublabel B: Domestic/Homeowner/General Use label

Rainbow® DM Fire Ant Killer II



{Select from 'Marketing Claims'}

{Marketing Claims:}

Kills Insects in Lawns

Lawn and Garden Insect Control

Controls Home Invading Pests

Controls 'Surface-Feeding' Pests

10 Pounds {or other size} Treats up to 6,250 {or corresponding conversion} Sq. Ft.

10 Pounds {or other size} Treats up to 187 {or corresponding conversion} Ant Mounds

For Grass and Dichondra Lawns

For Outdoor Use on Home Lawns

Ready-to-Use • Easy to Use • Convenient

Provides Contact and Residual Control for up to 4 Weeks

Long-Lasting Insect Control [Residual Action]

Complete Release of Active Ingredient

For Outdoor Use in Ornamental Plant Beds

Guaranteed to Work or Money Back

Guaranteed Control of Lawn and Home Invading Insects or Your Money Back

Quick Kill of Fire Ants • Quick [Fast] [Effective] Kill of Stinging [Fire] Ants • Kills Fire Ants on Contact

Kills Fire Ant Workers • Kills Fire Ant Queens

Aids in the Control of Mole Crickets

Kills Insects Quickly • Kills on Contact • Excellent Value for the Money

Kills Ticks (including ticks that carry Lyme Disease)

For Control of Imported Fire Ants on Lawns and Recreational Fields

Contains Deltamethrin • Contains a [Synthetic] Pyrethroid

For a Healthier Lawn

Easy and Quick to Apply with a Drop or Broadcast Spreader

Kills [Controls] [To Kill] [To Control] {select from 'Listed Insects'}

{Listed Insects:}

Ants, Armyworms (Fall, Yellow-Striped, etc.), Bermudagrass Mites, Billbugs (adult), Boxelder Bugs, Centipedes, Chiggers, Chinch Bugs, Clover Mites, Cockroaches, Crickets, Cutworms, Darkling Ground Beetles, Digger Wasps, Essex Skipper, Field Crickets, Fire Ants, Firebrats, Firey Skipper, Flea Beetle (in dichondra), Grasshoppers, Hyperodes (turfgrass) Weevils, Japanese Beetles (adult), Lawn Moths, Leafhoppers, Mealybugs (adult), Mole Crickets, Silverfish, Sod Webworms, Sowbugs, Spiders, Spittlebugs, Springtails, Ticks (Bear, Black-Legged, Brown Dog, Deer [*Ixodes diammini*] [(that may carry Lyme Disease)], Lone Star, Western Black-Legged [*Ixodes pacificus*] and Wood) and Vegetable Weevils (in dichondra) [and other listed insects]

[on lawns and recreational fields]

Active Ingredient:

*Deltamethrin 0.125%

Other Ingredients 99.875%

Total 100.000%

*(S)-alpha-cyano-m-phenoxybenzyl(1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate.

Keep Out of Reach of Children

CAUTION

See back panel for additional precautionary statements.

Net Wt. ____ lbs. (____ kg.)

{Back Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for commercial greenhouses, nurseries, on sod farms or grass grown for seed.

General Instructions

For Outdoor Use Only

1. Determine size of area to be treated – measure and multiply length times width.
2. If using a commercial spreader, determine appropriate spreader setting using chart.
3. Treat area as directed – thorough coverage is important. Thoroughly water-in granules with a half-inch of water. This product is extremely toxic to fish and aquatic invertebrates. Use with care when applying in areas adjacent to any body of water. For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds. Do not apply on saturated soil. Do not allow runoff to occur. Do not contaminate ornamental fishponds.
4. Food utensils such as spoons and measuring cups must not be used for food purposes after use in measuring pesticides.
5. Do not allow children or pets on treated areas until granules have been watered in or the soil and the grass or soil is dry.
6. Do not apply the product into fish pools, ponds, streams or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways and patios except as a spot or crack and crevice treatment. Do not apply or irrigate to the point of runoff.
7. Do not make applications during rain. Avoid making application when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
8. Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.).
9. Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.
10. Follow proper disposal procedures on this label. *Siga las indicaciones del etiquetado para el desecho apropiado del producto.*
11. Treat surfaces to ensure thorough coverage but avoid runoff.
12. To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.



Remove granules from concrete surfaces (patios, sidewalks, driveway, pavers or similar material) to prevent potential marking or discoloration.

In New York State this product may not be applied to lawns that directly border coastal marshes. For control of turf insects other than fleas and ticks in New York State, a second application may be made after two weeks if target insect activity persists.

Overall Lawn Treatment for Grass and Dichondra Lawns to Control ants, armyworms (including fall, yellow-striped, etc.), bermudagrass mites, billbugs (adult), boxelder bugs, centipedes, chiggers, chinch bugs, clover mites, cockroaches, crickets, cutworms, darkling ground beetles, digger wasps, essex skipper, field crickets, fiery skipper, fire ants, firebrats, flea beetle (in dichondra), grasshopper, hyperodes (turfgrass) weevil, Japanese beetle (adult), lawn moths, leafhoppers, mealybugs (adult), mole crickets, silverfish, sod webworms, sowbugs, spiders, spittlebugs, springtails and vegetable weevils (in dichondra): Uniformly apply this product to home lawns, under shrubbery and other ornamental recreational turfgrass areas. Treat when insects first appear using a fertilizer spreader to apply granules at the rate of 2 to 3 pounds per 1,250 sq. ft. or, for heavy lawns such as St. Augustine grass, 3 pounds per 1,250 sq. ft. Refer to spreader setting chart below.

Chinch Bugs: Start treatments when temperatures reach 80°F or above. A second application may be necessary in 6 weeks if insect activity continues.

European Crane fly Larvae (Latherjackets): The best time to apply is in early April when the insects are young.

Tick Control (Outdoors): In summer months, ticks frequently become established in lawns and pet resting areas surrounding the home. Follow a regular treatment program for best control of Ticks (including but not limited to Bear, Black-legged, Brown Dog, Deer, Lone Star, Western Black-Legged and Wood). Treat once a month as directed above when pests first appear in late spring (May through June) and continue until late summer (September through October). Fall temperatures below 50°F decrease pest activity. Eliminating weeds around the home and mowing lawns frequently reduces the hiding places for these pests.

Note: If dogs, cats and their kennel/bedding areas are not simultaneously treated they could serve as a source of reinfestation of the entire premises. Treat dogs, cats and their kennel/bedding areas with tick control products registered for these specific sites. Also, if ticks are indoors on carpets or pet resting areas treat these areas with a tick control product registered for these sites. It is very important that all three sites (outdoors, indoors and individual pets) be treated with tick control products registered for these uses to achieve satisfactory tick control.

Sod Webworms (*Crambus* spp.): Sod Webworms are the light brown caterpillars 1/4- to 3/4-inch long that hide in the grass during the day and feed on grass blades at night. Adult Webworms, usually referred to as 'Lawn Moths' (about 1-inch in length with a long snout), emerge from the grass at dusk. They fly over the lawn laying eggs that later hatch into destructive caterpillars. Damage first appears as small brown spots which, if not treated, may rapidly develop into large brown areas of severely damaged or dead grass. If Lawn Moths are noticed in large numbers at dusk, or at first sign of lawn damage, treat entire lawn following the 'Overall Lawn Treatment' directions.

Band (Perimeter) Treatment Around House Foundation: To help prevent infestation of buildings by ants, boxelder bugs, brown dog ticks, centipedes, clover mites, cockroaches, crickets, field crickets, sowbugs, spiders, springtails (*Collembola*) and ticks, treat a band 5- to 10-feet wide around and adjacent to the building where pests are active and may find entrance. Treat at a rate of 1 to 1-1/2 pounds per 625 square feet, or 2 to 3 pounds per 1,250 square feet.

Flower, Shrub and Ornamental Plant Beds: To control ants, armyworms, brown dog ticks, cockroaches, crickets, cutworms, fire ants, grasshoppers, pillbugs, sowbugs and springtails, evenly apply granules over soil within the beds and under shrubbery. Use the same dosage recommended for control of these pests in lawns. Thoroughly water-in granules with 1/2-inch of water.

Spot Treatment: Ants Nesting Outdoors: Use this product outdoors for control of ants including Acrobat, Argentine, Big Headed, Cornfield, Field, Harvester, Leafcutter, Little Black, Pavement and Pyramid Ants. If possible, locate the ant nest and treat it first. Nests will usually be found in the ground, but may be concealed under stones, boards, slabs or in stumps/logs. Apply this product to cover the nest using 1 to 2 teaspoons granules then gently sprinkle the granules with sufficient water to dissolve them. In addition to treating ant nests or mounds, also treat entry points of buildings (used by ants) and the soil surface along the perimeter of the building.

Digger Wasps: Apply 1 to 2 teaspoons of granules in and around each individual ground nest opening. Apply at dusk when the wasps are not active.

Imported Fire Ants: Apply 2 tablespoons over each 8" - to 10"-inch diameter mound and up to 2 feet around the mound to prevent escape of the queen. Immediately after application gently water in the granules using a sprinkling can (to avoid disturbing the colony). Use at least 1 gallon, but no more than 2 gallons, of water per mound. The use of high-pressure watering equipment may disturb the colony and cause migration of ants, thus reducing the effectiveness of the treatment. For maximum effectiveness, apply in cool weather (65 to 80°F) or early morning/late evening. Treat new mounds as they appear.

{Alternate Use Directions format:}

Pests	Application Rate	Application Directions/Procedures
Ants, armyworms (including fall, yellow-striped, etc.), bermudagrass mites, billbugs (adult), boxelder bugs, centipedes, chiggers, chinch bugs, clover mites, cockroaches, crickets, cutworms, darkling ground beetles, digger wasps, essex skipper, field crickets, fiery skipper, fire ants, firebrats, flea beetle (in dichondra), grasshopper, hyperodes (turfgrass) weevil, Japanese beetle (adult), lawn moths, leafhoppers, mealybugs (adult), mole crickets, silverfish, sod webworms, sowbugs, spiders, spittlebugs, springtails and vegetable weevils (in dichondra)	2 to 3 lbs./1,250 sq. ft. Heavy Lawns: 3 lbs./1,250 sq. ft.	For overall lawn treatment of grass and Dichondra lawns, uniformly apply product to golf courses, home lawns, under shrubbery and other ornamental recreational turfgrass areas. Treat when insects first appear using a fertilizer spreader to apply granules. Refer to spreader setting chart below.
Chinch Bugs	2 to 3 lbs./1,250 sq. ft. Heavy Lawns: 3 lbs./1,250 sq. ft.	Start treatments when temperatures reach 80°F or above. A second application may be necessary in 6 weeks if insect activity continues.
European Crane fly Larvae (Leatherjackets)	2 to 3 lbs./1,250 sq. ft. Heavy Lawns: 3 lbs./1,250 sq. ft.	The best time to apply is in early April when the insects are young.
Ticks (outdoors)	2 to 3 lbs./1,250 sq. ft. Heavy Lawns: 3 lbs./1,250 sq. ft.	In summer months, ticks frequently become established in lawns and pet resting areas surrounding the home. Follow a regular treatment program for best control of Ticks (including but not limited to Bear, Black-legged, Brown Dog, Deer, Lone Star, Western Black-Legged and Wood). Treat once a month as directed above when pests first appear in late spring (May through June) and continue until late summer (September through October). Fall temperatures below 50°F decrease pest activity. Eliminating weeds around the home

		<p>and mowing lawns frequently reduces the hiding places for these pests.</p> <p>Note: If dogs, cats and their kennel/bedding areas are not simultaneously treated they could serve as a source of reinfestation of the entire premises. Treat dogs, cats and their kennel/bedding areas with tick control products registered for these specific sites. Also, if ticks are indoors on carpets or pet resting areas treat these areas with a tick control product registered for these sites. It is very important that all three sites (outdoors, indoors and individual pets) be treated with tick control products registered for these uses to achieve satisfactory tick control.</p>
Sod Webworms (<i>Crambus</i> spp.)	<p>2 to 3 lbs./1,250 sq. ft.</p> <p>Heavy Lawns: 3 lbs./1,250 sq. ft.</p>	<p>Sod Webworms are the light brown caterpillars 1/4- to 3/4-inch long that hide in the grass during the day and feed on grass blades at night. Adult Webworms, usually referred to as 'Lawn Moths' (about 1-inch in length with a long snout), emerge from the grass at dusk. They fly over the lawn laying eggs that later hatch into destructive caterpillars. Damage first appears as small brown spots which, if not treated, may rapidly develop into large brown areas of severely damaged or dead grass. If Lawn Moths are noticed in large numbers at dusk, or at first sign of lawn damage, treat entire lawn.</p>
Ants, boxelder bugs, brown dog ticks, centipedes, clover mites, cockroaches, crickets, field crickets, sowbugs, spiders, springtails (<i>Collembola</i>) and ticks	<p>1 to 1-1/2 lbs./625 sq. ft.</p> <p>(2 to 3 lbs./1,250 sq. ft.)</p>	<p>As a band (perimeter) treatment around house foundation, to help prevent infestation of buildings, treat a band 5- to 10-feet wide around and adjacent to the building where pests are active and may find entrance.</p>
Ants, armyworms, brown dog ticks, cockroaches, crickets, cutworms, fire ants, grasshoppers, pillbugs, sowbugs and springtails	<p>2 to 3 lbs./1,250 sq. ft.</p> <p>Heavy Lawns: 3 lbs./1,250 sq. ft.</p>	<p>To control these pests in flower, shrub and ornamental plant beds evenly apply granules over soil within the beds and under shrubbery. Thoroughly water-in granules with 1/2-inch of water.</p>
Ants (nesting outdoors)	<p>1 to 2 teaspoons</p>	<p>Spot treatment. Use this product outdoors for control of ants including Acrobat, Argentine, Big Headed, Cornfield, Field, Harvester, Leafcutter, Little Black, Pavement and Pyramid Ants. If possible, locate the ant nest and treat it first. Nests will usually be found in the ground, but may be concealed under stones, boards, slabs or in stumps/logs. Apply this product to</p>

		cover the nest then gently sprinkle granules with sufficient water to dissolve them. In addition to treating ant nests or mounds, also treat entry points of buildings (used by ants) and the soil surface along the perimeter of the building.
Digger wasps	1 to 2 teaspoons	Apply granules in and around each individual ground nest opening. Apply at dusk when the wasps are not active.
Imported Fire Ants	2 tablespoons per 8"-10" diameter mound	Apply granules over each mound and up to 2 feet around the mound to prevent escape of the queen. Immediately after application gently water in the granules using a sprinkling can (to avoid disturbing the colony). Use at least 1 gallon, but no more than 2 gallons, of water per mound. The use of high-pressure watering equipment may disturb the colony and cause migration of ants, thus reducing the effectiveness of the treatment. For maximum effectiveness, apply in cool weather (65 to 80°F) or early morning/late evening. Treat new mounds as they appear.

Spreader Settings

Note: Spreader settings given are approximate and variation can occur between identical models. Calibrate the spreader by accurately weighing a few pounds into your spreader and applying to a measured area; then adjust spreader setting, if necessary, to assure correct application rate. For uniform distribution, apply one-half the required amount of product in one direction, then apply the balance at a right angle. Immediately after application thoroughly water the lawn with one-half inch of water.

Spreader Make and Model	Setting to Deliver	
	2 Lbs./1,250 Sq. Ft.	3 Lbs./1,250 Sq. Ft.
Scotts Drop Spreaders	3.5	3.63
Scotts EasyGreen Rotary	25.5	26.0
Republic EZ Drop	5.25	5.5
Cyclone Model B1 Rotary	3.0	3.5
Sears Craftsman Broadcast	2.0	2.5

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store and transport in an upright position. Store in a cool, dry (preferably locked) storage area inaccessible to children and pets. **Container Handling: If empty:** Non-refillable container; do not reuse or refill this container [bag]; place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down any drain or sewer. Call your local solid waste agency for local disposal options.

PRECAUTIONARY STATEMENTS

CAUTION

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain do not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk or street, back onto the treated area of the lawn or garden will help to prevent runoff to water bodies or drainage systems.

[If not completely satisfied with this product or its effectiveness, return product or proof of purchase to point of purchase for full refund of purchase price.]

Notice of Warranty: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. To the extent permitted by applicable law: Rainbow shall not be liable for consequential or special damages resulting from the use or handling of this product; all risks shall be assumed by the Buyer. Rainbow makes no warranties of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE or any other express or implied warranty except as stated above.

Product No. _____
{Code}

Made in the USA

Manufactured [Sold] By:
© ____ **Rainbow Technology Corporation**
261 Cahaba Valley Parkway
Pelham, AL 35124-1146
Suggestions or Comments?
1.800.637.6047
EPA Reg. No. 13283-27 EPA Est. 13283-AL-1

[] Denotes alternate/optional language

{ } Denotes language that does not appear on the market labeling