



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
13283-28

Date of Issuance:
SEP 14 1999

NOTICE OF PESTICIDE:
 x Registration
 Reregistration

Term of Issuance:
Conditional

Name of Pesticide Product:
Rainbow TetraPerm
Multibug Killer

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):
Rainbow Technology Corporation
c/o RegWest Company
P.O. Box 2220 Greeley, CO 80632-2220

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label change before you release the product for shipment:

Revise the EPA Registration Number to read, "EPA Reg. No. 13283-28.

Signature of Approving Official:

George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Date:

Page 2

EPA Reg. No. 13283-28

3. Under item #4 of the paragraph For Wasp and hornet Control: change the word (next) to nest.

Submit one (1) copy of the final printed labeling for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Enclosure

RAINBOW TETRAPERM[®] MULTIBUG KILLER

For Commercial/Industrial Use Only

A Quick Acting Surface Spray for Outdoor Use
And Indoors Homes and Non-Food/Feed Areas of
Motels, Hotels, Industrial Institutions and Commercial Buildings Including
Stores, Manufacturing Plants, Warehouses and Nursing Homes (Non-Patient Areas).
Also for Use in Manholes.

Kills Organophosphate and Carbamate Resistant Roaches
[Also] Kills Wasps, Yellow Jackets, Hornets, Bees, Killer Bees, Ants, Spiders and Cockroaches
Kills with Residual Action Up to Four Weeks

Fast Knockdown!
Specially Formulated for the Utility Industry

Dielectric Strength 47,300 Volts
Effective Range 12 - 15 Feet

Does NOT harm ABS, Noryl, Polycarbonate and Polyethylene Plastics

Does NOT Cause Corrosion of Noble Metals

ACTIVE INGREDIENTS:

Tetramethrin	0.10%
Permethrin	0.25%
Piperonyl Butoxide, Technical*	0.50%
OTHER INGREDIENTS**	99.15%
Total	100.00%

*Equivalent to min. 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds.

**Contains petroleum distillates.

Keep Out of Reach of Children
CAUTION
See back panel for additional
precautionary statements.

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 14 1999

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

13283-23

EPA Reg. No. 13283-EI

EPA Est. 11715-TN-1^A, 58996-MO-1^B
Superscript matches code on can.

NET WEIGHT: ___ oz. (___ gms.)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

Areas for Application: Specially formulated for use in and around Telephone, Power, Cable, Electronics and Utility Equipment and Industries. Also used for Homes, Motels, Hotels, Non-Food Areas of Industrial, Institutional and Commercial Buildings including Stores, Manufacturing Plants, Warehouses and Hospitals (non-patient areas).

OUTDOORS

✓ **For Wasp and Hornet Control:** (1) Before spraying insects or nest, give the can a short burst away from the nest to ensure proper pressure. (2) Spray from an upwind position. (3) Hold can in an upright position with nozzle end pointed towards nest while standing 6 to 12 feet away. (4) Begin spraying next and as many flying insects as possible. (5) Spray nest thoroughly. (6) When possible, apply in early morning or at dusk since most of the insects have returned to the nest and are less active. ✓

For Yellow Jacket and Bee (including Killer Bee) Control: (1) Before spraying insects or nest, give the can a short burst away from the nest to ensure proper pressure. (2) Spray in a sweeping motion on external insects flying around the opening of the nest. (3) Move forward to the nest opening and spray directly into the nest hole. (4) When possible, apply in early morning or at dusk since most of the insects have returned to the nest and are less active. (5) For large nests, more than one can may be necessary.

For Ant Mounds: (1) Spray the entire perimeter of the ant mound. (2) Spray the mound directly and break up the mound with a stick. (3) Spray all active ants until no activity is seen. (4) For large mounds more than one can may be necessary.

If Ant Probe is Used: (1) Install the probe on spray can. (2) Spray the entire perimeter of the ant mound. (3) Using the Ant Probe break up the mound, exposing active ants. (4) Holding the probe about 2 inches from the active ants, spray surface ants. (5) Begin spraying and penetrate mound while pushing probe downward as far as possible. Spray also while removing. (6) Repeat as required by mound size.

For Foraging Ant Control: Spray directly on ants, anthills and runways. Repeat as reinfestation warrants.

For Clover Mites, Cockroaches (including Asian cockroaches), Crickets, Centipedes, Earwigs, Fleas, Millipedes, Moths, Scorpions, Silverfish, Spiders, Ticks (Brown Dog and Lone Star) and Waterbugs Control: Spray infested areas thoroughly including outside surfaces of screen frames, doors, window frames, foundations, patios or other places where insects may enter or congregate. For Fleas and Ticks, spray weeds and bushy non-crop vegetation. Do NOT spray pets or desirable vegetation.

For Control of Roaches and Spiders in Manholes: Using spray nozzle, spray directly on pests or localized areas infested with these pests. Repeat treatment as reinfestation warrants.

INDOORS

✓ **For Control of Ants, Boxelder Bugs, Centipedes, Crickets, Cockroaches (including adult and immature stages of non-resistant and organophosphate and carbamate resistant strains), Dermestids, Firebrats, Fleas, Palmetto Bugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks and Waterbugs:** Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases and similar areas. Spray until surface is just damp, but not to the point of runoff. Avoid excess application. Spray pests directly when driven out into open. Repeat as reinfestation warrants.

For Ants: Spray freely around ant trails, doors and windows and other places where ants enter premises. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as reinfestation warrants.

✓ **For Carpenter Ants:** For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

✓ **For Brown Dog Ticks and Fleas in Buildings:** Apply in infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet area. Do not use directly on pets.

✓ **For Spiders:** Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

For Centipedes, Earwigs, Ground Beetles, Millipedes, Mole Crickets, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

For Pantry Pests: Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Flour Beetles (Red and Confused), Grain Beetles (Rusty, Merchant and Saw-toothed), Lesser Grain Borers, Rice Weevils, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all foodstuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils.

For Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

For Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry area inaccessible to children and away from heat or open flame. **Pesticide Disposal:** Wastes resulting from the use of this pesticide may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Replace cap, securely wrap container and discard in trash. Do not incinerate or puncture.

[Alternate Container Disposal Directions:]

Disposal: This container may be recycled in the few but growing number of communities where (steel) aerosol can recycling is available. Before offering for recycling empty the can by using the product according to the label. **(DO NOT PUNCTURE!)** If recycling is not available, wrap the container and discard in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not use in commercial food/feed handling establishments, restaurants or other sites where food/feed is commercially prepared or processed. In the home, cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Do not apply this product to or near children's toys. Do not apply this pesticide when classrooms are in use. Do not use in rooms/areas while occupied by patients, the elderly or infirm. Not for use in Federally inspected meat and poultry plants.

Statement of Practical Treatment (First Aid)

If in Eyes: Flush with plenty of water. Call a physician if irritation persists. **If Inhaled:** Remove affected person to fresh air. Apply artificial respiration if indicated.

Environmental Hazards

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water.

Physical or Chemical Hazards

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Contact with roof shingles may cause discoloration or other unwanted effects.

Notice of Warranty: Seller warrants this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on such label only when used in accordance with the Directions under normal use conditions. In no case shall Rainbow be liable for consequential or special damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Rainbow makes no warranties of merchantability or fitness for a particular purpose nor any other expressed or implied warranty except as stated above.

Product Number _____

RAINBOW Technology Corporation
261 Cahaba Valley Parkway; Pelham, AL 35124
[P.O. Box 26445, Birmingham, AL 35260-0445]

Tetramer® is a Registered Trademark of AgrEvo Environmental Health, Inc.