

13283-29

9/5/2010

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Ms. Kim Davis
Rainbow Technology Corporation
c/o RegWest Company, LLC
8203 West 20th Street, Suite A
Greeley, CO 80634-4696

SEP 05 2010

Subject: Label Notification(s) for Pesticide Registration 98-10, PR Notice 2007-4, and 2008-1

Dear Ms. Davis:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4, and 2008-1 dated May 28, 2010 for

EPA Registration Number: 13283-29 Multi-Bug II

The Registration Division (RD) has conducted a review of this request for applicability Under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please re reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Melody Banks on 703 305-5413.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Gebken".

Richard Gebken
Product Manager
Insecticide Branch
Registration Division (7504P)

United States Environmental Protection Agency 1200 Pennsylvania Avenue, N.W. Washington, DC 20460-0001	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number <h2 style="text-align: center;">Notification</h2>
--	--	--

Application for Pesticide – Section I

1. Company/Product Number EPA Reg. No. 13283-29	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/ Product (Name) Multi-Bug II	PM # 10	
5. Name and Address of Applicant (Include ZIP Code) Rainbow Technology Corporation c/o RegWest Company, LLC 8203 West 20th St., Suite A Greeley, CO 80634-4696 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i) my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section – II

<input type="checkbox"/> Amendment – Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification – Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other – Explain below.
--	---

NOTIFICATION

SEP 05 2010

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Submit Non-PRIA Label Revision Notification per PR Notices 2007-4 and 2008-1.

This notification is consistent with the provisions of PR Notices 2007-4 and 2008-1 and EPA regulations at 40 CFR § 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notices 2007-4 and 2008-1 and 40 CFR § 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section – III

1. Material This Product Will Be Packaged In:					
Child Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify): _____		
*Certification must be submitted	If "Yes" Unit Packaging Wt.	No. Per Container	If "Yes" Packaging Wt.	No. Per Container	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling Accompanying Product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Stenciled <input type="checkbox"/> Paper glued <input type="checkbox"/> Other					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application).		
Name Kim Davis	Title Consultant/Agent	Telephone No. (Include Area Code) 970:353.0611 kim@regwest.com

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped) RECEIVED ON JUN 16 2010
2. Signature 	3. Title Consultant/Agent	
4. Typed Name Kim Davis	5. Date May 28, 2010	

FedEx

FTN 8721 0043 7610

Non-PRIA Label Revision Notification



May 28, 2010

Mr. Richard Gebken, Product Manager 10
Document Processing Desk
Office of Pesticide Programs – **7504P**
U.S. Environmental Protection Agency
One Potomac Yard (South Building), Room S-4900
2777 South Crystal Drive
Arlington, VA 22202

Dear Mr. Gebken:

Subject: Rainbow Technology Corporation
Multi-Bug II
EPA Reg. No. 13283-29

On behalf of **Rainbow Technology Corporation**, RegWest Company, LLC is submitting the attached documents in response to PR Notices 2007-4 and 2008-1. RegWest Company will act as sole agent in this endeavor.

In addition to the PR Notices changes, we are deleting "[or 1-800-CLEANUP]" from the storage and disposal directions and adding the Rainbow Technology Corporation logo. Please refer to the *Reference_Label* for an illustration of all revisions.

Please contact me at 970.353.0611 or kim@regwest.com if you have any questions or comments concerning this submission.

Regards,
RegWest Company, LLC

Kim Davis,
Consultant/Agent

Attachments

cc: RTC – Schmidt, N.

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

MULTI-BUG II



NOTIFICATION
SEP 09 2010

For Household/Domestic Use

A Quick Acting and Residual Surface Spray for Outdoor and Indoor Use

Fast Knockdown!
Water-Based [Fast Knockdown] Formula

Kills *{select insects from Listed Insects}*
Kills on Contact

Broad Spectrum Insect Control
Highly Effective Against *{select insects from Listed Insects}* In and Around
Homes, Recreational Vehicles, Cabins, Tents and other Recreational Structures

No Oily [Greasy] Residue
Non-Staining
Will Not Stain Carpets and Floors

Long-Lasting Control
Protects for up to 4 Weeks [Keeps on Killing for up to 4 Weeks]



Not for Use on Plants Grown for Sale or other Commercial Use

{Listed Insects:}

Ants, Aphids, Armyworms, Bees, Booklice, Boxelder Bugs, Carpenter Ants, Carpet Beetles, Centipedes, Clover Mites, Cockroaches, Crickets, Dermestids, Dog Ticks, Earwigs, Exposed Thrips, Fire Ants, Firebrats, Fleas, Gnats, Ground Beetles, Hornets, Houseflies, Japanese Beetles, Lace Bugs, Leafminers, Lone Star Sticks, Mealy Bugs, Mole Crickets, Mosquitoes, Mud Daubers, Palmetto Bugs, Pantry Pests (Grain Beetles, Four Beetles, Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths), Pavement Ants, Pillbugs, Red Mites, Scorpions, Silverfish, Small Flying Moths, Sowbugs, Spider Mites, Spiders, Ticks, Wasps, Waterbugs, Webbing Clothes Moths and Whiteflies

Active Ingredients:	
S-Bioallethrin (CAS No. 28434-00-6)	0.05%
Deltamethrin (CAS No. 52918-63-5)	0.02%
Other Ingredients	99.93%
Total	100.00%

**Keep Out of Reach of Children
CAUTION**

See back panel for additional Precautionary Statements.

Net Wt: _____ oz. (_____ gm.)
{6 ounces to 1 pound}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product {product name} works in two ways: 1) it kills bugs fast on contact; and 2) its residual action keeps on killing for up to 4 weeks after spraying. Contact kill provides immediate results when directly spraying insects, while the residual activity kills insects when they are exposed to treated areas.

Shake Well Before Each Use. Hold Container Upright.

Do not spray up into the air; apply only to surfaces. [Remove protective cap and] [D]irect spray away from face. Hold can 12-15 inches from surfaces being sprayed. Press button down and spray as directed, spraying surfaces until just damp, but not to the point of runoff. Avoid excess application. Do not use in food/feed handling establishments, restaurants or other commercial sites where food/feed is commercially prepared, processed or served.

This product [product name] will not stain surfaces or fabrics where water alone causes no damage. This product [product name] is for use in and around residential structures and their immediate surroundings. Permitted areas of use include: apartments, atriiums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandahs.

INDOORS

Cockroaches (including adult and immature stages of both non-resistant and organophosphate- and carbamate-resistant strains), **ants**, **booklice**, **boxelder bugs**, **centipedes**, **crickets**, **dermestids**, **firebrats**, **fleas**, **palmetto bugs**, **silverfish**, **sowbugs**, **ticks** and **waterbugs**: Apply to all areas where these pests crawl and hide, especially in cracks, crevices and hidden areas around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases and similar areas. Directly spray pests driven out of hiding places. Repeat in 4 weeks or as necessary.

[**Roaches**: Spray in cracks and crevices, around baseboards and other hiding places. Directly spray roaches driven out of hiding places.]

Ants: Freely spray around ant trails, doors, windows and other places where ants may enter the premise. Repeat in 4 weeks or as necessary.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors, windows and other places where ants may enter premises and where they crawl and hide. Spray into infested wood through existing openings.

Ticks and Fleas on surfaces: Remove pet bedding and destroy or thoroughly clean. Spray pet resting quarters. Adult fleas and larvae contacted by the spray will be killed. After spray has dried replace old pet bedding with new or clean bedding. **Do not spray animals with this product.** For best results, treat pets with a product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations occur. In an inconspicuous area, test delicate fabrics for discoloration prior to general application.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces, and other areas over which these pests may crawl.

Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors, windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

[**Crickets, Earwigs, Silverfish and Spiders:** Apply around doors, windows and other places infested by these pests or where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.]

Pantry Pests such as Grain Beetles (Rusty, Merchant and Saw-toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Cover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and tobacco Moths: Treat exposed stages. Remove all foodstuffs, utensils and shelf paper from areas to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

OUTDOORS

Point nozzle away from face. Hold can on a slight downward angle, approximately 12-15 inches from surfaces to be sprayed. For best results, spray when air is calm. Spray with wind to back if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

Pests on Outside Surfaces of Buildings: For control of building infestation of **ants, clover mites, crickets and sowbugs (pillbugs):** Spray, to a height of 2-3 feet, building foundation where insects are active and may find entrance. Apply as a residual spray to buildings' outside surfaces where insects tend to congregate, including (but not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment every 4 weeks or as necessary.

Crawling Insects such as **ants, cockroaches** (including Asian cockroaches), **centipedes, crickets, mole crickets, waterbugs and silverfish:** Spray infested surfaces or patio or picnic area, directly contacting as many insects as possible. Also spray legs of tables and chairs to repel ants. For best control also spray anthills.

Ants: Freely spray around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete and other similar areas. Break apart accessible nests and freely spray on and around debris. Repeat every 2 weeks if necessary.

[Ants: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

Fire Ants: [Use a soil injector [ant probe] to treat mounds. Install the soil injector [ant probe] onto can. If possible, to maximize distribution, insert injector into the mound full length. Inject the mound at 3-6 sites at a rate of 5-10 seconds of spray per site. For very large mounds (over 36 inches in diameter) increase the number of injection sites. Space injection sites in a circular pattern on the mound surface with one site in the center.] Thoroughly spray the surface from a distance of 18 inches to quiet active ants on the surface. For best results apply in cool weather or in early morning or late evening hours. Treat new mounds as they appear.

Crickets, Dog Ticks, Earwigs, Fleas and Lone Star Ticks: Thoroughly apply to infestations in bushes, grass or weeds.

Bees, Hornets, Mud Daubers and Wasps: Directly spray nests and bees. Aim spray at nest openings. Applications should be made in the late evening when the insects are at rest.

Flying Insects such as **Gnats, Houseflies, Mosquitoes and Small Flying Moths:** Use only on outdoor surfaces. Spray outside surfaces of window and doorframes, and other areas where these pests may enter premises. Also spray localized resting areas, such as under eaves, porches, railings, near light fixtures, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

For the Control of Ornamental Garden Insects: For use on African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, crassula, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias to kill **aphids, armyworms, exposed thrips, Japanese beetles, lace bugs, leafminers, mealybugs, mites (clover, red and spider), pavement ants, spiders and whiteflies.** May be used on plants, as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. Do not operate closer than 18 inches when spraying plants. Use a sweeping motion and spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Directly contact insects whenever possible. Repeat treatment as necessary.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry, area inaccessible to children away from heat or open flame. **Disposal:** Non-refillable container; do not reuse or refill this container. Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency **or 1-800-CLEANUP** for disposal instructions.

{Per PR Notice 2007-4 the batch code / lot number will appear on the label or container.}

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: When using indoors, remove pets, birds and cover fish aquariums before spraying. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Physical or Chemical Hazards

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

Environmental Hazards

This product is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain do not blow or wash pesticide away from the treatment area. Do not apply directly to water. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Notice of Warranty: Seller warrants this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. To the extent not prohibited by applicable law: a) Rainbow shall not be liable for consequential or special damages resulting from the use or handling of this product; and b) All such risks shall be assumed by the buyer. Rainbow makes no warranties of **Merchantability or Fitness for a Particular Purpose** or any other express or implied warranty except as stated above.



Manufactured for [Sold by]

© _____ **Rainbow Technology Corporation**

261 Cahaba Valley Parkway

Pelham, AL 35124-1146

Comments or Suggestions?

1-800-637-6047

EPA Reg. No. 13283-29

EPA Est. _____
Superscript matches code on can

Product Number _____
{Code}

[] Denotes alternate/optional language
{ } Denotes language that does not appear on market labeling.

[] Denotes alternate/optional language
{ } Denotes language that does not appear on market labeling.