

Du Cor Liquid Swat Insecticide Spray

USE IN HOUSEHOLDS, RESTAURANTS, THEATERS, FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, WAREHOUSES

ACTIVE INGREDIENTS

Pyrethrins	00.15%
Technical Piperonyl Butoxide*	00.30%
N-Octyl bicyclohexene dicarboximide**	00.50%
Petroleum Distillates	99.05%
Total	100.00%

*Equivalent to 0.24% (butylcarbityl) (6-propyl-piperonyl) ether and 0.06% related compounds.

**Also known as MGK 264

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT ON PRACTICAL TREATMENT

- If Swallowed:** Get prompt medical attention.
- If Inhaled:** If illness occurs, get prompt medical aid.
- If on Skin:** Wash thoroughly after using. Contact with eyes and clothing should be avoided.
- If in Eyes:** Flush with water for at least 15 minutes. Get prompt medical attention.

See back/side label for additional precautionary statements.

Du Cor Chemical Corporation

P.O. Box 13298 - Orlando, Florida 32809
Phone 859-4390

EPA Establishment
No. 13437-1-01

EPA Registration
No. 13437-1

FOR USE IN HOUSEHOLDS, RESTAURANTS, THEATERS, FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, WAREHOUSES.

DIRECTIONS

FLIES, MOSQUITOS, GNATS and SMALL FLYING MOTHS: Close doors and windows and thoroughly spray all parts of the room, including the ceiling, so as to fill the room with mist. The room should be closed for 10-15 minutes and the fallen insects swept up and destroyed. Repeat the treatment as necessary. Do not apply to areas which will be contacted frequently by children and do not allow children in treated areas until surfaces are dry.

WASPS: Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

SILVERFISH: Spray baseboards, windows, door frames, book cases and storage areas frequently and repeatedly. Direct contact of the spray with the insects is emphasized for adequate control of this pest.

FLEAS AND TICKS: Force insecticide into cracks in the floor and about the room. Spray animal bedding. Repeat as necessary.
DO NOT SPRAY ANIMALS.

Remove pets, birds and cover fish aquarium before spraying.

If treating an enclosed area, do not remain in treated area. Ventilate the area after treatment is complete.

Apply this product only as specified on this label.

CAUTION: WHEN USED AS A SPACE SPRAY OR CONTACT TREATMENT OF INSECTS IN FOOD PROCESSING PLANTS, RESTAURANTS OR OTHER AREAS WHERE FOOD IS COMMERCIAALLY PREPARED OR PROCESSED - Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or apply only when the facility is not in operation.

ACCEPTED