

CLEANES • SANITIZES REMOVES MILKSTONE

MIXING IS EASY

PEAK NO. 205 Dairy Cleaner is formulated easily and quickly dispersed in water. To remove milkstone, add 1 ounce (2 tablespoons) of PEAK NO. 205 Dairy Cleaner to 4 gallons of water at 120°F. or hot tap water. Use completely undiluted solution at 1,500 psi water pressure (200 psi minimum) to clean milking equipment and milking parlors and dairy equipment. A potable water line is required.

CLEANING BULK MILK TANKS

As soon as possible after milk has been removed from bulk tank, rinse tank completely with hot water and allow to drain. Place 4 gallons of warm water (120°F.) in tank and add 1 ounce (2 tablespoons) PEAK NO. 205 Dairy Cleaner. Stir into the water in the tank. Scrub tank, mixers and pipes and then allow to drain. Always rinse with potable water.

SANITIZING MILK EQUIPMENT & COWS UDDERS*

Prevent and control milking equipment, pails, inflations and tubing should be sanitized between milking operations by preparing a 200 ppm solution of active ingredient by mixing 1 ounce (2 tablespoons) PEAK NO. 205 Dairy Cleaner. Sanitize in 4 gallons of water. Scrub or dip equipment into the solution and allow to drain prior to beginning of milking operation.

Use diluted solution with sand spray for pre and post milking.

*EPA REG. NO. 136-80-8

Peak #205

MULTI-PURPOSE CLEANER/SANITIZER FOR THE DAIRY INDUSTRY

ACTIVE INGREDIENTS:

n-Alkyl (60 - C ₁₂ - 30 - C ₁₆ - 5 - C ₁₂ - 5 - C ₁₄) dimethyl benzyl ammonium chlorides	100.0
n-Alkyl (68 - C ₁₂ - 32 - C ₁₄) dimethyl benzyl ammonium chlorides	100.0
Phosphoric Acid	100.0
INERT INGREDIENTS:	100.0


THIS PRODUCT HAS BEEN AUTHORIZED FOR USE UNDER U.S.D.A. CONSUMER AND MARKETING SERVICE INSPECTION PROGRAMS FOR POULTRY, RABBIT AND EGG PRODUCT PLANTS.

CONTENTS: 1 U.S. GALLON EPA Reg. No. 136-80-8

DANGER KEEP OUT OF REACH OF CHILDREN.

See antidote statement and other precautions on label.

OZARK CHEMICAL COMPANY
LITTLE ROCK, ARKANSAS 72203



13680-8

CLEANS • SANITIZES REMOVES MILKSTONE

MIXING IS EASY

For cleaning and sanitizing milk equipment, add one part of PEAK #205 to 100 parts of water. For bulk milk tanks, add 1.700 pounds of PEAK #205 to 100 gallons of water. For udders, add one part of PEAK #205 to 100 parts of water. For bulk milk tanks, add 1.500 pounds of PEAK #205 to 100 gallons of water. For udders, add one part of PEAK #205 to 100 parts of water.

CLEANING BULK MILK TANKS

For cleaning bulk milk tanks, add one part of PEAK #205 to 100 parts of water. For udders, add one part of PEAK #205 to 100 parts of water. For bulk milk tanks, add 1.700 pounds of PEAK #205 to 100 gallons of water. For udders, add one part of PEAK #205 to 100 parts of water.

SANITIZING MILK EQUIPMENT & COWS UDDERS*

For sanitizing milk equipment and cows udders, add one part of PEAK #205 to 100 parts of water. For bulk milk tanks, add 1.700 pounds of PEAK #205 to 100 gallons of water. For udders, add one part of PEAK #205 to 100 parts of water.

Peak #205 MULTI-PURPOSE CLEANER/SANITIZER FOR THE DAIRY INDUSTRY

ACTIVE INGREDIENTS
SODIUM HYDROXIDE 1.00%
SODIUM CHLORIDE 0.10%
SODIUM CHLORIDE 0.10%
SODIUM CHLORIDE 0.10%
SODIUM CHLORIDE 0.10%
SODIUM CHLORIDE 0.10%
SODIUM CHLORIDE 0.10%

THIS PRODUCT HAS BEEN AUTHORIZED FOR USE BY THE
AND MARKETING SERVICE INSPECTOR GENERAL
RABBIT AND EGG PRODUCT PLANT

CONTENTS: 100% GALLONS

DANGER KEEP OUT OF REACH OF CHILDREN

OZARK CHEMICAL COMPANY

Peak #205

MULTI-PURPOSE CLEANER/SANITIZER FOR THE DAIRY INDUSTRY

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₂ , 30% C ₁₄ , 5% C ₁₂ , 5% C ₁₄) dimethyl benzyl ammonium chlorides	5.0
n-Alkyl (60% C ₁₂ , 32% C ₁₄) dimethyl stybenzyl ammonium chlorides	5.0
Phosphoric Acid	30.0
INERT INGREDIENTS:	60.0
	100.0

THIS PRODUCT HAS BEEN AUTHORIZED FOR USE UNDER U.S.D.A. CONSUMER PRODUCT MARKETING SERVICE INSPECTION PROGRAMS FOR POULTRY, MEAT, DAIRY AND EGG PRODUCT PLANTS.

CONTENTS: 1 U.S. GALLON EPA Reg. No. 13,080-8

DANGER KEEP OUT OF REACH OF CHILDREN.

See antidote statement and other precautions on right side of label.

OZARK CHEMICAL COMPANY

LITTLE ROCK, ARKANSAS 72203

HARD WATER TOLERANCE

This product fulfills the criteria of Appendix F of the Grade A Pasteurized Milk Ordinance 1965 recommendations of the U.S. Public Health Service in waters up to 600 ppm of hardness calculated as calcium carbonate, when tested by the AOAC Germicidal and Detergent Determination Method. Consult your milk inspector or health officer for recommendations on your local program.

DANGER

Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard.

3 (080)-8