POLYKLOR DETERGENT SANITIZER is recommended for use on food processing equipment and utensils including dairy and brewery equipment and utensils. It is also recommended for use on dishes and glasses.

DIRECTIONS FOR USE: Prepare a sanitizing solution by dissolving 4% oz. or 8% oz. POLYKLOR DETERGENT SANITIZER per 10 gals, of water. This provides a solution containing 100 ppm or 200 ppm of available chlorine respectively. Clean and rinse items prior to sanitizing. Then place glasses, dishes, equipment or utensils in solution for 2-5 minutes. Remove, rinse with potable water and dry. For flat surfaces, clean to remove gross filth and heavy soil. Then spread the sanitizing solution and allow to stand 2-5 minutes, and then rinse with potable water.

The same solution may be used in feed tank in immersion or spray type machines providing 2-5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing step, rinse well with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional POLYKLOR DETERGENT SANITIZER should be added to maintain a minimum concentration of 100 ppm available chlorine.



POLYKLOR DETERGENT SANITIZER

ACTIVE INGREDIENTS


Sodium dichloro-s-triazinetrione dihydrate (provides 3.2% available chlorine)		•	•		•					
Sodium dodecylbenzene sulfonate									-	

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May cause eye damage. Do not get in eyes, on skin, or on clothing. Do not breathe dust.

FIRST AID: If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician. In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes, get medical attention.

Rinse empty container thoroughly with water and discard it. See side panel for use directions.



ACCEPTED

UNDER THE PROPAL RISECTICIDE EUNGICIDE AND RODENTICIDE AC NSECTICIDE ECONOMIC POISON HEGIST WEH NO. 12680-

. 5.6% 4.0% 5.0%

INERT INGREDIENTS 85.4%

EPA Reg. No. 13680 19

DIRECTIONS FOR STORAGE / HANDLING

WARNING **KEEP OUT OF REACH OF CHILDREN**

Store in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Oxidizing material: Do not mix with other chemicals. Contact with organic matter may cause fire. Decomposes at 350-450 F, with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary. Do not reuse empty container. Rinse empty container thoroughly with clean water before discarding. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

