### **DIRECTIONS**

For sanitizing glassware, dishes, cooking utensils.

- 1. Scrap and rinse to remove excess food.
- Wash with a nonionic detergent like Hi-Phen Rinse, Hi-Phen Acid Rinse, or All Purpose Detergent.
- 3. Rinse with clean warm water.
- 4. Sanitize in a solution of 1 ounce to 4 gallons of water (200 ppm active quaternaries). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
- 5. Place sanitized utensils on a rack or drainboard to air dry.

NOTE: A water rinse following step 4 is not permitted under section H 96.16 (2) (c) 2 of the Wisconsin Administrative Code.

This product fulfills the criteria of Appendix F of the Grade A Pasteurized Milk Ordinance 1965 recommendations of the U.S. Public Health Service in waters up to 750 ppm of hardness calculated as calcium carbonate, when tested by the AOAC Germicidal and Detergent/Sanitizing Official Method. Consult your milk inspector or health officer for recommendations on your local program.

Hi-Phen Sanitizer has a guaranteed minimum phenol coefficient (AOAC - 20°C) S. Aureus 92.0 S. Typhosa 60.0

Approved under the Regulations of the Wisconsin State Board of Health

E P A Reg. No. 13766-4

11 APR 1974

HI-PHEN
SANITIZER
CONCENTRATE

The Quaternary That Rinses Clean

Non-Corrosive to inanimate surfaces

**Tasteless** 

**Odorless** 

In use

Net contents: 1 Gallon

VAN'S DAIRY SUPPLIES, INC.
Oostburg, Wisconsin 53070

## DANGER:

Keep out of the Reach of Children

See right side panel for additional first aid and precautionary statements.

#### OTHER USES

#### Disinfection

Hi-Phen Sanitizer may be used to disinfect previously cleaned surfaces such as floors, walls, sinks and tables, garbage pails, toilet seats, shower areas, in homes, motels, schools, office buildings, nursing homes, and hospitals.

Prepare a disinfecting solution by adding 1 ounce Hi-Phen Sanitizer to 1 gallon of water. Apply disinfecting solution to surfaces with cloth, mop, or sponge. Disinfectant solution contains 800 ppm active quaternaries.

DANGER

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, skin or on clothing. Harmful or fatal if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

#### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

#### **NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

# ACCEPTED

JUN 7 1974

FUNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO.