



**FORRER**  
CHEMICAL

**USE DIRECTIONS:**

Use at 1 ounce per gallon of water. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level.

At 1 ounce per gallon of water, this product is fungicidal against pathogenic fungi.

For best results, use Hard Surface Germicidal Cleaner with a cloth or mop and apply to walls, floors and other hard surfaces.

**NO RINSE REQUIREMENT**

When used for sanitation of food contact equipment a solution of 1.4 ounces with 5 gallons water 200 PPM Active Quaternary. Apply with a cloth or mop. No rinse required when sanitizer is limited to 200 PPM active quaternary.

For heavy soil or organic matter, a pre-cleaning step is recommended.

Rinse empty container thoroughly with water and discard.

# HARD SURFACE GERMICIDAL CLEANER

## CONCENTRATED DETERGENT, DEODORIZER, SANITIZER, FUNGICIDE, DISINFECTANT

**ACTIVE INGREDIENTS:**

n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides .....	4.5%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides ..	4.5%
Tetrasodium ethylenediamine tetraacetate .....	2.0%
Sodium Carbonate .....	4.0%
INERT INGREDIENTS .....	85.0%
	<hr/> 100.0%

NET CONTENTS: \_\_\_\_\_

EPS Reg. No. 13798-5

**DANGER**

Keep out of reach of children. See right panel for antidote statement and other precautions.

Hard Surface Germicidal Cleaner is a concentrated non-phosphate detergent, disinfectant, sanitizer, fungicide and deodorizer. It is specifically designed for Institutional use such as Hospitals, Nursing Homes, and Schools, where housekeeping will be of prime importance in controlling the hazard of cross-infection.

Hard Surface Germicidal Cleaner is for use on floors, walls and other hard surfaces in Hospitals, Nursing Homes, Hotels, Public Areas, Industrial Areas and in Institutions. It is excellent for Operating Rooms, Rest Rooms, Nurseries and Food Service Areas.

When used as directed. Hard Surface Germicidal Cleaner is effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Hard Surface Germicidal Cleaner is also effective against pathogenic fungi, Trichophyton interdigitale.

If used for sanitization of food processing equipment or food contact items, limit the active quaternary to 200 ppm. At this level, NO POTABLE WATER RINSE is required.

**DANGER**

Keep out of reach of Children. Causes eye damage and skin irritation. Protect eyes when handling concentrate. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

**FIRST AID**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatine solution, or if these are not available, drink large quantities of water. Call a physician.

# ALGAE-SLIME TREATMENT



# K-150

EPA REG. NO. 13900-2

## COMPOSITION

### Active Ingredients

N-ALKYL (50% C14, 40% C12, 10% C16)

DIMETHYL BENZYL AMMONIUM CHLORIDE 10%

### Inert Ingredients

90%

Weight per Gallon @ 25°C 8.30 pounds

Flash Point, Tag Open Cup Above 100°C

Solubility: Miscible in all proportions with water

## APPLICATION

Delta K-150 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to use, it is recommended that systems should be cleaned to remove accumulations of soil, organic matter, and other deposits.

*Initial Dosage:* In clean systems with no visible algae or microbial slime, add three gallons of Delta K-150 per 10,000 gallons of cooling water. If algae or microbial slime is visible, add six gallons of Delta K-150 per 10,000 gallons of cooling water. Repeat until control is established.

*Continuing Treatment:* When microbial control is established add one to three gallons of Delta K-150 per 10,000 gallons of cooling water once per week or more often if needed to prevent algae or slime growth.

Above dosages should be made in single amounts directly into the cooling tower basin in an area of good flow.



Aug 1, 1973  
13900-2

## DANGER

### KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

### First Aid.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly, a large quantity of milk, egg whites, or gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Note to physician: probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

This product is toxic to fish. Treated effluent should not be discharged when it will drain into lakes, streams, ponds or public water. Do not contaminate waters by cleaning of equipment or disposal of waste. Use as directed on label.

Do not reuse container. Destroy when empty.

4206 Q' 'RT

LUBBOCK, TEXAS 79404