

300
~~267117~~
267117
25
7

OCT 01 1990

Mr. Sydell Protas
Four Paws Products, Ltd.
50 Wireless Boulevard
Hauppauge, NY 11788

Dear Mr. Protas:

Subject: Four Paws Mite & Lice Bird & Cage Spray
EPA Registration No. 13799-22
Your Letter Dated October 12, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The storage stability study submitted October 12, 1989 is acceptable; however, we ask that you further explain a minor discrepancy. It is clear that there is a degradation of 8 to 10 percent of Pyrethrin and Piperonyl Butoxide Technical. You state that the product should be over-formulated in order to meet the label claims, and we concur. However, we need to be sure that this is actually done, despite the fact that the upper certified limit (0.033%) takes care of this 10 percent problem.

Sincerely yours,



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

51296:I:Hollis:L17-3:KENCO:09/01/90:09/30/90:CL:VO:EK:CL

CONCURRENCES

SYMBOL	SURNAME	DATE						

REGISTERED
PATENT
Date: 1/1/1990

1990

Under EPA Reg. No. 13799-22

13799-22

Four Paws®
Mite & Lice
Bird & Cage
Spray



Kills Mites and Lice
For Your Bird's
Protection & Health

Kills Mites and Lice on birds, cages and other areas fast and safely.

	Active Ingredients:	
	Pyrethrins	0.030%
	*Piperonyl Butoxide, Technical	0.200%
Inert Ingredients:		99.770%
*Equivalent to 0.24% butylcarbamyl E propyl piperonyl ether and 0.06% related compounds		100.000%

Net Weight
8 fluid oz
(236 ml)

CAUTION
 Keep out of reach of children.
 See back panel for additional precautionary labeling

Four Paws®
MITE & LICE BIRD & CAGE SPRAY

FOUR PAWS® MITE & LICE BIRD & CAGE SPRAY, FOR YOUR BIRD'S PROTECTION & HEALTH, WILL LEAVE YOUR BIRD AND CAGE FREE FROM MITES AND LICE.

Precautionary Statements
Hazards to Humans & Domestic Animals
CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin. Wash contaminated skin promptly with soap and water. Avoid spraying food or foodstuffs. Cover fish aquariums before spraying.

Statement of Practical Treatment

If swallowed: Contact a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger.

If inhaled: Remove person to fresh air. Apply artificial respiration if indicated.

If on skin: Remove contaminated clothing and wash affected areas with plenty of soap and water.

If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

Directions for use: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Directions: Shake well before use. To kill lice on your bird, leave bird(s) in cage. Remove food and foodstuffs. Spray directly on birds from a distance of 12 to 18 inches. Avoiding the bird's eyes and face. Spray lightly utilizing 3 or 4 pumps.

To kill mites, remove bird(s), food and water cups, etc., and spray cage thoroughly by holding bottle at least one foot from surface utilizing 5 or 6 pumps. This treatment may be done twice a week. Clean cage thoroughly at regular intervals.

Storage: Store in original container in a cool dry place inaccessible to children and away from heat and direct sunlight. Protect from freezing.

Disposal: Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.

This is another quality product from:
Stephen's Pharmaceutical Co.
A Division of:



Four Paws®
Products Ltd.
Hauppauge, NY
11788 - U.S.A.

EPA Reg. No. 13799-22
EPA Est. No. 43395-NY-1
Item No. 1721



BEST AVAILABLE COPY