

[13891-1]

NET WT. ONE POUND

ACCRA PAC
SBP-1382TM AQUEOUS PRESSURIZED
SPRAY INSECTICIDE 0.25
FOR HOUSE AND GARDEN

ACTIVE INGREDIENTS:

*†(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.250% w/w
Related compounds	0.034%
Aromatic petroleum hydrocarbons	0.332%

INERT INGREDIENTS:

99.384%
100.000%

*Cis/trans isomers ratio: max. 30% (±)cis and min. 70% (±)trans.
†U.S. Patent No. 3,465,007.

SHAKE WELL BEFORE USING

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Cover or remove fishbowls. Do not use on edible crops. Contents under pressure. Do not puncture. Do not expose container to temperatures above 120°F. Never throw container into fire or incinerator.

MADE BY:

ACCRA PAC INC.
2626 INDUSTRIAL PKWAY
ELKHART, INDIANA

ACCEPTED

JAN 26, 1973

UNDER THE FEDERAL INSECTICIDE ACT

13891-1

DIRECTIONS FOR USE

Shake well before each use. Remove protective cap. Aim spray opening away from people. Push button to spray.

INDOORS - FOR HOUSEFLIES, MOSQUITOES, AND GNATS:

Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

INDOORS - FOR CRAWLING INSECTS:

Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

OUTDOORS - TO KILL FLYING INSECTS:

Spray areas infested with mosquitoes, gnats (midges), houseflies, biting flies and flying moths (millers). Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the insects are still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS - TO PROTECT ORNAMENTAL PLANTS:

To control aphids, exposed thrip, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetle on smaller rhododendrons, pines, spruce, hemlock, spirea, dogwood, palm, mimosa, loyali, viburnum, euonymus, oaks, maples, locust, forsythia and althea, and mimosa webworm larvae on mimosa, spray directly on insects. Hold container 18 inches from the infested plants. Spray in short spray bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

Spray peonies, iris, zinnia, snapdragons, ageratums, chrysanthemums, nasturtiums, daisy, geraniums, marigolds, daphne, fatsheera, ivy, tobira, queen sago and broad leaf acacia for control of aphids, exposed thrips, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above.

Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Ash, Cotoneaster, Rose, Camellia, Azalea, Pyracantha and Caenothus may also be treated to control the above pests, but use with extreme caution. Certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage. Repeat as necessary to obtain control.

INDOORS - TO PROTECT HOUSE PLANTS:

Spray infested African violets, philodendron, geraniums, begonias, coleus for control of listed pests. Repeat application as necessary.

OUTDOORS - TO CONTROL NUISANCE PESTS:

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

SPIDERS: Direct short burst of spray on spiders and repeat as necessary.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

SITE 5

SITE 5

USDA Reg. No. 13891-1