Cross-infection is of major housekeeping concern not only in hospitals, nut in schools, institutions and industry. CPI DISMFECTANT CLEAN-EN is formulated for this problem area. It both cleans and disinfects effectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

Two punces of CPT DISINFECTANT CLEANER per gallon of water will deader ze pathrooms garbage storage areas and other areas where bacterial growth can cause mai odors.

WARNING

Keep out of reach of children. Causes severe eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician Remove and wash all contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately.

USE DIRECTIONS:

Apply CPI DISIMFECTANT CLEANER to walls, floors and other hard murlaces such as tables, chairs and bed frames with a cloth or mop. For reavily soiled areas, a preliminary cleaning may be required.

For Hospitals & Nursing Homes: Add two ounces per gation of water.

At two ounces per gallon use-level. CPI DISINFECTANT CLEANER is effective against Pseudomonas aeruginosa. Staphylococcus aureus, Salmonella choleraesuis. Escherichia coli. and pathogenic fungi. Germicidal performance against the first four organisms has been confirmed by the AOAC Use-Dilution Test. Fungicidal performance was determined against T interdigitale by the AOAC Fungicidal Test.

For Schools. Institutional and Industrial Uses: Add one ounce per gallon of water.

At one ounce per gallon use level. CPI SISMFECTANT CLEANER leavers excellent cleaning and is germicidal. It is effective against Staphalic on a sureus. Salmonella choleraesuis, Escherichia coli, and Trichophyton interdigitale, the athlete's foot fungus. The same AOAC tests used above to confirm suitable performance for hospitals were used.

Rines empty container with water before discarding.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Money Back Guarantee CP1

Disinfectant

Cleaner — Disinfectant — Del for Hospital and Insti

AQAC Phenol Coefficients

Staph aureus (ATCC No. Salmonella typhosa (ATCC

Active Ingredients

Didecyl dimethy aminomic Tetrasodium ethylenediam Sodium carbonate Sodium metasilicate, anhy

Inert Ingredients

EPA Registration No.

CONTRACT PACKAGING,

1505 North Avenue


WARNIN

Nor

KEEP OUT OF REACH OF CH PANEL FOR ADDITIONAL STATEMENT 3848-3

CAUTION: KEEP OUT OF REACH OF CHILDREN

Coney Back Guarantee



Disinfectant-Cleaner

Cleaner -- Disinfectant -- Deodorizer -- Fung que for Hospital and Institutional Use

AOAC Phenol Coefficients

Staph aureus (ATCC No. 6538) 100 Salmonella typhosa (ATCC No. 6539) 50

Active Ingredients

Inert Ingredients

92.0%

100 01

13894.

EPA Registration No.

CONTRACT PACKAGING, INC.

1505 North Avenue Norwalk, Iowa 50211.

WARNING

KEEP OUT OF REACH OF CHILDREN, SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

ACCEPTED WITH COMMENTS

Disinfectant-Cleaner

Cleaner — Disinfectant — Deodorizer — Fung quie for Hospital and Institutional Use

AOAC Phenol Coefficients

Staph aureus (ATCC No. 6538) 100 Salmonella typhosa (ATCC No. 6539) 50

Active Ingredients

Didecyl dimethyl ammonium chiquidi. 45%
Tetrasodium ethylenediamine tetra acetate. 20%
Sodium carbonate. 10%
Sodium metasilicate, anhydrous. 0.5%

Inert Ingredients

92.0%

100 014

EPA Registration No.

13808-

CONTRACT PACKAGING, INC.

1505 North Avenue Norwalk, Iowa 50211

WARNING

KEEP OUT OF REACH OF CHILDREN, SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Cameraman's Note

Poor Copy