

WOUND PROTECTANT KILLS:

Screwworms-Blowfly Maggots

## FOR LIVESTOCK OF ALL AGES

Active Ingredients:
Ronnel\* (0, 0-dimethyl 0-(2,4,5-trichlorophenyl)
phosphorothioate] 2.5%
Xylene 0.5%
Inert Ingredients: 97.0%
\*Trademark of the Dow Chemical Company

EPA Registration No. 13898-32

## CAUTION: KEEP OUT OF REACH OF CHILDREN.

See other precautions on back panel. Contents under pressure. For external use only.

Net Contents: 16 ounces (1 lb.)

Kills Fast - Saves Time - Worms leave wound quickly.

LIVESTOCK REMEDY - NOT FOR HUMAN USE.

## **DIRECTIONS FOR USE**

FOR USE ON CATTLE, SHEEP AND HORSES: Hold container about 3 inches from wound or infested area. Direct spout of container toward the area to be treated. Press valve down to release spray. Wet thoroughly by spraying directly into and about 1 inch around wound.

SCREWWORM AND BLOWFLY Infestations: Use particular care to get spray into deep pockets caused by screwworms. Retreat at 5 to 7 day intervals as needed.

TO PREVENT SCREWWORM AND BLOWFLY INFESTATION: Apply directly to all open or fresh wounds such as from dehorning, castration, shear cuts, etc. Treat navals of newborn animals. Freely bleeding wounds may require several treatments. Re-treat at 5 to 7 day intervals as needed.

FLEECE WORM INFESTATIONS: Spray infested area liberally, working toward the center of the infestation. Shearing or removing the wool from the infested area is not necessary. Retreat 5 to 7 day intervals as needed.

## **PRECAUTIONS**

CAUTION: Harmful if swallowed. Avoid inhalation and skin contact. May be absorbed through skin. If material is sprayed on hands, or gets in eyes, wash thoroughly. Do not store near or contaminate feed or foodstuffs.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperature above 130° Fahrenheit may cause bursting. Never throw container into fire or incinerator.

Manufactured by:
Contract Packaging, Inc.
Norwalk, Iowa 50211