


X 13938-4 PM 31

**LEVER
PROFESSIONAL**



LP-2

727-205

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

LP-2 has been designed specifically for hospitals, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance.

DISINFECTION—To disinfect hard inanimate surfaces (such as walls, floors, table tops), add 2 ounces LP-2 per gallon of water. Apply solution with mop, cloth or sponge or mechanical sprayer so as to wet it thoroughly. Allow to remain wet for 10 minutes and then let air dry.

To disinfect toilet bowls, flush toilet, add 2 ounces LP-2 directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

For heavily soiled areas, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

MILDEWSTAT—To control mold and mildew on pre-cleaned, hard non-porous surfaces (such as floors, walls, table tops) add 2 ounces LP-2 per gallon of water. Apply solution with a cloth, mop or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

SANITIZATION—To sanitize previously cleaned and rinsed non-porous food contact surfaces, prepare 200 ppm active quaternary LP-2 solution by adding 2 ounces LP-2 to 3½ gallons of water.

To sanitize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200 ppm LP-2 solution or apply with a cloth or sponge, making sure to wet all surfaces completely for at least 60 seconds. Remove and rinse thoroughly with **POTABLE WATER**. Prepare a fresh solution for each use.

To sanitize mobile items (such as drinking glasses, eating utensils), immerse in 200 ppm LP-2 solution for at least 60 seconds making sure to immerse completely. Remove and rinse thoroughly with **POTABLE WATER**. Prepare a fresh solution daily or more frequently as soil is apparent.

MOLD & MILDEWSTAT—LP-2 inhibits the growth of mold and mildew and the odors they cause on hard non-porous inanimate surfaces.

SANITIZATION—When used for sanitization of previously cleaned food equipment or food contact items limit active quaternaries to 200 ppm. A **POTABLE WATER RINSE** is required. LP-2 is an effective sanitizer when diluted in water up to 250 ppm hardness (CaCO₃).

STORAGE AND DISPOSAL

• **DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.**

STORAGE—Store in a dry place no lower in temperature than 50°F or higher than 120°F.

CONTAINER DISPOSAL—Do not reuse empty container. Triple rinse empty container with water. Return metal drum then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burned stay out of smoke.

PESTICIDE DISPOSAL—Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CLEANER
DISINFECTANT
DEODORIZER
SANITIZER
MILDEWSTAT (on
hard inanimate surfaces)**

**VIRUCIDE*
FUNGICIDE
(against pathogenic
fungi)**

ACTIVE INGREDIENTS:
n-Alkyl (60% C 14, 30% C 16, 5% C 12, 5% C 18) 2.25%
dimethyl benzylammonium chlorides 2.25%
n-Alkyl (68% C 12, 32% C 14) 95.50%
dimethyl ethylbenzylammonium chlorides 2.25%
INERT INGREDIENTS 95.50%
Total—100%

**KEEP OUT OF REACH OF CHILDREN
— DANGER —**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY AND ACCEPTED
FIRST AID STATEMENTS.

JUL 3 1 1986

**NET CONTENTS
5 GALLONS**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 13938-4

EPA REG. NO. 13938-4

EPA EST. NO. 4675-NJ-1

DISTRIBUTED BY
**LEVER BROTHERS COMPANY
INDUSTRIAL DIVISION
390 PARK AVENUE
NEW YORK, NEW YORK 10022**

LP-2 is a phosphate free concentrated detergent/disinfectant which provides effective cleaning, deodorizing, disinfection and sanitation, and has been designed specifically for hospitals, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance in controlling the hazard of cross contamination.

LP-2 when diluted at the rate of 2 ounces per gallon of water is an effective disinfectant against the organism *Pseudomonas aeruginosa* and meets all requirements for hospital use. When used as directed, LP-2 is formulated to disinfect inanimate hard surfaces such as walls, floors, sink tops, toilet bowls, tables, chairs, telephones and bed frames. For larger areas such as operating rooms, patient care facilities and restrooms, the product is designed to provide both general cleaning and disinfecting.

In addition, LP-2 deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls and any other areas which are prone to odors caused by microorganisms.

DISINFECTANT—At 2 ounces per gallon dilution, LP-2 exhibits effective disinfectant activity against the following:

<i>Pseudomonas aeruginosa</i> PRD-10	<i>Salmonella schultmuelleri</i>	<i>Streptococcus faecalis</i>
<i>Escherichia coli</i>	<i>Salmonella choleraesuis</i>	<i>Shigella dysenteriae</i>
<i>Klebsiella pneumoniae</i>	<i>Streptococcus salivarius</i>	<i>Enterobacter aerogenes</i>
	<i>Brevibacterium ammoniagenes</i>	<i>Staphylococcus aureus</i>

At this level the product is also fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes*.

VIRUCIDAL* ACTIVITY: The product, when used on environmental inanimate hard surfaces at 2 ounces per gallon of water exhibits effective virucidal* activity against Influenza A2-Asian (representative of the common flu virus), Herpes simplex (causative agent of fever blisters and mononucleosis), Adeno virus type 2 (causative agent of upper respiratory infections), and Vaccinia virus (representative of the pox virus group).

EFFECTIVE TESTS HAVE BEEN DEMONSTRATED THAT LP-2 IS AN EFFECTIVE BACTERICIDE, FUNGICIDE, AND VIRUCIDE* IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

PRECAUTIONARY STATEMENTS

Hazardous to Humans and Domestic Animals

— DANGER —

Keep out of reach of children. Causes eye and skin irritation. Do not get in eyes, skin or on clothing. Harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

727-205-141