

MAY 04 1988

Correlated Products, Inc.
P.O. Box 41387
Indianapolis, IN 46241

Attention: Robert F. Crist

Gentlemen:

Subject: Quat 128
EPA Registration No. 14075-1
Your Submission Dated November 20, 1987

The amendment referred to above, submitted in connection with the Label Improvement Program Notice for Antimicrobial Products Used as Food Contact Surface Sanitizers, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
 - a. Delete the term "General Use Classification."
 - b. Delete the statement "ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS."
 - c. Declare on the label or on the container the net contents.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.


A stamped copy of the labeling is enclosed for your records.

58284:I:Lee:LL-1:KENCO:04/29/88:05/05/88:EAE:jh
CONCURRENCES

SYMBOL	ORIGINATOR							
SURNAME								
DATE								

If you have any questions concerning this letter, please call Mr. Robert Young at (703) 557-3966.

Sincerely yours,



John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-167C)

Enclosure

CORRELATED

EPA Letter Dated:

MAY 04 1988

When used as directed, this product is an effective disinfectant, deodorant, and sanitizer. When used as a sanitizer, food contact surfaces, equipment, and utensils can be air dried after immersion in a 1 oz / 4 gallon solution without a potable water rinse.

When used as directed, this product mixes with water to form clear, stable use solutions that are non-corrosive and nonstaining to most common metals, plastics, and tile.

When used as directed, this product mixes with water to form clear, stable use solutions that are non-corrosive and nonstaining to most common metals, plastics, and tile.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER

Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with an NPDES Permit. Do not contaminate water by cleaning of equipment or by disposing of wastes.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

USE DIRECTIONS

GENERAL USE CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTANT IN HOSPITALS, RESTAURANTS, AND PUBLIC ROOMS: This product may be used on floors, walls, woodwork, bed frames, furnishings, and equipment. Types of surfaces suitable for disinfection include glass, smooth metal, washable painted wood or metal, vinyl, glazed porcelain, plastic, finished leather, finished wood and similar non-porous, hard, smooth surfaces.

Always pre-clean surfaces with a suitable detergent and rinse well with water before disinfection. After cleaning, apply a solution containing 1 ounce of Disinfectant per gallon of water for usual disinfecting applications. For disinfecting contagious disease areas, use 1 1/2 ounces per gallon of water.

Quat - 128 DISINFECTANT - SANITIZER - DEODORANT

ACTIVE INGREDIENTS

Allyl (C14 58% C16 28% C12 14%)

dimethyl benzyl ammonium chloride

INERT INGREDIENTS

10.00%

90.00%

TOTAL INGREDIENTS

100.00%

This product fulfills the criteria of Appendix F of the Grade "A" Pasturized Milk Ordinance 1965. Recommendations of the U.S. Public Health Service in waters up to 700 ppm of hardness calculated as CaCO₃, when tested by the A.O.A.C. Germicidal and Detergent Sanitizers - Official Method.

*This disinfectant is effective at 1 oz / gal against *Pseudomonas aeruginosa* PRD 10, *Salmonella choleraesuis* ATCC 10708, and *Staphylococcus aureus* ATCC 6538 when tested by the A.O.A.C. Use Dilution Test Method for pre-cleaned, non-porous hard surfaces.

This disinfectant is an effective virucide against influenza virus, Type A Brazil 11 or / gal, on pre-cleaned, non-porous hard surfaces.

KEEP OUT OF REACH OF CHILDREN DANGER

(See Additional Precautions on Side Panels)

PRACTICAL TREATMENT (FIRST AID): In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution or, if these are not available, drink a large quantity of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Reg. No. 14075-1 EPA Est. No. 14075-IN-1

FOR INDUSTRIAL, COMMERCIAL OR MEDICAL USE ONLY

ONLY FOR SALE TO USE AND STORAGE BY SERVICE PERSONS

The use solution should be applied using a clean mop by a mechanical spraying device. Surfaces must remain at least 10 minutes to assure proper germicidal contact. Surfaces treated with this concentration of disinfectant should be rinsed with potable water before reuse. Prepare fresh solutions daily. Discard solutions when visibly soiled.

SANITIZATION OF FOOD CONTACT SURFACES, GLASSWARE, SILVERWARE, DISHES, COOKING UTENSILS, MILK EQUIPMENT IN FOOD PROCESSING PLANTS, MEAT PACKING PLANTS, DAIRIES, AND RESTAURANTS: Scrub or flush away and clean with a suitable detergent. Rinse thoroughly with water. Then apply a sanitizing treatment of 1 ounce of Quat-128 in 4 gallons of water (200 ppm active sanitizer). This treatment may be applied by immersion, flooding, spraying or with a clean cloth or mop. All surfaces should be thoroughly wet for 1-2 minutes for proper sanitization. Rinse thoroughly and air dry. Do not use until completely dry. No rinsing is required. Where possible, invert items (glassware, dishes, utensils, milk cans, etc.) and let air dry on a clean surface. Prepare fresh solutions more often if solutions become diluted or soiled.

FLANK AND UDDER WASHING: Use 1 ounce of Disinfectant per gallon of water. Use a separate clean towel for each cow. Dip a used towel back into the disinfectant solution. Prepare solution for each milking. Prepare solution in non-contaminated stainless steel plastic. Discard solutions if visibly soiled or turbid. To prevent residues in milk, air dry or dry with clean towel before attaching to milkers.

FOR DEODORIZING GARBAGE CANS, GARBAGE RECEPTACLES, AND GARBAGE EQUIPMENT: Pre-clean with a suitable detergent and then, apply a wetting solution of 2 oz of THIS PRODUCT per gallon of water.

CORRELATED PRODUCTS INC.
INDIANAPOLIS, INDIANA