

DIRECTIONS

To kill exposed stages of flies, including fruit flies, mosquitoes, gnats, flying moths, wasps and hornets: Close windows and doors and shut off ventilating systems. Remove pets, birds and cover fish aquaria before fogging. Apply as a fine mist using a non-thermol sprayer. Thoroughly fill the area with mist with special attention to light sources which attract these insects. Keep area closed for 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary.

For control of exposed stages of roaches, ants, spiders, crickets, silverfish, centipedes, cheese mites, meal worms, confused flour beetles, red flour beetles, and granary weevils, rice weevils: Apply in a good sprayer adjusted to deliver a coarse wet spray, at the rate of 1 gallon to 750 square feet of surface. Direct spray into locations where these insects are found: garbage chutes and cans, into cracks and crevices, dark corners, behind and be-



EPA Reg. No. 14125-2

MISTICIDE

Special low oil formulation for fogging and contact spray. Leaves No Objectionable Residues.

For use in Industrial and Residential garbage compactor chutes, Kitchen garbage cans, and in Bakeries, Food Plants, Restaurants, Hotels, Motels, Hospitals, Schools, Office Buildings, Food Processing and Handling Plants.

The insecticidal components of this spray are classified as food additives and when used as directed, allowable tolerances will not be exceeded.

ACTIVE INGREDIENTS:

Pyrethrins	0.12%
*Peperonyl Butoxide, Technical	1.20%
Petroleum Distillate	4.68%
INERT INGREDIENTS	98.20%
*Equivalent to 0.96% (Butylcarbityl (6-propylpiperonyl) ether and 0.24% of related compounds)	

CAUTION

Keep Out Of Reach Of Children
See rear panel for additional precautions

Net Contents:

Manufactured by
SCENTRY, INC.
190 KANSAS STREET
HACKENSACK, NEW JERSEY 07601
(212) 736-5348 (201) 488-1666

neath sinks, stoves, refrigerators and cabinets, along baseboards, and around door and window frames. Spray ant trails, nests and points of entry. Spray insects directly whenever possible. For silverfish treat book area.

In case of infested foods in cabinets, dispose of the infested material. Remove all contents and clean thoroughly. Spray interior surfaces of empty cabinets thoroughly. After spray has dried, cover shelves with paper or otherwise protect foods from direct contact with sprayed surfaces. Repeat treatment if reinfestation occurs.

CAUTION: Harmful if swallowed. Avoid contamination of feed or foodstuffs.

The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Empty by pouring or crushing and bury in a suitable place or return to a reconditioner.