



Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. **KINGWELL DISINFECTANT CLEANER (34-3)** is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.



Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.



**FIRST AID:**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, give milk, raw egg white, gelatin solution; or if these are not available, drink water. Call a physician immediately.

**KINGWELL DISINFECTANT CLEANER (34-3)**

Cleaner—Disinfectant—Deodorizer—Fungicide—Virucide\*  
for Hospital and Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	100
Salmonella typhosa (ATCC No. 6539)	43.8

Active Ingredients

Didecyl dimethyl ammonium chloride	4.25%
Tetrasodium ethylenediamine tetraacetate	1.60%
Sodium carbonate	2.00%
Sodium metasilicate, anhydrous	0.50%

Inert Ingredients

91.65%
100.00%

EPA Registration No.

14157.3

Net Contents: \_\_\_\_\_

**KINGWELL CHEMICAL CORPORATION**  
3434 Brown's Mill Road, SE Atlanta, Georgia 30354  
Phone 768-2406

**WARNING**

KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**USE DIRECTIONS**

Add two ounces per gallon water.

Apply **KINGWELL DISINFECTANT CLEANER (34-3)** to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At two ounces per gallon use-level, **KINGWELL DISINFECTANT CLEANER (34-3)** is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Trichophyton interdigitale*. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution Test. At 2 ounces per gallon the broad spectrum effectiveness of **KINGWELL DISINFECTANT CLEANER (34-3)** is shown by its germicidal action against the following additional organisms:

- Escherichia coli*
- Klebsiella pneumoniae*
- Salmonella schottmuelleri*
- Streptococcus faecalis*
- Shigella dysenteriae*
- Brevibacterium ammoniogenes*
- Enterobacter aerogenes*
- Proteus mirabilis*
- Streptococcus pyogenes*

\*At two ounces per gallon use-level, **KINGWELL DISINFECTANT CLEANER (34-3)** is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and Influenza A<sub>2</sub> (the Hong Kong flu virus), on inanimate environmental surfaces.

Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal Test.

Rinse empty container with water before discarding it.