

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FACI-CIDE CT-20 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime and other deposits.

An initial slug addition of 2.9 to 7.7 fluid ounces of FACI-CIDE CT-20 per 1,000 gallons of water to provide a concentration of 24 to 60 parts per million of FACI-CIDE CT-20, based on the total weight of water in the system is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 0.73 to 2.9 fluid ounces of FACI-CIDE CT-20 per 1,000 gallons of water 6 to 60 parts per million of FACI-CIDE CT-20 should be employed every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

FACI-CIDE-CT-20

ACTIVE INGREDIENT

Poly [oxyethylene (dimethyliminio)ethylene dimethyliminio ethylene dichloride] 20%

INERT INGREDIENT

This product contains 1.14 lb. of active ingredient per gallon and weighs 8.74 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STORAGE & DISPOSAL Keep container closed when not in use. Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. The container must be triple rinsed (or equivalent) and offered for recycling, reconditioning, and disposal in an approved landfill or buried in a safe place. Rinseate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

CAUTION Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance, contact the regional office of the Environmental Protection Agency.



ACCEPTED

BEST DOCUMENT AVAILABLE

EPA REG. NO. 14336-11

MANUFACTURED BY

THE Fairbank

CORPORATION

221 ALBERTA
HARTFORD, CONNECTICUT 06103

UNDER THE FEDERAL
FUNGICIDE ACT
FOR ECONOMIC
ED UNDER NO.

14336-11

EPA EST. NO. 14336 - P. R. - 01