



BKG QUAT 1

Disinfectant-Cleaner-Sanitizer-Fungicide-Mildewstat-Virucide* - Deodorizer
for Hospitals, Institutional and Industrial Use Effective in hard water up to 400 ppm hardness
(calculated as CaCO₃) in the presence of 5% serum contamination

<u>Active Ingredients</u>	
Octyl decyl dimethyl ammonium chloride	3.255%
Dioctyl dimethyl ammonium chloride	1.302%
Didecyl dimethyl ammonium chloride	1.954%
Alkyl (C ₁₂ , 50%, C ₁₂ , 40%, C ₁₄ , 10%) dimethyl benzyl ammonium chloride	4.340%
<u>Inert Ingredients</u>	89.149%
	100.000%

DANGER
KEEP OUT OF REACH OF CHILDREN

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
EPA Reg. No. 14505-3 EPA Establishment No. 18035-MN-1

ACCEPTED
 NOV 07 1980
 Under the Federal Fungicide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 14505-3

Directions For Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. BKG QUAT 1 is a proven one-step disinfectant-cleaner-sanitizer-fungicide-mildewstat-virucide which is effective in water up to 400 ppm hardness in the presence of 5% serum contamination.

Apply BKG QUAT 1 to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, tile, porcelain, and bedframes with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

Disinfection — To disinfect hard, non-porous surfaces, add 1 oz. per gallon of water. Treated surfaces must remain wet for 10 minutes. The activity of BKG QUAT 1 has been evaluated in the presence of 5% serum and 400 ppm hardness by the AOAC use dilution test and found to be effective against a broad spectrum of gram negative and gram positive organisms as represented by *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, *Streptococcus pyogenes*, *Klebsiella pneumoniae*, *Enterobacter aerogenes*, *Salmonella schottmuelleri*, *Streptococcus faecalis*, *Shigella dysenteriae*, *Brevibacterium ammoniagenes*, *Salmonella typhi*, *Serratia marcescens*, *Pseudomonas cepacia*.

***VIRUCIDAL PERFORMANCE** — At 1 oz. per gallon use level, BKG QUAT 1 was evaluated in the presence of 5% serum and 400 ppm hardness for a contact time of 10 minutes at room temperature (20-25° C) against the following viruses found on inanimate hard non-porous environmental surfaces: HIV-1 (AIDS virus), Influenza A/Brazil, Herpes Simplex Types 1 and 2. **VACCINIA KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS."

CLEANING PROCEDURES: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of BKG QUAT 1. See virucidal performance for use instructions.

CONTACT TIME: Leave surface wet for at least 10 minutes.

PERSONAL PROTECTION: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection.

DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

Fungicidal Control - BKG QUAT 1 is an effective fungicide against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities at 1 oz./gallon.

Mold and Mildew Control - At 1 oz./gallon BKG QUAT 1 will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Sanitizing-Non-Food Contact Surfaces (such as floors, walls, tables, etc.) - At 1 oz. per 5% gal use level, BKG QUAT 1 is an effective sanitizer against *Staphylococcus aureus* and *Klebsiella pneumoniae* on hard porous and non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

BEST AVAILABLE COPY

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions and industry. BKG QUAT 1 has been formulated to aid in the reduction of cross-contamination in these areas. BKG QUAT 1 is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, viruses (including HIV-1), fungi and inhibits the growth of mold and mildew and their odors when used as directed. BKG QUAT 1 is an effective one-step sanitizer-cleaner for use on food contact as well as non-food contact surfaces, when used as directed.

BKG QUAT 1 will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

Precautionary Statements — Hazards to Humans and Domestic Animals

DANGER

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed or absorbed through skin. Avoid contamination of food.

Storage and Disposal

- Do not contaminate water, food, or feed by storage or disposal.
- Do not store on side.
- Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned stay out of smoke.

Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

IN CASE OF MEDICAL EMERGENCY CALL TOLL FREE 1-800-228-5635

Distributed by

BRISSMAN-KENNEDY, INC., 2140 Energy Park Drive, St. Paul, Minnesota 55108

NET CONTENTS 1 U.S. GALLON

BEST AVAILABLE COPY