

**INSTRUCTIONS FOR USING SELF-DUSTING BAGS FOR CONTROL OF HORN FLIES ON BEEF CATTLE**

Step #1—Allow one refillable dispensing bag for each 40 head of adult beef cattle or less. DO NOT USE ON DAIRY ANIMALS.

Step #2—Hang bag level—Using a pipe, board, cable or chain, place bag in gateway 3 to 4 ft. above the ground or approximately shoulder high for forced use. Bag may be suspended between 2 poles or posts spaced 6 to 10 ft. apart anchored well in the ground. Place in the path leading to feed or waterer. Bag also can be hung from a tree in loafing areas. A block of salt may be placed in position to attract livestock to the bag if slow to use.

Step #3—Puncture plastic product cartridge with a sharp instrument on one side and lay punctured side down in the bottom of the bag for controlled flow in feed-lots. The number of holes punctured provides flow control.

NOTE—Five lbs. of light rock have been placed in the bottom of the dispensing bag for:

- A. Even dispensing and reduced whipping in the wind
- B. Less chance of cattle and calves chewing on bags
- C. Added weight feels better to cattle and dispenses better
- D. Keeps dust free flowing after rain or during humid weather

Dust is designed to flow free even after rain. It is not water soluble and must not be used as a water spray.

FOR LACTATING DAIRY CATTLE SEE INSTRUCTIONS UNDER HAND APPLICATION.

HAND APPLICATION for control of hornflies on dairy and beef cattle, lice on beef cattle, swine, sheep and horses, and ticks (keds) on sheep.

The dust may be applied to the above listed animals for the control of hornflies and lice by thoroughly dusting animals. Work dust into hair or wool of livestock and repeat as necessary. Treatments are usually effective for three weeks.

Dairy Cattle: For control of horn flies, use five rounded tablespoonfuls per animal. Sprinkle on poll, neck (top and sides), and back and ur.per sides. Rub in lightly to carry powder beneath the hair. Treatment is usually effective for about three weeks.

Use ONLY hand application on dairy animals.

CAUTION: Do not hang bags in areas accessible to children. Avoid inhalation of dust. Do not contaminate feed and water or milk handling equipment.

Do not re-use empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

This product is toxic to fish. Do not contaminate water by cleaning of equipment, or disposal of wastes.

E.P.A. Reg. No. 14651-1

# DUST--EM

For control of horn flies on dairy and beef cattle, lice on beef cattle, swine, sheep and horses, and ticks (keds) on sheep when used as directed on instruction panel.

**ACTIVE INGREDIENT:**

Methoxychlor, technical\* .....10.0%

INERT INGREDIENTS .....90.0%

TOTAL 100.0%

\*Equivalent to 8.8% 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 1.2% other isomers and reaction products.


## CAUTION: KEEP OUT OF REACH OF CHILDREN

See other precautions on the back panel.

NET WT. 5 LBS.

## Agricultural Enterprises, Inc.

933 W. 6th St.  
Fremont, Nb. 68025  
U.S.A.



14651-1