

DIRECTIONS FOR USE

FACE FLIES

To protect animals from Face Flies spray animals head covering forehead poll muzzle and sides of face thoroughly with spray mist but do not apply more than 1 ounce to entire animal at any one spraying.

Stable Flies Horn Flies House Flies Mosquitoes

For fast paralysis and kill of pests apply as a mist over milk cows calves horses colts mules and swine

For best results spray animals before daily milking time for 7-10 days. Apply 1 ounce per head at morning and evening milkings. Complete coverage is necessary for best possible protection. Treatments can be discontinued until flies reappear on animals.

LICE

Spray bedding and sleeping quarters where infested cattle or swine are housed. Repeat application if necessary.

CAUTION DO NOT USE IN POULTRY HOUSES

ELECTRIC AND STATIONARY FOGGERS

Fog about 2 ounces per 1000 cubic feet. Before milking the fog can be applied around each animal to kill flies. Do not contaminate feed drinking water milk or milking equipment. For best results the treated area should be closed for 10 minutes. Do not apply in areas where animals have received direct application of vapona and Clodrin within 8 hours.



SUPER AGRI-TEAM

Livestock & Dairy Spray

with ATROPINE 2-PAM

Kills Face Flies Stable Flies House Flies Horn Flies Lice and Mosquitoes

Active Ingredient	0.93%
2,2-Dimethyl-3-dimethylpropylamine	0.75%
Related Compound	0.75%
Dimethyl phosphoric acid dimethyl ester	0.25%
3-Trifluoromethyl-4-nitrophenol	0.25%
Inert Ingredients	100.00%

Registered in Oklahoma
Aerial Fogging Restricted

WARNING: KEEP OUT OF REACH OF CHILDREN

SEE OTHER CAUTIONS ON SIDE PANEL

NET CONTENTS: 5 GALLONS

Agricultural Enterprises, Inc.

P.O. Box 0
Fremont, Nebraska 68025

WARNING

Do not wet animals because of possibility of skin irritation. Do not apply to animals under six months of age or within 1 day of slaughter. Brahman cattle should not be treated as they may show hypersensitivity to organophosphate compounds.

DO NOT USE POUR SPILL OR STORE NEAR OPEN FLAME

WARNING

May be fatal if swallowed inhaled or absorbed through the skin. If swallowed induce vomiting immediately and get medical attention. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. Do not breathe spray mist. Do not get in eyes on skin or on clothing. In case of contact with skin or eyes flush with plenty of water. For eyes get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking.

Do not contaminate feed water or foodstuffs. Do not apply spray in or near an open flame. Do not reuse empty container. Destroy by perforating or crushing. Bury or discard in a safe place away from water supplies.

This product is toxic to fish birds and other wildlife. Keep out of any body of water do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NOTICE OF WARRANTY

This company makes no warranty of merchantability fitness for any purpose or otherwise express or implied concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

EPA Reg. No. 14651-17
EPA Est. No. 14651-NB-1

