MICRONIZED COPPER SULPHUR

Active Ingredients, not less than	
Sulfur as S	85.0%
Copper (in Copper oxide) expressed as metallic.	4.6%
Inert Ingredients, not more than	10.4%
Total	100.0%

Micronized Copper Sulfur is a highly dispersible wettable powder with a particle size of less than 2 microns.

CAUTION: Keep out of reach of children

Harmful if swallowed. Avoid breathing mist. May cause irritation of nose, throat, or skin. Avoid contact with eyes, skin, or clothing. Do not contaminate feed or foodstuffs. This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not re-use container. Dispose of by burying in a safe place. Do not Burn.

CAUTION - Sulfur may burn foliage when temperature is high. Do not apply this product at such times. Do not use within 2 weeks of an oil spray treatment. For additional information consistent with this label directions or cautions, contact your State Agricultural Experiment Station or Extension Service.

This product is registered for and restricted to use in the Southeastern United States.

CCEPTED APR 171975 11a

registe.e.i EPA Reg.	No. 14800 - 2
	in periode
Fub	
	•

SOYBEANS - Frogeye Leaf Spot, Brownspot, Pod and Stem Blight-Apply as a spray at rate of 4 - 7½ lbs. in a minimum of 5 gallons of water per acre at 10 - 14 day intervals when disease appears. May be applied in conventional ground sprayers or as an aerial spray.

WHEAT - Leaf Rust, Leaf Blotch, Glume Blotch - Apply as a spray at 3 - 5 lbs. in minimum of 5 gallons of water per acre as an aerial spray at 10 day intervals when symptoms first appear. \swarrow

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to damage to plants, crops and animals to which the material is applied, failure to control pests, damage caused by drift to other plants or crops, and personal injury.







insecticide, inticicie Act. Serucide.

Net Wt. 40 lbs.

DIRECTIONS

When mixing, add this product to a partially filled spray tank while agitating.

PEANUTS - Cercospora Leaf Spot - Apply as a spray at rate of 7½ lbs. in dilute spray of 40 gallons of water per acre, or concentrate rate of 10 - 20 gallons per acre.