



[14806-2] DIE-BUGS

INSECTICIDE

EPA Reg. No. 14806-2

NET WEIGHT

ACTIVE INGREDIENTS:

Pyrethrins	1.00%
*Peperonyl Butoxide, Technical	10.00%
Amorphous Silica Gel	40.00%
1 Petroleum Hydrocarbons	49.00%

*Equivalent to 8.0% (butylcarbityl) (G-propylpiperonyl) ether and 2.0% of related compounds.

This product contains Drione

Effective in controlling ants, roaches, silverfish, bedbugs, fleas, lice, ticks and mites. Easy to apply, relatively odorless, non staining residual powder.

CAUTION
KEEP OUT OF REACH
OF CHILDREN

Avoid inhalation.

Do not reuse container. Bury with wastes.

Do not use in commercial food preparation areas or in edible product areas of processing plants. This product is toxic to fish, kee, out of lakes, streams or ponds. Apply this product only as specified on this label.

Double acting DIE BUGS combines the flushing and killing power of pyrethrins and piperonyl butoxide with the dehydrative principle of thermally activated hydrogen. May be used in accordance with directions in homes, restaurants, stores, hotels, offices, plants, and warehouses. When used as directed, it is highly effective in controlling ants, roaches, silverfish, bedbugs, fleas, lice, ticks, and mites.

DIRECTIONS: To control ants, roaches, silverfish, and fleas in animal quarters, distribute DIE BUGS at a rate of 1 ounce per 50 square feet of surface area. Apply a continuous visible film underneath and behind molding, shelving, baseboards, pipe openings, cracks, crevices, and other areas where insects may hide. Apply DIE BUGS behind cabinets and walls in crawl spaces and attics, at a rate of 2 ounces per 100 square feet of surface area. Repeat treatment as necessary.

BED BUGS: Take bed apart. Dust in joints and channels. If hollow, such as square or round tubing, see that interior of framework is well dusted. Mattress should be dusted, especially tufts, folds and edges. Picture frame and base, and in cracks and crevices in the room should be treated.

FLEAS, LICE AND MITES ON DOGS AND CATS: Liberally apply powder to the animal's body, thoroughly to the skin. Begin with the neck and continue down the body legs, feet and at the base of the tail. Areas where the animal is scratched, should be dusted at the rate of 1 ounce per 50 square feet. Infested lawns, barns, and kennels should be dusted at the rate of 2 ounces per 100 square feet. Repeat as necessary.

TICKS: Apply powder to the animal's body, legs, feet and mites and directly upon tick.

Distributed by: MODERN INSECTICIDE CO.
3884 KIMBLE HILL ROAD
SEAFORD, NEW YORK 11783

Registered Trademark of FMC Corporation