

ChemCon INC.

CHEMICAL CONSULTANTS

MINT 7 DISINFECTANT CLEANER • DEODORANT

Phenol Coefficient using A.O.A.C. method

- Salmonella typhosa — 7
- Staphylococcus aureus — 10
- Escherichia coli — 6

ACTIVE INGREDIENTS:

Alkyl (C ₁₁ , 58%; C ₁₀ , 28%; C ₁₂ , 14%)	
dimethyl benzyl ammonium chloride.....	2.0%
Isopropanol	2.0%
Methyl salicylate	0.5%
Total Active Ingredients.....	4.5%

INERT INGREDIENTS: 95.5%

TOTAL INGREDIENTS 100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN
(See other cautions on side panel)

NET CONTENTS: _____

M-7

DIRECTIONS

Use in hospitals, public rooms, homes, restaurants, barber and beauty shops and pet animal quarters for disinfecting floors, walls, tables, counter tops and other porcelain, enamel, tile, plastic or vinyl surfaces or furnishings.

FOR DISINFECTION

1. Flush away surface soils with water where possible.
2. Clean with a solution of 5 ounces of DISINFECTANT per gallon of water.
3. Rinse with clear water.
4. Apply disinfecting solution so as to thoroughly wet all surfaces. For non-porous, easily cleaned areas, make a disinfecting solution of 5 ounces of DISINFECTANT per gallon of water. For porous surfaces, areas difficult to clean, or contagious disease areas, make a disinfecting solution using 8 ounces of DISINFECTANT per gallon of water. Thoroughly rinse treated food contact surfaces before reuse.

FOR DEODORIZING

For garbage cans and similar refuse areas, use a solution of 16 ounces per gallon of water. Spray or wet all surfaces.

1464
ACCEPTED
APR 17, 1964

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 14808-1

DIRECTIONS: For General Disinfection of Non Porous Floors, Walls, Showers, Toilet Seats: Surfaces should be cleaned with a good detergent, not soap, before sanitizing with GERM-I-SAN 17. If soap was used for cleansing, rinse with water before sanitizing.

For use in the home, hospital, school and industry. For hospital application, use at a disinfecting level only. Apply in a manner, and for a sufficient time, to assure the surface being treated is thoroughly wetted by the spray or rinse solution.

- A. For General Sanitizing with GERM-I-SAN 17 (after cleaning with detergent, not soap):
For Rinsing or Mopping 2 Oz. to 4 Gallons
For Spraying 4 Oz. to 4 Gallons
- B. For Hospital Use and For Disinfecting with GERM-I-SAN 17 (after cleaning with detergent, not soap):
For Rinsing or Mopping 4 Oz. to 4 Gallons
For Spraying 8 Oz. to 4 Gallons
- C. For Disinfecting Toilet Bowls with GERM-I-SAN 17: Add 1 oz. of product directly to the bowl water.

DANGER: KEEP OUT OF REACH OF CHILDREN:
Corrosive--Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Avoid breathing spray mist.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly with water. Discard in a safe place.

GERM-I-SAN 17

CONCENTRATE MUST BE DILUTED

BRAND OF BENZALKONIUM CHLORIDE

FOR USE AS A SANITIZER AND DISINFECTANT

E.P.A. REG. NO. 14808-1

ACTIVE INGREDIENTS
n-Alkyl (C12-50%, C14-30%, C16-17%, C18-3%) Dimethyl Benzyl Ammonium Chloride 17.0%

INERT INGREDIENTS
Water 83.0%
Total 100.0%

DANGER: KEEP OUT OF REACH OF CHILDREN.

SEE ANTIDOTE STATEMENT AND OTHER PRECAUTIONS
ON BACK PANEL
NET CONTENTS ONE FL. PINT

The NATIONAL
PHARMACEUTICAL MFG. CO.
BALTIMORE, MD. 21215

FOR ECONOMIC POISON ACT
UNDER NO 14808-1

DIRECTIONS: For General Disinfection of Non Porous Floors, Walls, Showers, Toilet Seats: Surfaces should be cleaned with a good detergent, not soap, before sanitizing with GERM-I-SAN 17. If soap was used for cleansing, rinse with water before sanitizing.

For use in the home, hospital, school and industry. For hospital application, use at a disinfecting level only. Apply in a manner, and for a sufficient time, to assure the surface being treated is thoroughly wetted by the spray or rinse solution.

- A. For General Sanitizing with GERM-I-SAN 17 (after cleaning with detergent, not soap):
For Rinsing or Mopping 2 Oz. to 4 Gallons
For Spraying 4 Oz. to 4 Gallons
- B. For Hospital Use and For Disinfecting with GERM-I-SAN 17 (after cleaning with detergent, not soap):
For Rinsing or Mopping 4 Oz. to 4 Gallons
For Spraying 8 Oz. to 4 Gallons
- C. For Disinfecting Toilet Bowls with GERM-I-SAN 17: Add 1 oz. of product directly to the bowl water.

DANGER: KEEP OUT OF REACH OF CHILDREN:

Corrosive--Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Avoid breathing spray mist.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly with water. Discard in a safe place.

GERM-I-SAN 17
CONCENTRATE MUST BE DILUTED
BRAND OF BENZALKONIUM CHLORIDE
FOR USE AS A SANITIZER AND DISINFECTANT
E.P.A. REG. NO. 14808-1

ACTIVE INGREDIENTS

n-Alkyl (C12-50%, C14-30%, C16-17%, C18-3%) Dimethyl
Benzyl Ammonium Chloride. 17.0%

INERT INGREDIENTS

Water 83.0%
Total 100.0%

**DANGER: KEEP OUT OF REACH
OF CHILDREN.**

SEE ANTIDOTE STATEMENT AND OTHER PRECAUTIONS
ON BACK PANEL.

NET CONTENTS ONE FL. PINT