

GERMICIN
50% SOLUTION
CONCENTRATE MUST BE DILUTED
BRAND OF BENZALKONIUM CHLORIDE
FOR USE AS A DISINFECTANT
E. P. A. REG. No. 717-2

ACTIVE INGREDIENTS: n-Alkyl (C12 - 50%,
C14 - 30%, C16 - 17%, C18 - 3%)
Dimethyl Benzyl Ammonium Chloride 50.0%
INERT INGREDIENT: Water 50.0%
Total 100 %


DANGER: KEEP OUT OF REACH OF CHILDREN

See Antidote Statement and Other
Precautionary Statements on the Back Panel

NET CONTENTS: 1 FLUID GALLON



Directions for Dilution: To prepare a 10% solution of Germicin 50, pour carefully 1 gallon of the 50% concentrate into 4 gallons of distilled, deionized or tap water. Stir gently and if necessary filter before bottling. A mixing tank made of porcelain, glass-lined iron, or stainless steel is recommended.



NET CONTENTS: 1 FLUID GALLON

Directions for Dilution: To prepare a 10% solution of Germicin 50, pour carefully 1 gallon of the 50% concentrate into 4 gallons of distilled, deionized or tap water. Stir gently and if necessary filter before bottling. A mixing tank made of porcelain, glass-lined iron, or stainless steel is recommended.

To Dilute 10% Germicin 50 For Use: For Germicin 600 PPM (1:1660 approx.) add and stir 1 oz. of Germicin 10% in 1½ gallons of water.

DIRECTIONS FOR USE: For general disinfection of floors, walls, showers, toilet seats in hospitals and food processing plants: First, clean with a good detergent, **not** soap. If soap was used for cleansing, rinse with water before using Germicin. For mopping previously cleaned non-porous surfaces, use 600 PPM. Apply in a manner (wiping, mopping or scrubbing), and for a sufficient time, to assure the surface being treated is thoroughly wetted by the recommended use dilution.

DANGER — KEEP OUT OF REACH OF CHILDREN

Corrosive — Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Avoid breathing spray mist. For manufacturing or formulation use only.

First Aid: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed. **Container Disposal:** Do not reuse empty container. Rinse thoroughly with water. Discard in a safe place.