

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

**QUIK CHEM, INC.
5530 N.W. 84th Ave.
Miami, FL 33166**

**EPA REG. NO. 14890-3 EPA EST. NO.
NET CONTENTS**

**SODIUM
HYPOCHLORITE
SOLUTION**

**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE

9.2%
90.8%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

**DIRECTIONS FOR
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE
IN A MANNER INCONSISTENT WITH:

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start-up, superchlorinate with this sodium hypochlorite solution for each 2500 gallons of water to 5 ppm available chlorine by weight.

For Pool Maintenance

- A) Adjust pool water pH to 7.6 - 7.2 range and maintain. B) Add manually or by a feeder device this sodium hypochlorite solution to maintain an available chlorine residual of 0.6 to 1.0 ppm of this sodium hypochlorite solution for each 6000 lbs of water. Frequency of application will depend upon temperature. Use test kit to make certain the pH and chlorine residual are maintained.

**DIRECTIONS FOR DISINFECTION OF POTABLE
FOR HOME WELL WATER SYSTEMS**

Dilute this sodium hypochlorite solution in the ratio of 1 part solution to 9 parts softened water. Mix sodium hypochlorite solution thoroughly and begin feeding of solution with a hypochlorinator. Maintain a free available chlorine residual of at least 0.2 ppm throughout the distribution system as determined by a bacteriological sampling must be conducted at a frequency in accordance with the National Interim Primary Drinking Water Regulations. Contact your local Health Department for further details.

DIRECTIONS FOR SANITIZING FOOD PROCESSING EQUIPMENT

Clean equipment in the normal manner. Just before using, immerse equipment in this sodium hypochlorite solution containing 200 ppm available chlorine for a minimum of two minutes. After treatment with sodium hypochlorite solution, do not use for one fluid oz. (2 tbsp.) of this sodium hypochlorite solution provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit as necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL:

Store from direct sunlight. In case of spill, flood area with large empty container thoroughly with water and either return to manufacturer or place in trash collection or burying in an approved landfill. Do not be used, should be diluted with water and disposed of. Do not contaminate food or feed by storage, disposal or use.

CAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARD: Corrosive, may cause severe skin irritation, burns to broken skin. Causes eye damage. Do not get on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash thoroughly after use. Avoid breathing vapors. Vacate poorly ventilated areas as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide should not be applied to lakes, streams or ponds. Treated effluent should not be discharged into lakes, streams, ponds or public waterways without a valid discharge permit. For guidance, contact your local office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: This product is an **OXIDIZING AGENT**. Mix only with water. Do not mix with acids, bases, or other chemicals. Mixing this product with acids, bases, or other chemicals may release hazardous gases. Avoid contact with eyes, nose, mouth, and mucous membranes.

manufactured by
QUIK CHEM, INC.
5530 N.W. 84th Ave.
Miami, FL 33166

14890-3 EPA EST. NO.
NET CONTENTS

SODIUM HYPOCHLORITE SOLUTION

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 9.2%
INERT INGREDIENTS 90.8%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

DIRECTIONS FOR USE GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start-up, superchlorinate with one (1) pint (16 fl. oz.) of this sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

For Pool Maintenance

A) Adjust pool water pH to 7.6 - 7.8 range and maintain.
B) Add manually or by a feeder device this sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.5 to 1.0 ppm. One half pint (8 fl. oz.) of this sodium hypochlorite solution for each 5000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.5 to 1.0 ppm available chlorine will depend upon temperature and number of swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS

1) Boil this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 9 parts softened water. Mix sodium hypochlorite solution and water thoroughly and begin feeding of solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system as determined by a DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations for public water supply.

2) Contact your local Health Department for further details.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after treatment with sodium hypochlorite solution. Do not soak overnight. Addition of one fluid oz. (2 tbsp.) of this sodium hypochlorite solution per 4 gallons of water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or dispose by placing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning equipment.