

## USE DIRECTIONS

### FOR CLEANING

Lightly soiled areas — surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of GERM-QUAT per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled area — mop or brush soiled surface with a solution containing 2-3 ounces of GERM-QUAT per gallon of water. Rinse cleaned surface with fresh water.

### GENERAL PURPOSE DISINFECTION

To disinfect walls, floors, and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 1 ounce of GERM-QUAT per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of GERM-QUAT per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.

To disinfect locker rooms, shower stalls, walkways around pools and other areas where fungicidal action is required, mop area with a solution containing 3/4 ounce in 1 gallon of water. This solution will destroy *Trichophyton interdigitale*, a causative agent of athlete's foot.

### HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 2 ounces of GERM-QUAT per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

ACCEPTED

Jan-11-1973

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 14895-1



# GERM-QUAT

DISINFECTANT —

CLEANER — SANITIZER

PATHOGENIC FUNGICIDAL DEODORANT

### ACTIVE INGREDIENTS

n Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>) dimethyl benzyl ammonium chloride . . . . . 5.0%

Sodium carbonate (anhydrous) . . . . . 2.0%

Tetrasodium salt of ethylene diamine tetraacetic acid . . . . . 2.3%

\*INERT INGREDIENTS . . . . . 90.7%

\*Active as cleaning and buffing agents.

"EPA Reg. No. 14895-1" — MINN. Reg. No. 5426

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

See side panel for antidote statement and other precautions

Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

MANUFACTURED BY

THE MCKERSON CORPORATION

3016 4th AVENUE SO.  
MINNEAPOLIS, MINNESOTA 55408

NET CONTENTS

ONE (1)  
GALLON

### SANITIZATION

To sanitize walls, floors, and equipment in food processing plants, first clean thoroughly with a

solution containing 1 ounce of GERM-QUAT per gallon of water. If surface is heavily soiled, use GERM-QUAT at a rate of 2-3 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 1/2 ounce of GERM-QUAT per gallon of water. No rinse required after sanitization.

### DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 2 ounces of GERM-QUAT per gallon of water.

GERM-QUAT is an effective antibacterial cleaner designed for use in household, industrial, and institutional cleaning. When used as directed, GERM-QUAT will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas, and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial-antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired. See left panel for use directions.

**DANGER!**

**KEEP OUT OF REACH OF CHILDREN**

May cause eye damage. Cause skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food. Protect eyes when handling concentrate.

### FIRST AID

In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes then get medical attention promptly. In case of skin contact, flush skin with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting, drink large quantities of fluids and get medical attention immediately.

Cameraman's Note

Poor Copy