

This disinfectant cleaner cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection .

At 2 ounces per gallon use-level, this disinfectant cleaner is effective against *Pseudomonis aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli* and pathogenic fungi. Germicidal performance against the first four organisms has been confirmed by the AOAC Use-Dilution Test. Fungicidal performance was determined against *T. Interdigitale* by the AOAC Fungicidal Test.

* At two ounces per gallon use-level, this disinfectant cleaner is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), vaccinia (representative of the pox viruses), adenovirus Type 5 (a causitive virus in respiratory diseases), and Influenza A2 as represented by the strains commonly called the Hong Kong Flu and the London Flu Virus, on inanimate environmental surfaces.

At one ounce per gallon use-level, this disinfectant cleaner delivers excellent cleaning and is germicidal. It is effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, and *Trichophyton interdigitale*, the athlete's foot fungus. The same AOAC tests used above to confirm suitable performance for hospitals were used.

This disinfectant cleaner is an extremely effective one-step sanitizer. It cleans and sanitizes in waters up to 800 ppm hardness. This hard water tolerance is in excess of most potable waters and will insure complete sanitizing action when used as directed.

Two ounces of this disinfectant cleaner per gallon of water will deodorize bathrooms, garbage storage areas, and other areas where bacterial growth can cause mal odors.

J048

ACCEPTED

JUN 24 1976

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 14943-6

SPECTRUM

Cleaner — Disinfectant — Deodorizer — Fungicide — Virucide*
Sanitizer for Hospital and Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	100
Salmonella typhosa (ATCC No. 6539)	50

Active Ingredients

Didecyl dimethyl ammonium chloride	4.5%
Tetrasodium ethylenediamine tetraacetate	2.0%
Sodium carbonate	1.0%
Sodium metasilicate	0.5%

Inert Ingredients

92.0%

100.00%

WARNING:

Keep Out of Reach of Children. See side panel for additional precautionary statements.

EPA Registration No.

14943 - 6

EPA Est. No.

14943 - IL - 1

NET CONTENTS:



Merchandising
Associates Program

CORPORATE BRANDS INC.

9840 Dorchester Avenue

Chicago, Illinois 60628

SPECTRUM

Cleaner — Disinfectant — Deodorizer — Fungicide — Virucide*
Sanitizer for Hospital and Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	100
Salmonella typhosa (ATCC No. 6539)	50

Active Ingredients

Didecyl dimethyl ammonium chloride	4.5%
Tetrasodium ethylenediamine tetraacetate	2.0%
Sodium carbonate	1.0%
Sodium metasilicate	0.5%
Inert Ingredients	92.0%

100.00%

WARNING:

Keep Out of Reach of Children. See side panel for additional precautionary statements.

EPA Registration No. 14943 - 6

EPA Est. No. 14943 - IL - 1

NET CONTENTS:



Merchandising
Associates Program

CORPORATE BRANDS INC.

9840 Dorchester Avenue

Chicago, Illinois 60628

USE DIRECTIONS

Apply this disinfectant cleaner to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

FOR HOSPITALS AND NURSING HOMES: Add two ounces per gallon of water.

FOR SCHOOLS, INSTITUTIONAL AND INDUSTRIAL USES: Add one ounce per gallon of water.

FOR SANITIZING: Add one-half ounce per gallon of water. Use this disinfectant cleaner for sanitizing and cleaning of utensils, equipment, and other hard surfaces. When sanitizing food processing equipment and utensils and food contact surfaces, rinse thoroughly with potable water.

Rinse empty container with water before discarding.

WARNING: May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately.