

ACCEPTED
 14961-17
 MAY 2 1980
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 ECONOMIC POISON REGISTERED
 UNDER NO.



REX CLORO CHLORINATING SOLUTION

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE 9%
 INERT INGREDIENTS: 91%

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

**CAUTIONARY STATEMENTS
 HUMANS AND DOMESTIC ANIMALS**

... may cause severe skin irritation or chemical burns on skin. Causes eye damage. May be fatal if inhaled. Avoid breathing vapors. Do not get in eyes, on skin or on clothes. Wear goggles or face shield and rubber gloves when handling. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

HAZARDS: This pesticide is toxic to fish, keep away from streams or ponds. Treated effluent cannot be used in streams, ponds or public waters unless a permit is obtained. For guidance, contact the regional Environmental Protection Agency.

CHEMICAL HAZARDS: STRONG OXIDIZING when mixed with water according to label directions. Mixing with gross filth such as feces, urine, etc., or with detergents or other chemicals will release irritating vapors to eyes, lungs and mucous membranes.

REX CHEMICAL CORP.
 P.O. BOX 23 ST. MIAMI, FL. 33142
 14961-17 EPA EST NO. 14961-FL-1
 NET CONTENTS: 5 GALLONS

OTHER:

**DIRECTIONS FOR USE
 GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start-up, superchlorinate with one (1) pint (16 flu. ozs.) of sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

FOR POOL MAINTENANCE:

- A) Adjust pool water pH to 7.6 - 7.2 range and maintain.
- B) Add manually or by a feeder device, sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint (8 flu. ozs.) of sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend on temperature and of number swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved land fill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

ACCEPTED
 14961-17
 MAY 2 1980



**REX
 CLORO
 CHLORINATING
 SOLUTION**

ACTIVE INGREDIENT:
 SODIUM HYPOCHLORITE..... 9%
 INERT INGREDIENTS:..... 91%

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention if swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes. distributed by:

**REX CHEMICAL CORP.
 2270 N. W. 23 ST. MIAMI, FL. 33142**

EPA REG. NO. 14961-17 EPA EST NO. 14561-FL-1
 NET CONTENTS: 5 GALLONS

DATE PACKAGED:
 NOT FOR USE AFTER:

**DIRECTIONS FOR USE
 GENERAL CLASSIFICATION**

It is a violation of federal law to use this product inconsistent with its labeling.

DIRECTIONS FOR SWIMMING POOL CHLORINATION: For a new pool or for spring start-up, superchlorinate with one pint (16 flu. ozs.) of sodium hypochlorite solution per 1000 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

FOR POOL MAINTENANCE:
 A) Adjust pool water pH to 7.6 - 7.2 range and maintain.
 B) Add manually or by a feeder device, sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint (8 flu. ozs.) of sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of addition should maintain 0.6 to 1.0 ppm available chlorine residual. Adjust pH and number swimmers. Use to maintain the pH and chlorine residual are in the 7.6 - 7.2 range.

NOTE: This product degrades with age. Use a chlorine test kit to determine available chlorine. Increase dosage as necessary, to obtain the required available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with water. Rinse empty container thoroughly with water. Return to manufacturer or discard by placing in trash. Product or rinsate from this container should be diluted with water and disposed of in a sewer. Do not contaminate food or feed by storage or cleaning of equipment.