#### **USE DIRECTIONS:**

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

This product when used on environmental inanimate hard surfaces at 2 ounces per gallon of water, is effective against Influenza A2, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

For best results, use VITEX #9904 with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm (2.8 ounces per 5 gallons).

#### NO RINSE REQUIRED.

For heavy soil or organic matter, a precleaning step is recommended.

#### **PHENOL COEFFICIENTS:**

Guaranteed	<u>Minimum</u>
S. aureus	42
S. typhosa	27

Rinse empty container thoroughly with water and discard.

EPA Reg. No. 15057-3

## VITEX

NO. 9904

# CLEANER-DISINFECTANT DEODORIZER-FUNGICIDE

Designed for Hospital and Institutional Use

#### **ACTIVE INGREDIENTS:**

100.0%	
INERT INGREDIENTS:	<u>ပ်</u>
Tetrasodium ethylenediamine tetraacetate 1.009	%
Sodium Carbonate	6
ethylbenzyl ammonium chlorides 2.25%	6
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl	
dimethyl benzyl ammonium chlorides 2.25%	6
n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> )	

### WARNING: Keep Out of Reach of Children.

See First Aid and other precautions on right panel.

#### VITEX CHEMICAL, INC.

5000 Track Road, Cleveland, Ohio 44127

VITEX #9904 is a cleaner, disinfectant, and sanitizer, designed for institutional use such as Hospitals, Nursing homes and Institutions where house-keeping will be of prime importance in reducing the hazard of cross-infection from environmental surfaces. VITEX #9904 can provide the assurance you need in this area when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of food processing equipment and food contact items, limit active quaternary to 200 ppm. At this level, No Potable Water Rinse is required.

#### WARNING

Keep Out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

#### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

**NET CONTENTS** 

ACCEPTED 1505 apr 4 1973

THE STRUCTURE WAS RELIED TO THE STRUCTURE WAS RED TO THE STRUCTURE WAS