

# VITEX 1076

## Sanitizer

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### Danger

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your regional office of EPA.

### PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent. Mix only with water. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, generation of hazardous gases and possible generation of fire explosion. In case of contamination or decomposition do not reseal container. If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

#### Active Ingredient

Sodium Dichloro-s-triazinetriene

Dihydrate ..... 25%

Inert Ingredients ..... 75%

Provides 14% available chlorine

### KEEP OUT OF REACH OF CHILDREN DANGER

#### Practical Treatment FIRST AID

If swallowed: Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately. If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists get medical attention. If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.


#### SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

Net Contents

Manufactured by Vitex Chemical, Inc.

EPA Reg. No. 15057-19

EPA Est. No. 15057DH01



Vitex 1076 Sanitizer is recommended for use on hard (non-porous) surfaces or on dishes, glasses or food processing equipment or utensils, including dairy and brewery equipment and utensils.

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Prepare a sanitizing solution by dissolving 1 oz. or 2 oz. of Vitex 1076 Sanitizer per 10 gallons of water. This gives a solution containing 100 ppm or 200 ppm available chlorine respectively. Clean and rinse item or surface prior to sanitizing. Then place dishes, glasses, equipment or utensils in the solution or spread it over the surface to be sanitized. Let stand 2-5 minutes and then wipe excess away. Rinse items and surfaces with potable water prior to use.

The same solution may be used in the feed tank in immersion or spray type machines providing 2-5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing step rinse well with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional Vitex 1076 Sanitizer should be added to maintain a minimum concentration of 100 ppm available chlorine.

#### STORAGE AND DISPOSAL

Keep product dry in tightly closed containers when not in use. Store in a cool dry, well-ventilated area away from heat or open flame. In case of a decomposition isolate container if possible and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place.