

 **POISON**   
**DANGER**

**MAY BURN SKIN AND EYES  
POISONOUS IF INHALED**

**Do Not Breathe Vapor  
Do Not Get in Eyes, on Skin or Clothing**

In cases of contact, immediately flush skin or eyes with excess of water for at least 15 minutes and get medical attention for eye contact. If liquid is spilled on clothing or shoes, remove them immediately and air thoroughly. Do not reuse shoes or clothing until free of all contamination.

**POISON  
ANTIDOTE**

**SEND FOR DOCTOR IN CASE OF POISONING**  
Remove patient to fresh air, keep him lying down and warm. Use artificial respiration if breathing has stopped. Get medical attention. Oxygen inhalation should be used only at direction of physician.

**NOTICE**

Following soil fumigation, undesirable concentrations of chloropicrin may drift to nearby areas. If this occurs, immediately cover treated area with a plastic tarpaulin. Leave tarpaulin on overnight and remove during the daytime. Recover the area if eye irritation indicates that the undesirable concentration is continuing. These concentrations are most likely to occur in the evening or at night when the air is most likely to be static in movement. Do not make application of MB 98-2 when there is little or no movement or there is an inversion condition in the atmosphere.

**NOTE CAREFULLY**

Following fumigation the level of soluble salts and ammonia nitrogen may be raised. This is most likely to occur when heavy rates of fumigant and fertilizers are applied to soils that are either acid, wet, cold, or high in organic matter. Fertilizers containing ammonium salts should not be used. Apply only fertilizers containing nitrates until after the crop is well established and the soil temperature is above 65° F. in order to avoid ammonia injury, nitrate starvation, or both. After fumigation, fertilize as indicated by soil test to protect against injury to plant roots. It is best that highly acid soils be limed before application to stimulate nitrification and reduce the possibility of ammonia toxicity.

**MB 98-2**

**FUMIGATION DIRECTIONS**

**RECOMMENDED  
APPLICATION RATES**

Strawberries 180 to 240 lbs/Acre  
Expose to fumigation for 48 hours.  
Aerate 2 weeks before setting transplants in treated areas.

Tomatoes 230 lbs/Acre  
Expose to fumigation for 48 hours.  
Aerate 2 weeks before setting transplants in treated areas.

Apply with chisels spaced 12 inches apart to a depth of 8 inches. Seal fumigant with a drag or cultipacker immediately behind chisels. Cover with a gas-proof tarpaulin. Remove tarpaulin after recommended fumigation period and aerate soil for 2 weeks before planting. If odors persist, disc or plow the soil to assist aeration. Do not apply MB 98-2 when there is little or no air movement.

Do not apply near buildings inhabited by humans or livestock or in areas adjacent to fields where valuable crops are growing.

**NOTE**

Vapors of MB 98-2 are extremely irritating to the eyes. When applying or transferring to other containers, provide good ventilation. In the presence of discomforting concentrations of MB 98-2 vapor wear a full face mask with an approved Black Canister for acid gas and organic vapors.

ACCEPTED

5-26-76

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 15031-2