

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

May be fatal if swallowed, inhaled, or absorbed through skin. Do not get in eyes, on skin or on clothing. Causes delayed chemical burns. Do not take internally. Avoid breathing vapors, spray mist or dust. Use with adequate ventilation. Wash thoroughly after skin contact, and before eating, drinking, use of tobacco products, or using restrooms.

The U.S. EPA has determined that pentachlorophenol can produce defects in the offspring of laboratory animals. Exposure to pentachlorophenol during pregnancy should be avoided.

Avoid inhaling vapors. In inhalation of vapors cannot be avoided, applicators must wear a properly fitting, well maintained half-mask canister or cartridge respirator which is MSHA/NIOSH approved for polynuclear aromatics and organic vapors. Applicators must wear gloves impervious to the wood treatment formulation in all situations where dermal contact is expected (for example, during the actual application process and when handling freshly treated wood).

Spray applicators must wear protective clothing (including overalls, jackets, gloves, boots, and head covering) impervious to the wood treatment formulation, and a respirator and goggles when spraying.

Applicators who apply pentachlorophenol by other application processes (e.g., brush-on) must wear long sleeved shirts, long pants and an impermeable apron. Launder work clothing separately from other household laundry.

Protective clothing must be changed when it shows signs of contamination. Launder non-disposable protective clothing separately from other household clothing. Dispose of worn out protective clothing and workshoes or boots in any general landfill, in the trash, or in any other manner approved for pesticide disposal.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation.

Do not apply where there may be direct contact with domestic animals or livestock, and where there may be contamination of food, feed, or drinking and irrigation water.

Do not apply in interiors. Do not apply to wood intended for use in interiors except for those support structures which are in contact with the soil in barns, stables, and similar sites and which are subject to decay or insect infestation; and millwork which has outdoor surfaces (e.g., doorframes, windows and patio frames). In interior surfaces of the treated wood should be sealed with two coats of an appropriate sealer. Sealers may be applied at the installation site.

Do not apply pentachlorophenol to wood intended for farrowing or brooding facilities.

Do not apply pentachlorophenol to wood intended to be used in the interior of farm building where there may be contact with domestic animals or livestock which may crib (bite) or lick the wood. Pentachlorophenol may be used to treat wood intended to be used in interiors of farm building where domestic animals are unlikely to crib or lick the wood, if two coats of an appropriate sealer will be applied. Sealers may be applied at the installation site.

Do not apply to wood intended to be used in a manner in which the preservative may become a component of food or animal feed. Examples of such sites would be structures on containers for storing silage or food.

Do not use this product to treat wood intended to be used for cutting boards or counter tops.

Do not use this product to treat wood intended for construction of those portions of beehives which may come into contact with the honey.

Do not use this product to treat wood intended for use where it may come into direct or indirect contact with drinking water for the public and domestic animals or livestock except for those uses involving incidental contact such as docks and bridges. Wood to be treated with this product should be cut to size before treatment. If it is necessary to saw or machine wood after treatment, wear goggles to protect eyes from flying particles and a dust mask to avoid inhaling sawdust from the treated wood. If oily preservatives or sawdust accumulate on clothes, launder before re-use. Wash work clothing separately from other household laundry.

Contact with treated surfaces should be avoided even after the preservative has dried. When handling treated wood wear long sleeved shirt, long pants and impervious gloves (i.e., vinyl coated). Wash exposed skin thoroughly after contact with treated wood and before eating, drinking or using tobacco products.

This product should not be used to treat wood which will be in frequent contact with skin, unless the wood will be treated with an effective sealer.

NOTE TO USER: As used on this label, the term "respirator" means properly fitting, well maintained, half-mask canister or cartridge respirator which are MSHA/NIOSH approved for polynuclear aromatics and organic vapors. Examples of acceptable materials for protective clothing (e.g., gloves, overalls, jackets, and boots) required during application and handling of pentachlorophenol are polyvinyl acetate (PVA), polyvinyl chloride (PVC), neoprene, and NBR (Buna-N). Urethane, latex epoxy enamel, shellac, and varnish are acceptable sealers for all pentachlorophenol treated wood.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

## PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Close container after each use.

## NOTICE

Neither the manufacturer nor the seller makes any representation or warranty, express or implied, concerning use of this material, other than indicated on the label. Neither shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting from the improper handling, storage or use of this material. The buyer accepts and uses this material on these conditions.

## RESTRICTED USE

For sale to and use only by certified applicators or by persons under their supervision and only for those uses covered by the certified applicators' certification.

## CHEMTOX-PWR

READY TO USE WOOD PRESERVATIVE  
REPELS WATER-CLEAR-AN IDEAL UNDER  
SEAL FOR PAINT-STOP ROT-IMPROVES  
ADHESION-CONTROLS WARPING-SWELL-  
ING-RETARDS INSECT ATTACK

## INGREDIENT STATEMENT

### ACTIVE INGREDIENTS:

Pentachlorophenol\* .....4.47%  
Other chlorinated phenols\* .....0.52%  
Petroleum hydrocarbons.....86.00%

### INERT INGREDIENTS:.....9.01%

Total.....100.00%

\*Equivalent to 5.2% Technical Pentachlorophenol

## KEEP OUT OF REACH OF CHILDREN DANGER

### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center.

Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush with plenty of water. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. Get medical attention.

NOTE TO PHYSICIAN: This product is a metabolic stimulant. Causes hyperthermia. Treat symptomatically.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

## MANUFACTURED FOR

ACCEPTED CORPORATION  
MEMPHIS TENNESSEE 38109

EPA Reg. No. 15146-7

MAR 12 1986

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 15146-7

EPA Est. No. 1022-TN-1

CHEMTOX-PWR is an outstanding general preservative. It is recommended for doors, stairs, porches, shingles, trellis interior trim, fence pickets, fence railings, arbors. Neither CHEMTOX-PWR nor pentachlorophenol (Penta) should be used on surfaces or wood in contact with food. Powderpost beetles and termites are controlled by this preservative. These insects will not treat wood.

In addition to retarding decay, blue stain wood this preservative controls warping and checking caused by changes in moisture and plywood products.

## DIRECTIONS FOR USE

It is a violation of Federal law to use inconsistent with its labeling. The best results will be obtained if wood is immersed for 3 minutes or longer. If liberal brush or spray applications are made at least 1 hour between applications. Fully treated to get maximum benefit after application of the preservative paint is needed over wood treated with wood preservative.

Fence posts, poles, foundation timber members should be free of bark, dry, and immersed in CHEMTOX-PWR for a period effectively preserved. Wood should be constructed after it has been cut to size. Do not use CHEMTOX-PWR inside any structure in any confined area where spray mist concentrate. Do not use CHEMTOX-PWR applied broadly to interior surfaces. Wood wastes should not come in contact with plants.

## STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water or disposal.

STORAGE: Do not store near heat or open flame. PESTICIDE DISPOSAL: Pesticide wastes should be disposed of excess pesticide, spray mixture, or empty container by use according to label instructions. Pesticide or Environmental Control Agency. Waste representative at the nearest disposal site.

CONTAINER DISPOSAL: Triple rinse (or equivalent) for recycling or reconditioning, or by other approved procedures.

HOUSEHOLD/DOMESTIC USE CONTAINER: Do not use original pesticide container in sewer. Discard in trash. Do not re-use empty container. TREATED WOOD DISPOSAL: Wood which has been treated with this preservative should be disposed of by burning in a collection. Do not burn treated wood in stoves or fireplaces because toxic chemicals are part of the smoke and ashes.