# DIRECTIONS FOR USE General Classification

It is a violation of Federal Law to use this product in a manner

FORTO SOR detergent/disinfectant has been designed specifically for hospitals, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance.

DISINFECTION- To disinfect hard inanimate surface (such as walls,

DISINFECTION-To disinfect hard inanimate surface (such as walls, floors, table tops), apply solution with mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for IO minutes and then let air dry.

DILUTION RATES: General Disinfection - Add 2 ounces FORTO BOG per gallon of water. Hospital Disinfection - Add 3 ounces FORTO BOG per gallon of water.

To disinfect thilet bowls, flush toilet, add 2 ounce FORTO BOG detergent disinfectant directy to the bowl water. Swab the bowl completely using a scrub or toilet mop, making sure to get under the rim.Let stand for 10 minutes and flush.

For heavily soiled areas, a pre-cleaning step is recommende Prepare a fresh solution for each use.

MILDEWSTAT- To control moid and mildew on hard non-poros surfaces (such as floors, walls, table tops), clean surfaces then add 2 ounce Fett's 186 per gallon of water. Apply with a cloth, mop or sponge to surfaces to be treated making sure to wet thoroughly. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reaperars.

SANIFICATION- To sanitize previously cleaned and rinsed non-porous food contact surfaces, prepare 200 ppm active quaternary FORTH BOO solution by adding 4 ounces to 5 gallons of water.

To satisfize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200 ppm FeRTS BUB solution or apply with a cloth or sponge, making sure to wet all surfaces completely for at least 60 seconds. Let air dry, Prepare a fresh solution for each use,

To sanitize mobile items (such as drinking glasses, eating utensits), immerse in 200 ppm FRATE ROS solution for at least 60 seconds making sure to immerse completely. Remove and let air dry. Prepare a fresh solution daily frequently as soil is apparent.

#### PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals

## WARNING

Keep Out of Reach of Children. Causes eye and skin irritation. Bo not get in eyes, skin or on clothing. Harmful it swallowed.

## STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician, Remove and wash all contaminated clothing before reuse. It swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Sall a physician.

## NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

FORTO CJ O. ш 45.0

detergent/disinfectant

Tomorrow's chemicals . T. today!

CIS ...

Detergent Deodorizer Sanıtızer

Fungicide (against pathogenic lungi) Virucide Mildewstat (on hard inanimate surfaces)

ACTIVE INGREDIENTS: n-Alkyl (60% C14. 30° C16. 5° C12. 5° C18.) dimethyl benzyl ammonium chlorides chlorides n- Alkyl (68%C12, 32%C14) dimethyl ethylbenzyl ammonium

chlorides 1.60%
MERT INGREDIENTS 96.80% TOTAL 100.00%

EPA REG. NO.15164 - 1 EPA EST, NO. 38718 - PR - 01

KEEP OUT OF REACH OF CHILDREN WARNING

See side panels for additional precautionary and first aid statements

Manufactured by:

FORTO CHEMICAL CORPORATION P.O. BOX 10531 SAN JUAN, P.R. 00622

(809) 782-1717 782-4426

Carthall &

FORTO BOB is a phosphate free cleanser disinfectant and sanitizer designed for general household use, schools, food processing plants and light industrials and hospital applications where housekeeping is of prime importance in controlling the hazard of cross contamination. When used as directed, FORTO BOB is formulated to disinfect inanimate hard surfaces (such as walls, -floors, sink tops, toilet bowls, tables, chairs and telephones). For darger areas, such as patient care facilities and restrooms, the product is designed to provide both general cleaning and disinfecting.

24

In addition, FGRTO BGC decodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls and any other areas which are prone to odors caused by microorganisms.

DISINFECTION-At 2 ounces per gallon dillution, FORTO BOR exhibits effective disinfectant activity against the following:

Enterobacter aerogenes Escherichia coli Klebsiella pneumoniae Salmonella schuttmuelleri Salmonella choleraesuis Brevibacterium ammoniagenes Streptococcus faecalis Shigella dysenteriae Staphylococcus alimus

At 3 ounces per pallon dilution, FORTO BOR is an effective hospital disinfectant and demonstrates disinfectant activity against Pseudomonas aeruginosa in addition to the above

Virucidal \* Activity: The product when used on environmental inanimate hard surfaces at 2 ounces per gallon of water exhibits effective virucidal \* activity against influenza  $A_2$  - Asian (representative of the common flu virus). Herpes simplex (causative agent of lever blisters and mononucleosis). Adeno virus type 2 (causative agent of upper respiratory infections), and Vaccinia virus (representative of the pox virus group).

Efficacy tests have demonstrated that FORTH SOE is an effective bactericide, fungicide, and virucide\* in the presence of organic soil (5% blood serum).

Mold and Mildewstat-FERTO BBS prevents and controls mold and mildew and the odors they cause on hard non-porous inanimate surfaces at 2 ounces per gallon dilution.

SANITIZATION-When used for sanitization of previously cleaned food equipment or food contact items limit active quaternaries to 200 ppm. At this level NO POTABLE WATER RINSE is required.

FORTO BOG is an effective sanitizer when diluted in water up to 250 ppm hardness (Ca  $CO_3$ ).

## STORAGE AND DISPOSAL

- 1. PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal open dumping is prohibited.
- 2. PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a sale place away from water supplies.
- 3. CONTAINER DISPOSAL: (a) Reseal container and offer for reconditioning, or (b) Triple rinse (or equivalent) and Offer for Recycling, Reconditioning, or Disposal in Approved Landfill, or Bury in a Safe Place.
- 4. GENERAL: Consult federal, state or local disposal authorities for approved alternative procedures.

**NET CONTENTS** 

tj 1