

### COLD DISINFECTION

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1½ ounces WQ-10 per gallon of water for 10 minutes.

### DIRECTIONS FOR ROOM FOGGING

To minimize the danger of cross-contamination from environmental surfaces apply solution of WQ - 10 as a fog described below, before applying standard routine terminal cleaning and disinfecting practices. 1. Remove all human, animal, and plant life from room. 2. Open closet doors and drawers. 3. Set up 34" revolving platform in center of room. 4. Mount jet fogger at 3 RPM. 5. Fill sprayer reservoir with 1.5 oz. of WQ - 10 to 1 gallon of water to produce 1150 PPM active ingredients. 6. Set sprayer to deliver 1 gallon of solution. 7. Fog for 15 minutes for an average 2100 cu. ft. room. For different size rooms vary spray time proportionally. 8. Wait 2 hours before entering the room after treatment. 9. Rinse fogging equipment thoroughly with clear water following use.

This product when used on environmental, inanimate, hard surfaces at 3½ ounces per 5 gallons of water is effective against Influenza A2, and Vaccinia Viruses.

Rinse empty container with water and discard.

# DANGER

## Keep Out of Reach of Children

# WQ - 10

## Disinfectant Deodorizer Sanitizer

### ACTIVE INGREDIENT:

n-Alkyl (60%C <sub>14</sub> ,30%C <sub>16</sub> ,5%C <sub>12</sub> ,5%C <sub>18</sub> ) dimethyl benzyl ammonium chlorides . . . . .	5%
n-Alkyl (68%C <sub>12</sub> ,32%C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides . . . . .	5%
INERT INGREDIENT: . . . . .	90%
	100%

EPA Est. No. 15265 - WI - 1 EPA Reg. No. 15265 - 2

**WAUSAU CHEMICAL CORP.**  
**Wausau, Wisconsin**

**NET CONTENTS \_\_\_\_\_**

SEE SIDE PANELS FOR WARNINGS AND FIRST AID

**ACCEPTED**  
OCT 23 1975  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTRATION  
ED UNDER NO. 15265

# DANGER

Keep Out of Reach of Children

# WQ - 10

## Disinfectant Deodorizer Sanitizer

**ACTIVE INGREDIENT:**

n-Alkyl (60%C <sub>14</sub> , 30%C <sub>16</sub> , 5%C <sub>12</sub> , 5%C <sub>18</sub> ) dimethyl benzyl ammonium chlorides . . . . .	5%
n-Alkyl (68%C <sub>12</sub> , 32%C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides . . . . .	5%
<b>INERT INGREDIENT:</b> . . . . .	90%
	<u>100%</u>

EPA Est. No. 15265 - WI - 1 EPA Reg. No. 15265 - 2

**WAUSAU CHEMICAL CORP.**  
**Wausau, Wisconsin**

**NET CONTENTS \_\_\_\_\_**

SEE SIDE PANELS FOR WARNINGS AND FIRST AID

**ACCEPTED**

OCT 23 1975

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 15265-2

### Hospital -- USE DIRECTIONS -- Household

For sanitizing and disinfecting floors, walls and inanimate hard surfaces. Apply solution with mop or cloth. Sanitize with 1 ounce WQ - 10 to 4 gallons of water. Disinfect with 3½ ounces per 5 gallons of water. At this level WQ - 10 will be effective against Pseudomonas aeruginosa PRD - 10. For heavily soiled or contaminated areas, a pre-clean step is required.

### Food Processing Equipment

Dairies - Restaurant and Bar Rinse

For sanitizing previously cleaned equipment and utensils dilute 1 ounce WQ - 10 per 4 gallons of water to provide 200 ppm of active quaternaries. At this level, NO POTABLE WATER RINSE is required.

### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If these are not available, drink large quantities of Water. Call a physician.

### DANGER

Corrosive. May cause eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.