

MIXING IS EASY Sani-Solv 10 is easily and quickly dispersed in hot or cold water and in water up to 1700 ppm of hardness (as calcium carbonate) to form a completely uniform solution. Sani-Solv when used at a 1:500 aqueous dilution (200 ppm active quaternaries) may be used on food processing and dairy equipment without the necessity of a final potable water rinse.

CLEANING BULK MILK TANKS As soon as possible after milk has been removed from bulk tank, rinse tank completely with cold water and allow to drain. Place 4 gallons of warm water 120 degrees F in tank and add 1 ounce (2 tablespoons) Sani-Solv 10 to the water in the tank. Scrub tank, mixers and covers and then allow to drain.

SANITIZING MILK EQUIPMENT AND COW UDDERS Previously cleaned milking equipment, pails, inflations and tubing should be sanitized prior to milking operations by preparing a 200 ppm solution of active quaternaries by mixing 1 ounce (2tablespoons) Sani-Solv 10 in 4 gallons of water. Scrub or dip equipment into the solution and allow to drain prior to beginning of milking operation.

Use a clean single service towel for each animal to wipe udders with the above sanitizing solution prior to milking. Never reuse towel or dip used towel back into solution. Always use freshly prepared solutions and non-corrodible utensils.

DANGER
Keep Out of Reach of Children

Sani-Solv 10

ACTIVE INGREDIENTS:

n-Alkyl (60%C ₁₄ ,30%C ₁₆ ,5%C ₁₂ ,5%C ₁₈) dimethyl benzyl ammonium chlorides	5.0%
n-Alkyl (68%C ₁₂ ,32%C ₁₄) dimethyl ethylbenzyl ammonium chlorides	5.0%
Phosphoric Acid	30.0%
INERT INGREDIENTS	60.0%
	100.0%

EPA REC. No. 15265-4 EPA Est. No. 15265 WI - 1

WAUSAU CHEMICAL CORP.
Wausau, Wisconsin

NET CONTENTS _____

SEE SIDE PANEL FOR PRECAUTIONARY AND FIRST AID STATEMENTS.

ACCEPTED

OCT 9 1975

UNDER THE SUPERVISION OF
 FEDERAL BUREAU OF INVESTIGATION
 FOR THE FEDERAL BUREAU OF INVESTIGATION

HARD
 Append
 mendati
 of hard
 AOAC
 sult you
 your loc

DANGE
 severe ey
 clothing,
 handling
 food.

FIRST A
 plenty of
 Remove

If swallo
 gelatin so
 of water.

NOTE T
 the use of
 depressio

Rinse em

DANGER

Keep Out of Reach of Children

Sani-Solv 10

ACTIVE INGREDIENTS:

n-Alkyl (60%C ₁₄ , 30%C ₁₆ , 5%C ₁₂ , 5%C ₁₈) dimethyl benzyl ammonium chlorides	5.0%
n-Alkyl (68%C ₁₂ , 32%C ₁₄) dimethyl ethylbenzyl ammonium chlorides	5.0%
Phosphoric Acid	30.0%
INERT INGREDIENTS	60.0%
	<u>100.0%</u>

EPA REC. No. 15265-4 EPA Est. No. 15265 WI - 1

WAUSAU CHEMICAL CORP.
Wausau, Wisconsin

NET CONTENTS _____

SEE SIDE PANEL FOR PRECAUTIONARY AND FIRST AID STATEMENTS.

HARD WATER TOLERANCE This product fulfills the criteria of Appendix F of the Grade A Pasteurized Milk Ordinance 1965 recommendations of the U.S. Public Health Service in waters up to 600 ppm of hardness calculated as calcium carbonate, when tested by the AOAC Germicidal and Detergent / Sanitizing Official Method. Consult your milk inspector or health officer for recommendations on your local program.

DANGER Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

Rinse empty container thoroughly with water and discard.