

PM 31


15265-5

223

-2-

If you have any questions concerning this letter, please contact
Karen Leavy at (703) 557-3966.

Sincerely yours,

John H. Lee 
Product Manager (31)
Antimicrobial Program Branch
Registration Division (H7505C)

Disinfection

Use at 1 ounce per gallon of water. This product will be effective against *Pseudomonas aeruginosa* PRD 10 at this level.

At 1 ounce per gallon of water, this product is fungicidal against pathogenic fungi.

For best results, use Sanidet Concentrate as directed above with a clean mop and apply to walls, floors and other hard surfaces.

For heavy soil or organic matter, a pre-cleaning step is recommended.

Sanitization

If used for sanitization of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm (1.4 ounces per 5 gallons of water).

No Rinse Required at this level.

This product when used on environmental inanimate hard surfaces at 1 ounce per gallon of water is effective against Influenza A, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

Rinse empty container thoroughly with water and discard

Phenol Coefficients
Guaranteed Minimum
S aureus 78
S typhosa 48

Sanidet Concentrate

**CONCENTRATED DETERGENT, SANITIZER,
DISINFECTANT, DEODORIZER**

ACTIVE INGREDIENTS:

n Alkyl (60% C₁₂ - 30% C₁₄ - 5% C₁₆ - 5% C₁₈)
Dimethyl benzyl ammonium chlorides
n Alkyl (68% C₁₂ - 32% C₁₄) dimethyl
ethylbenzyl ammonium chlorides

INERT INGREDIENTS

EPA REG. NO. 15265-5 EPA EST. NO. 15265-5

WARNING

Keep Out of Reach of Children. See reverse side panel for additional precautionary first-aid statements.

NET CONTENTS 1 GALLON

Wausau Chemical Corporation
Wausau, Wisconsin

BEST AVAILABLE COPY