

U.S. ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (73-787)  
WASHINGTON, DC 20460

EPA REGISTRATION NO. 015297-9

DATE OF ISSUANCE  
APR 24 1990

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
(Under the Federal Insecticide, Fungicide  
and Rodenticide Act, as amended)

TERM OF ISSUANCE  
Until Reregistration

NAME OF PESTICIDE PRODUCT  
2,4-DICHOLOPHENOL-2,4-DICHOLOPHENOL-2,4-DICHOLOPHENOL  
Product of the Control for Horses

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[Faint, illegible text in the registrant name field]

161/352091  
18/2

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

[Faint, illegible text in the main body of the form]

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

*[Handwritten signature]*

DATE 4/24/90

Hebert 4-24-90

205  
c. Delete livestock other than horses on the side panel.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

RECEIVED  
FEB 10 1968

SPECIMEN LABEL

FRONT PANEL

B I O - G R O O M  
Lanolin - Aloe  
REPEL - 35  
Lasting Residual  
INSECT CONTROL  
for horses

ACTIVE INGREDIENT:

\*Permethrin ..... 0.50%

INERT INGREDIENTS: ..... 99.50%


100.00%

\*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)  
2,2-dimethylcylopropanecarboxylate. Cis/trans ratio: min. 35%  
(+/-) cis and max. 65% (+/-) trans.

KEEP OUT OF REACH OF CHILDREN

C A U T I O N

See side panel for use cautions.



ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

APR 24 1971

Net Contents .....

Under the Federal Insecticide,  
Fungicide and Rodenticide Act as  
amended, for the pesticide  
registered under EPA Reg. No. 15297-9

SIDE PANEL

Kills Lice and Louse eggs, Ticks and Fleas (adults and Larvae). Residual actions protects horses, (cattle, beef and dairy, goats, sheep, and hogs) from horn flies, face flies, horse flies, mosquitoes and gnats.

PRECAUTIONARY STATEMENTS

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. In case of contact, flush with plenty of water. Call a physician if irritation persists. Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed or foodstuff. Do Not use in any area where food or feed is stored, prepared, or consumed. Do not use on humans.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

?? If In Eyes:

**BEST AVAILABLE COPY**

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwater.

Buyer assumes all risks for use, storage or handling of this product not in strict accordance with directions given herewith.

SHAKE WELL BEFORE USING

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply REPEL-35 spray to a clean coat. Brush animal thoroughly to remove loose dirt and dust or bathe the animal with BIO-GROOM Protein-Lanolin Conditioning Shampoo. Allow coat to dry before applying REPEL-35.

For protection from flies, mosquitoes and gnats: Apply at a rate of 2 Fl. Oz. per adult animal, sufficient to wet the hair thoroughly. Repeat daily or as necessary for continued protection, or as prescribed by a veterinarian.

For control of blood-sucking lice, ticks and fleas brush the coat against the direction of the hair while spraying so that the spray will penetrate to the skin including the legs and underbody. Avoid spraying into eyes. For facial areas, especially around eyes, wipe on only. Repeat every three weeks if required or as prescribed by a veterinarian. Reapply after animal has been washed or soaked by rain.

595

SIDE PANEL  
(continued)

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

---

Manufactured by:  
BIO-DERM LABORATORIES, INC.  
P.O. Box 8070, Longview, Texas 75607, USA

EPA Reg. No. \_\_\_\_\_

EPA Est. No. 15297-TX-1

