



EPA Est. No. 11-300 VA

## DIRECTIONS

When the cooling water system is in jeopardy of becoming affected by algae and fungal growths, or after the system has been cleaned because the efficiency has been impaired by growth, manually add 1 1/2 to 3 pints (200 to 400 ppm) of CHEMICAL TREATMENT CL-205 for each 1,000 gallons of water in the system as an initial dose until control is achieved. Repeat until control has been achieved. Subsequently, add 3/4 to 1 1/2 pints (100 to 200 ppm) for each 1,000 gallons of water in the system. Additions should be made approximately once a week or as needed. In severe growth situations, good practice is to repeat the dosage when the bleed off from the system has reduced the concentration to approximately one-tenth (1/10) of the dosage amount. Slug additions should be made at points in the system where it will be uniformly mixed such as the sump of the cooling tower where rapid flow is evident.

## CHEMICAL TREATMENT CL-205

**CONTROLS ALGAE AND FUNGAL  
SLIME FORMATION  
NONCORROSIVE TO METAL**

For use in all recirculating cooling systems such as cooling towers and evaporative condensers where water is not used for drinking or bathing purposes.

ACTIVE INGREDIENTS	18%
Sodium Pentachlorophenate	15.8%
Sodium Salts of other Chlorophenols	2.2%
INERT INGREDIENTS	82%
WEIGHT PER GALLON	9.45 lbs.
WEIGHT OF ACTIVE INGREDIENT PER GALLON	1.7 lbs.

EPA Reg. No. 11-000-5

## KEEP OUT

Causes eye damage. Do not get in eyes, on face, or in clothing. Wash with goggles or eye protection. Harmful if swallowed. Irritating to skin. Do not breathe through skin. Do not

In case of eye contact, flush with water for at least 15 minutes. In case of skin contact, wash with soap and water. Wash clothing if contaminated. If swallowed, induce vomiting. If inhaled, get fresh air or give oxygen. If in eyes, flush with water. If in mouth, spit out. If on skin, wash with soap and water. If on clothing, remove and wash in a glass of water.

This product is a disinfectant. Treat symptoms.

This product is a disinfectant. It should not be used in streams, ponds, or other bodies of water by cleaning. Apply this product as directed. Rinse empty containers.



15300-5

EPA Reg. No. 15300 VA 1

## CHEMICAL TREATMENT CL-205

**CONTROLS ALGAE AND FUNGAL**

**SLIME FORMATION**

**NONCORROSIVE TO METAL**

For use in all recirculating cooling systems such as cooling towers and evaporative condensers where water is not used for drinking or bathing purposes.

ACTIVE INGREDIENTS .....	18%
Sodium Pentachlorophenate .....	15.8%
Sodium Salts of other Chlorophenols .....	2.2%
INERT INGREDIENTS .....	82%
WEIGHT PER GALLON .....	9.45 lbs.
WEIGHT OF ACTIVE INGREDIENT PER GALLON .....	1.7 lbs.

EPA Reg. No. 15300-5

### DANGER

**KEEP OUT OF REACH OF CHILDREN:**

**CORROSIVE**

Causes eye damage. May produce severe burns. Do not get in eyes, on skin or on clothing. Protect eyes and skin with goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed, inhaled or absorbed through skin. Do not breathe vapor or mist.

#### FIRST AID

In case of eye contact, flush eyes immediately with plenty of water for at least 15 minutes, and get medical attention. In case of skin contact, wash with soap and plenty of water. Wash contaminated clothing before reuse. If swallowed, induce vomiting by sticking finger down the throat or by giving an emetic such as 2 tablespoonsful of salt in a glass of warm water. Call a physician.

#### NOTE TO PHYSICIAN

This product is a metabolic stimulant. Causes hyperthermia. Treat symptomatically.

#### ENVIRONMENTAL

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Rinse empty container thoroughly and discard it.