Chemical Treatment

CL-2122EPTED

2 5 SEP 1979

UNDER THE THE MASSICILIDE FUNGICIDE AND HODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 15300-14

ACTIVE INGREDIENTS:

Disodium cyanodithioimidocarbonate	7.35 %
- Potassium N-methyldithiocarbamate	10.15%
INERT INGREDIENTS	82.50%
TOTAL	100.0%

This product contains 1.67 lb. of active ingredients per gallon and weighs 9.25 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated nothing before reuse. If swallowed, give patient cases of powdered charcoal immediately or all he cra swallow of raw egg white, milk, gruel, or flour and water. Then induce vomiting with salt, soap, or ard in warm water. Call a physician immediately. EN _ RONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

PMST

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Chemical Treatment CL-2122 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 3.3 to 6.6 fluid ounces of Chemical Treatment CL-2122 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.1 to 6.6 fluid ounces of Chemical Treatment CL-2122 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill, or bury in a safe place. Metal containers over 30 gallons should be resealed before offering for reconditioning.

Manufactured by:

Chemical Treatment Company 500 Lickinghole Road • Ashland, VA 23005

EPA REG. NO. 15300-14 EPA EST. NO. 15300 44A

NET CONTENTS

CI .2122 B

BEST AVAILABLE COPY