

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.


PHYSICAL AND CHEMICAL HAZARDS—STRONG OXIDIZING AGENT: Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

NET CONTENTS _____

Chemical Treatment C-2181

BEST DOCUMENT AVAILABLE

ACTIVE INGREDIENT: 20.0%
*Trichloro-s-triazinetrione
INERT INGREDIENTS: 80.0%
*Available chlorine 17.8% minimum



**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRACTICAL TREATMENT: (FIRST AID): If swallowed feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.

If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in Eyes: Flush with cold water for at least 15 minutes. Get medical attention.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Chemical Treatment C-2181 is a free flowing powder designed to dissolve slowly providing a continuous source of chlorine for controlling the growth of bacteria and algae in industrial recirculating water cooling towers, air washers, and evaporative condensers.

Heavily fouled systems should be cleaned prior to initiating treatment.

INITIAL DOSAGE: When the system is just noticeably fouled, immerse 2.4-2.5 lbs. of C-2181 per 10,000 gallons of water contained in the system. Repeat this initial dosage if necessary until the chlorine demand is satisfied and a chlorine residual of 0.5 to 1.0 ppm (as determined by use of a chlorine test) is established.

SUBSEQUENT DOSAGE: To maintain a chlorine residual of 0.5 to 1.0 ppm, add 4.0 to 8.0 ounces of C-2181 per 10,000 gallons of water daily or as needed as determined by use of a chlorine test.

C-2181 should be immersed in the system at a point where adequate flow is maintained. Variations in water temperature, chlorine demand, and flow rate will affect the dissolution rate of the powder. During warmer seasons, the growth of algae and bacteria may increase requiring upward adjustment of chlorine residuals.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.

CHEMICAL TREATMENT COMPANY
500 Lickinghole Road
Ashland, Virginia 23005

EPA REG. NO. 15300-17 EPA EST. NO. 15300-VA-1

21 21

BEST DOCUMENT AVAILABLE